4		
County:	Sunflower	
Permit #:	GW-48566	
Driller:	Irrigation Eq	uipment
Date drill	ing completed:	09/24/2014

Franchiscolidad bir Franch Am & Distr. 044 040 0400 Franch Chilician

## **STATE WELL REPORT**

# Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309
(601) 961-5210
(601) 360-0535 (fax)

For Office Use Only:		
Well #:	J268	
Aquifer:		
E-Log #:		

Well Owner Information (Landowner if borehole is not for a water well)	ompletion of drilling of the well or borehole.  Well or Borehole Location
Owner Name: Steve & Janet Skelton	Latitude: 33 36' 40.3 N Longitude: 90 44' 29.7 W
Mailing Address: 85 Hwy 442	Method of Lat/Long (check one):   Conventional Survey,
Maining Address. William The Control of the Control	
	USGS quad, ⊠ Hand-held GPS, ☐ Survey-grade GPS
Shaw Ms 38773 City State Zip code	<u>SW</u> 1⁄2 <u>N</u> W 1⁄2, Sec <u>5</u> ⊤ <u>20 N</u> R <u>5 W</u>
Telephone No. ( ) -	1 Miles East of Shaw
	(Distance) (Direction) (Nearest Town)
Well / I	Borehole Data
Date drilling started: 09/24/2014 Date drilling completed	: 09/24/2014 Hole depth: 127' Hole diameter: 24"
Location of the source of any surface water used for drilling:	Surface Water
.  Wethod of dosing and volume of Chlorine used in drilling and d	levelopment: 50 PPM
_ogs run (check all applicable): ☑ No log run ☐ Electric ☐ G	amma Ray ☐ Density ☐ Sonic ☐ Neutron ☐ Other:
Name of organization running log(s):	
Purpose of borehole (check one):   Water Well   Geote	echnical/Geological Investigation
Colombia Cumiani	_
	Other (describe)
•	_
If drilling is not related to water well o	☐ Other (describe)  construction, skip the remainder of this block
If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐	Other (describe)  construction, skip the remainder of this block
If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☑ Other (describe): Replace GW-41300	☐ Other (describe)  construction, skip the remainder of this block ☐ Public Supply ☑ Irrigation ☐ Fish Culture
If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☐ Other (describe): Replace GW-41300  If a flowing well, method of flow regulation: Valve	☐ Other (describe)  construction, skip the remainder of this block ☐ Public Supply ☑ Irrigation ☐ Fish Culture  Other (describe)
If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☐ Other (describe): Replace GW-41300  If a flowing well, method of flow regulation: Valve	☐ Other (describe)  construction, skip the remainder of this block ☐ Public Supply ☑ Irrigation ☐ Fish Culture  Other (describe)
If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☑ Other (describe): Replace GW-41300  f a flowing well, method of flow regulation: Valve  Static Water Level: 49' feet [☐ above or ☒ be (check one)	☐ Other (describe)  construction, skip the remainder of this block ☐ Public Supply ☑ Irrigation ☐ Fish Culture  Other (describe)  elow] land surface Date measured: 09/25/2014
If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☑ Other (describe): Replace GW-41300  f a flowing well, method of flow regulation: Valve  Static Water Level: 49' feet [☐ above or ☒ brokene)  Method of Measurement (check one) ☒ Steel tape ☐ Electric	☐ Other (describe)  construction, skip the remainder of this block ☐ Public Supply ☑ Irrigation ☐ Fish Culture  Other (describe)  elow] land surface Date measured: 09/25/2014  tape ☐ Air line ☐ Other: (describe)
If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☑ Other (describe): Replace GW-41300  If a flowing well, method of flow regulation: Valve ☐ Static Water Level: 49' feet [☐ above or ☒ brack one)  Method of Measurement (check one) ☒ Steel tape ☐ Electric ☐ Steel depth: 127' ☐ Well grouted to a depth of: 10' feet ☐ Steel ☐ Ste	☐ Other (describe)  construction, skip the remainder of this block ☐ Public Supply ☑ Irrigation ☐ Fish Culture  Other (describe) elow] land surface Date measured: 09/25/2014  tape ☐ Air line ☐ Other: (describe)  feet Type of grout (check one): ☐ Neat Cement ☑ Bentonite ☐ M
If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☑ Other (describe): Replace GW-41300  If a flowing well, method of flow regulation: Valve  Static Water Level: 49' feet [☐ above or ☒ bo (check one)  Method of Measurement (check one) ☒ Steel tape ☐ Electric  Well depth: 127' Well grouted to a depth of: 10' feet Casing diameter: 1	☐ Other (describe)  construction, skip the remainder of this block ☐ Public Supply ☑ Irrigation ☐ Fish Culture  Other (describe) elow] land surface Date measured: 09/25/2014  tape ☐ Air line ☐ Other: (describe) feet Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ M
If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☑ Other (describe): Replace GW-41300  If a flowing well, method of flow regulation: Valve  Static Water Level: 49' feet [☐ above or ☒ bo (check one)  Method of Measurement (check one) ☒ Steel tape ☐ Electric  Well depth: 127' Well grouted to a depth of: 10' feet Casing length: 87' feet Casing diameter: 1	☐ Other (describe)  construction, skip the remainder of this block ☐ Public Supply ☑ Irrigation ☐ Fish Culture  Other (describe) elow] land surface Date measured: 09/25/2014  tape ☐ Air line ☐ Other: (describe) feet Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ M
If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☑ Other (describe): Replace GW-41300  If a flowing well, method of flow regulation: Valve  Static Water Level: 49' feet [☐ above or ☒ bo (check one)  Method of Measurement (check one) ☒ Steel tape ☐ Electric  Well depth: 127' Well grouted to a depth of: 10' feet Casing diameter: 1  Casing length: 87' feet Casing diameter: 1  Screen length: 40' feet Screen diameter: 1	☐ Other (describe)  construction, skip the remainder of this block ☐ Public Supply ☑ Irrigation ☐ Fish Culture  Other (describe) elow] land surface Date measured: 09/25/2014  tape ☐ Air line ☐ Other: (describe) feet Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ M  16" inches Type of casing: PVC
If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	Other (describe)  construction, skip the remainder of this block  Public Supply ☑ Irrigation ☐ Fish Culture  Other (describe)  elow] land surface Date measured: 09/25/2014  tape ☐ Air line ☐ Other: (describe)  feet Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ M  16" inches Type of casing: PVC  16" inches Type of screen: PVC  th: From 88" feet to 127' feet
If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	Other (describe)  construction, skip the remainder of this block  Public Supply ☑ Irrigation ☐ Fish Culture  Other (describe)  elow] land surface Date measured: 09/25/2014  tape ☐ Air line ☐ Other: (describe)  feet Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ M  16" inches Type of casing: PVC  16" inches Type of screen: PVC  th: From 88' feet to 127' feet
If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☐ ☐ Other (describe): ☐ Replace GW-41300 ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	Other (describe)  construction, skip the remainder of this block  Public Supply ☑ Irrigation ☐ Fish Culture  Other (describe)  elow] land surface Date measured: 09/25/2014  tape ☐ Air line ☐ Other: (describe)  feet Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ M  16" inches Type of casing: PVC  16" inches Type of screen: PVC  th: From 88' feet to 127' feet

County: Sunflower Permit #: GW-48566	w	For Office Use of the Hell #: 7 208	Only:
The sketch below only required for water wells  If well telescopes, show depths on sketch.	Description of formations encount and boreholes, unless specifically e		ll wells
	Description of Formations Encou	ntered From (depth)	To (depth)
Ground level —	Clay	Ground level	19
	Fine Sand	20	41
	Fine Sand & Gravel	42	52
	Medium Sand & Gravel	53	127
If more than one screen, show location of each on sketch			
Sketch the property layout and include the following:  1) the well location 2) any permanent structures on the property that 3) any roads, power lines, or other items that may 4) a north arrow	may aid in locating the well aid in locating the property and the we		
Landowner Name: Steve & Janet Skelton		Form: OLWR-S	WR-1A (04/08)
I HEREBY CERTIFY that the well/borehole was drilled requirements of the Mississippi Department of Environif applicable, and state laws.	Y /	nce with all applicable ortment of Health regulation	ons
Patrick Chism 0695	09/26/2014	- H	A THE STATE OF THE
Print Name of Responsible Licensee and License No.	Date	Signature of Licensee	

Signature of Licensee
Form: OLWR-SWR-1A (4/13)



County:	Sunflower	
Permit #:	GW-48566	<u> </u>
Driller:	Irrigation Eq	uipment
Date drilli	ing completed:	09/24/2014

Copy information from block on Part 1

Print Name of Pump Installer and License No. (if applicable)

## STATE WELL REPORT

#### Part 2

### **Pump Installer's Completion Report**

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309

P.O. Box 2309 lackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)

For	Office Use Only:
Well#:	J 208
Aquifer:	

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Owner Name: Steve & Janet Skelton Latitude: 33 36' 40.3 N Longitude: 90 44' 29.7 W Mailing Address: 85 Hwy 442 Method of Lat/Long (check one): 

Conventional Survey, ☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS 14, Ms 38773 Shaw SW 1/4 NW 1/4, Sec 5 T 20 N R 5 W State City Zip code Telephone No. East (Nearest Town) (Distance) (Direction) Pump Type (check one) □ Submersible ☑ Turbine □ Air Lift □ Centrifugal □ Flowing Well □ Jet □ Piston □ Rotary □ Other (describe): Date Pump Installed 09/25/2014 Rated Pump Capacity: 2500+/- Gallons Per Minute Is This Pump (check one): ☑ New ☐ Repaired ☐ Replacement Power Type (check one) ☐ Electric ☑ Diesel ☐ Gasoline ☐ Natural Gas ☐ Tractor PTO ☐ Windmill ☐ Other (describe): Horse Power Rating of Motor: 60 Setting Depth: 80' feet Number of Stages: 1 Pump Test Data for Non Flowing Well Date Well Tested: Duration of Pump Test (minimum 4 hours): Static Water Level (A): \_\_\_\_\_ Feet Below Land Surface Pumping Water Level (B): \_\_\_\_ Feet Below Land Surface Gallons Per Minute Feet Below Land Surface Test Pumping Rate: Drawdown [(B) - (A)]: Method of measurement (check one): ☐ Steel tape ☐ Electric tape ☐ Air line ☐ Other (describe): **Pump Test Data for Flowing Well** Measured shut in head: Feet GPM with a drawdown of \_ feet after hours of pumping Meter Installation Meter Serial Number: Meter Manufacturer: Meter Model Number/Name: \_\_\_ Type of Meter: \_\_\_\_\_ Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc): Meter installed by: \_\_ Is This Meter (check one): New Repaired Replacement Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards. For agricultural wells, a list of approved meters is on the MDEQ mebsite. I HEREBY CERTIFY that the above statements are true to the best of my knowledge. 0695 Patrick Chism 09/26/2014

Date

Signature of Pump Histaller Form: OLWR-SWR-1B (4/13)



20 2 8 3 20 K