Com El activan	STATE WELL REPORT	For Office Use Only:
County: Sunflower	Part 1 Driller's Log	Well#:
Permit #: GW-48881	Mississippi Department of Environmental Qualit	Aquifer:
Driller: Irrigation Equipment Inc.	Office of Land and Water Resources P.O. Box 2309	E-Log #:
Date drilling completed: 05/14/2015	Jackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)	L
	be prepared by the license holder responsible vithin 30 days of completion of drilling of the	
Well Owner Informa (Landowner if borehole is not fo	tion Well or	Borehole Location
Owner Name: Bear Wallow Inc.	Latitude: 33 36' 44.6 N	Longitude: 90 32' 04.8 W
Mailing Address: Box 5	Method of Lat/Long (check	cone): 🔲 Conventional Survey,
	USGS quad, 🛛 Hand-t	neld GPS, 🔲 Survey-grade GPS
Doddsville Ms City State		¼, Sec <u>8</u> ⊺ <u>20 N</u> R <u>3 W</u>
Telephone No. () -	1 Miles Nor	thwest of Blaine
		rection) (Nearest Town)
	Well / Borehole Data	
	Date drilling completed: 05/14/2015 Hole depth:	Hole diameter: 24"
Location of the source of any surface wat	ter used for drilling: Surface Water	
Method of dosing and volume of Chlorine	e used in drilling and development: 50 PPM	
Logs run (check all applicable): 🛛 No log	g run 🗋 Electric 🗋 Gamma Ray 🗋 Density 🔲 Sonic	Neutron 🗌 Other:
Name of organization running log(s):		
Name of organization running log(s): Purpose of borehole (check one): 🛛 W	/ater Well Geotechnical/Geological Investigation	on Ground Source Heat Pump
Purpose of borehole (check one): 🛛 W	/ater Well	on Ground Source Heat Pump
Purpose of borehole (check one): 🛛 W	_	
Purpose of borehole (check one): 🛛 W 🗆 S <i>If drilling is not rel</i> e	Seismic Survey	inder of this block
Purpose of borehole (check one):	Seismic Survey	<i>inder of this block</i>
Purpose of borehole (check one):	Seismic Survey □ Other (describe) ated to water well construction, skip the remained Home □ Industrial □ Public Supply ☑ Irrigation □	<i>inder of this block</i> Fish Culture
Purpose of borehole (check one):	Seismic Survey	<i>inder of this block</i> Fish Culture
Purpose of borehole (check one):	Seismic Survey □ Other (describe) ated to water well construction, skip the remained industriat □ Public Supply Irrigation □ Home □ Industriat □ Public Supply Irrigation □ Home □ Industriat □ Public Supply Irrigation □ Home □ Industriat □ Public Supply Irrigation □ n: Valve Other (describe) reet [□ above or I below] land surface Date m	Fish Culture
Purpose of borehole (check one): X W S If drilling is not relations Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation Static Water Level: 56' Method of Measurement (check one) X	Seismic Survey □ Other (describe) Jated to water well construction, skip the remained I Home □ Industrial □ Home □ Industrial □ Home □ Industrial □ Public Supply □ Irrigation □ □ n: Valve Other (describe) feet [□ above or ⊠ below] land surface Date m (check one) □	<i>inder of this block</i> Fish Culture neasured: 05/15/2015
Purpose of borehole (check one): If drilling is not relations of Well (check all applicable): Other (describe): If a flowing well, method of flow regulations Static Water Level: 56' for Method of Measurement (check one) Well depth: 117' Well grouted to a	Seismic Survey □ Other (describe) Cated to water well construction, skip the remained □ Home □ Industrial □ Public Supply ⊠ Irrigation □ n: Valve Other (describe) feet [□ above or ⊠ below] land surface Date mained Steel tape □ Electric tape □ Air line □ Other: (describe)	<i>inder of this block</i> Fish Culture neasured: 05/15/2015 cribe)
Purpose of borehole (check one):	Seismic Survey □ Other (describe) ated to water well construction, skip the remained □ Home □ Industrial □ Public Supply ⊠ Irrigation □ n: Valve Other (describe) feet [□ above or ⊠ below] land surface Date mathematical construction Steel tape □ Electric tape □ Air line □ Other: (describe) depth of: 10' feet Type of grout (check one)	<i>inder of this block</i> Fish Culture neasured:
Purpose of borehole (check one): X W S If drilling is not relations Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulations Static Water Level: 56' Method of Measurement (check one) Well depth: 117' Well grouted to a Casing length: 77' feet Screen length: 40' feet	Seismic Survey □ Other (describe) ated to water well construction, skip the remained to water well constructing to water well	inder of this block Fish Culture heasured: cribe) : □ Neat Cement ⊠ Bentonite □ M e of casing: e of screen: PVC e of screen:
Purpose of borehole (check one):	Seismic Survey Other (describe) ated to water well construction, skip the remained Home Industrial Home Industrial Public Supply Irrigation n: Valve Other (describe)	inder of this block Fish Culture heasured: cribe) : □ Neat Cement ⊠ Bentonite □ M e of casing: e of screen: feet tofeet
Purpose of borehole (check one): ☑ W □ S If drilling is not relation of the second secon	Seismic Survey Other (describe) ated to water well construction, skip the remained Home Industrial Home Industrial Public Supply Irrigation n: Valve Other (describe)	inder of this block Fish Culture neasured: 05/15/2015 cribe)
Purpose of borehole (check one):	Seismic Survey Other (describe) ated to water well construction, skip the remained to water well constructing the remater wella struction, skip the remained towater well co	inder of this block Fish Culture heasured: 05/15/2015 cribe) □ Neat Cement ⊠ Bentonite □ M e of casing: PVC e of screen: PVC feet to 117' feet Natural Development RECEIV
Purpose of borehole (check one):	Seismic Survey Other (describe) ated to water well construction, skip the remained to water well constructing the remater wella struction, skip the remained towater well co	inder of this block Fish Culture heasured:

۰.

· , /	County: Sunflower		
	Permit #:		
	<u>The sketch below only required for water wells</u>		<u>Descri</u> and bo
	If well telescopes, show depths on sketch.		
	Ground level		Descri Clay
		····	Fine
			Fine
			Medi
			Clay

۱

,

J	For Office Use Only:
Well #:	L254

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clay	Ground level	44
Fine Sand	45	54
Fine Sand & Gravel	55	63
Medium Sand & Gravel	64	115
Clay	116	117
·····		
	†	1
	+	<u> </u>
	L	1

If more than one screen, show location of each on sketch

	ayout and include the following:			
1) the well locat	ion			
any permane	nt structures on the property that ma	y aid in locating the well		
 any roads, po a north arrow 	ower lines, or other items that may ai	d in locating the property a	and the well	
Landowner Name:	Bear Wallow Inc.	4.		
Landowner Name:	Bear Wallow Inc.	<u> </u>	Form: OLWR-SWR-1A ()4/08)
I HEREBY CERTIFY	' that the well/borehole was drilled, c	onstructed, and completed	Form: OLWR-SWR-1A (C)4/08)
I HEREBY CERTIFY requirements of the M	' that the well/borehole was drilled, co Mississippi Department of Environme	onstructed, and completed Intal Quality and the Mesi)4/08)
I HEREBY CERTIFY requirements of the M if applicable, and stat	' that the well/borehole was drilled, co Mississippi Department of Environme te laws.	ental Quality and the Mesi	in accordance with all applicable)4/08)
I HEREBY CERTIFY requirements of the M if applicable, and stat Patrick Chism	' that the well/borehole was drilled, co Mississippi Department of Environme	onstructed, and completed ental Quality and the Messi 05/19/2015 Date	in accordance with all applicable)4/08)

MAY 2 \$ 2015

BY: OLWR

0	STATE WEL		T			Jse Only: らよ
County: Sunflower	Pump Installer's C	-	mort	Well #:	La	77
Permit #: GW-48881	Pump Installer's Control Mississippi Department of	f Environmental	Quality			
Driller: Irrigation Equipment Inc.	Office of Land and P.O. Box		s	Aquifer:		
Date drilling completed: 05/14/2015 Copy information from block on Part 1	Jackson, MS	39225-2309	l			
	(601) 96 ⁻ (601) 360-0					
This part of the report must be complet	ed by a licensed water well com	tractor or a licens	sed pump	installer. A	A copy of I	Part 1
of the report must be attached and both	parts filed with the Departmen	nt at the above ad	dress with	in 30 days	of well co	mpletion.
Well Owner Inform	ation		wen	Location		
Owner Name: Bear Wallow Inc.	Lati	itude: 33 36' 4	4.6 N	_ Longitue	de: 90 32	.' 04.8 W
Mailing Address: P.O. Box 5	Me	thod of Lat/Long	(check on	e): 🛛 🗘	onvention	al Survey,
		USGS quad, 🛛	Hand-heic		Survey-or	ade GPS
		•				
Doddsville Ms City Sta	38736 te Zip code	<u>SE</u> 1	~ <u>SVV</u> %, :	Sec <u>8</u> 1 <u>2</u>	<u>) N</u> R <u>3 W</u>	
Telephone No. () -		1 Miles	Northy (Direct			Blaine est Town)
		· · · · ·	10/100			
	Pump Type (che					
□ Submersible ☑ Turbine □ Air Lift □						
	Rated	Pump Capacity:	2300+/-		Gallo	ns Per Minute
	anairad I Panlacamant					
Is This Pump (check one): 🛛 New 🗌 F		eck one)				
	Power Type (ch		describe)			
Electric Diesel Gasoline Nat	Power Type (ch	indmill 🗌 Other (tages.	2
Electric Diesel Gasoline Nat	Power Type (ch	indmill 🗌 Other (itages:	2
□ Electric ⊠ Diesel □ Gasoline □ Nat	Power Type (ch	indmill 🗌 Other (itages:	2
□ Electric ⊠ Diesel □ Gasoline □ Nat Horse Power Rating of Motor: 60	Power Type (chi ural Gas I Tractor PTO I Wi Setting Depth: 80' Pump Test Data for No	indmill 🗌 Other (_ feet Nu	imber of S		
□ Electric ⊠ Diesel □ Gasoline □ Nat Horse Power Rating of Motor: <u>60</u> Date Well Tested:	Power Type (chi ural Gas] Tractor PTO] Wi Setting Depth: <u>80'</u> Pump Test Data for No Dur	indmill Other (on Flowing Well ration of Pump Te	_ feet Nu	umber of S um 4 hour	rs):	Hours
Electric Diesel Gasoline Nat Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A):	Power Type (chi ural Gas Tractor PTO Wi Setting Depth: 80' Pump Test Data for No Dur eet Below Land Surface Pui	indmill Other (on Flowing Well ration of Pump Te mping Water Lev	_ feet Nu est <i>(minim</i> el (B):	umber of S um 4 hour	rs): Feet Belo	Hours
Electric I Diesel Gasoline Nat Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A):f Drawdown [(B) - (A)]:	Power Type (chi ural Gas] Tractor PTO] Wi Setting Depth: 80' Pump Test Data for No Dur eet Below Land Surface Pun Feet Below Land Surface	indmill C Other (on Flowing Well ration of Pump Te mping Water Lev Test Pumping Ra	_ feet NL est (minim el (B): ate:	umber of S um 4 hour	rs): Feet Belo	Hours
Electric I Diesel Gasoline Nat Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A):f Drawdown [(B) - (A)]:	Power Type (chi ural Gas] Tractor PTO] Wi Setting Depth: 80' Pump Test Data for No Dur eet Below Land Surface Pun Feet Below Land Surface	indmill C Other (on Flowing Well ration of Pump Te mping Water Lev Test Pumping Ra Air line C Other	_ feet NL est (minim el (B): ate:	umber of S um 4 hour	rs): Feet Belo	Hours
□ Electric ⊠ Diesel □ Gasoline □ Nat Horse Power Rating of Motor: <u>60</u> Date Well Tested:	Power Type (chi ural Gas [] Tractor PTO [] Wi Setting Depth: 80' Pump Test Data for No Dur eet Below Land Surface Put Feet Below Land Surface Steel tape [] Electric tape [] Pump Test Data for	indmill C Other (on Flowing Well ration of Pump Te mping Water Lev Test Pumping Ra Air line C Other	_ feet NL est (minim el (B): ate:	umber of S um 4 hour	rs): Feet Belo	Hours
Electric Diesel Gasoline Nat Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A):f Drawdown [(B) - (A)]: Method of measurement (check one): C Measured shut in head:	Power Type (chi ural Gas Tractor PTO Wi Setting Depth: 80' Pump Test Data for No Dur eet Below Land Surface Pum Feet Below Land Surface Steel tape Electric tape Pump Test Data for	indmill C Other (on Flowing Well ration of Pump Te mping Water Lev Test Pumping Ra Air line C Other Flowing Well	_ feet Nu est (minim el (B): ate: (describe	um 4 hour	rs): Feet Belo Gal	Hours w Land Surface lons Per Minute
□ Electric ⊠ Diesel □ Gasoline □ Nat Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): f Drawdown [(B) - (A)]: Method of measurement <i>(check one)</i> : □ Measured shut in head:	Power Type (chi ural Gas [] Tractor PTO [] Wi Setting Depth: 80' Pump Test Data for No Dur eet Below Land Surface Put Feet Below Land Surface Steel tape [] Electric tape [] Pump Test Data for	indmill C Other (on Flowing Well ration of Pump Te mping Water Lev Test Pumping Ra Air line C Other Flowing Well	_ feet Nu est (minim el (B): ate: (describe	um 4 hour	rs): Feet Belo Gal	Hours w Land Surface lons Per Minute
□ Electric ⊠ Diesel □ Gasoline □ Nat Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): f Drawdown [(B) - (A)]: Method of measurement <i>(check one)</i> : □ Measured shut in head:	Power Type (chi ural Gas Tractor PTO Wi Setting Depth: 80' Pump Test Data for No Dur eet Below Land Surface Pum Feet Below Land Surface Steel tape Electric tape Pump Test Data for	indmill Other (on Flowing Well ration of Pump Te mping Water Lev Test Pumping Ra Air line Other Flowing Well	_ feet Nu est (minim el (B): ate: (describe	um 4 hour	rs): Feet Belo Gal	Hours w Land Surface lons Per Minute
Electric Diesel Gasoline Nat Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A):	Power Type (chi ural Gas [] Tractor PTO [] Wi Setting Depth: 80' Pump Test Data for No Dur eet Below Land Surface Pun Feet Below Land Surface I Steel tape [] Electric tape [] Pump Test Data for Feet a drawdown of	indmill Other (on Flowing Well ration of Pump Te mping Water Lev Test Pumping Ra Air line Other Flowing Well	_ feet Nu est (minim el (B): ate: (describe	um 4 hour	rs): Feet Belo Gal	Uns Per Minute
Electric I Diesel Gasoline Nat Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with Meter Manufacturer:	Power Type (chi ural Gas [] Tractor PTO [] Wi Setting Depth: 80' Pump Test Data for No Dur eet Below Land Surface Pun Feet Below Land Surface Pun Steel tape [] Electric tape [] Pump Test Data for Steel tape [] Electric tape [] Pump Test Data for Meter Install	indmill Other (On Flowing Well ration of Pump Te mping Water Lev Test Pumping Ra Air line Other Flowing Well feet after ation Meter Serial Num	_ feet NL est (minim el (B): ate: (describe	um 4 hour	rs): Feet Belo Gal	Hours w Land Surface lons Per Minute
Electric I Diesel Gasoline Nat Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with Meter Manufacturer:	Power Type (chi ural Gas [] Tractor PTO [] Wi Setting Depth: 80' Pump Test Data for No Dur eet Below Land Surface Pun Feet Below Land Surface I Steel tape [] Electric tape [] Pump Test Data for I Steel tape [] Electric tape [] Pump Test Data for I Meter Install	indmill Other (Internation of Pump Terming Water Lev Test Pumping Rail Air line Other Flowing Well feet after ation Meter Serial Num Type of Meter:	_ feet Nu est (minim el (B): ate: (describe	um 4 hour	rs): Feet Belo Gal	Hours w Land Surface lons Per Minute
□ Electric ⊠ Diesel □ Gasoline □ Nat Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): f Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head: Well yielded GPM with Meter Manufacturer: Meter Manufacturer:	Power Type (chi ural Gas [] Tractor PTO [] Wi Setting Depth: 80' Pump Test Data for No Dur eet Below Land Surface Pun Feet Below Land Surface I Steel tape [] Electric tape [] Pump Test Data for I Steel tape [] Electric tape [] Pump Test Data for I Meter Install	indmill Other (Internation of Pump Terming Water Lev Test Pumping Ra Air line Other Flowing Well Inter Inter Serial Num Type of Meter: C):	_ feet NL est (minim el (B): ate: (describe	um 4 hour	rs): Feet Belo Gal	Hours W Land Surface
Electric Diesel Gasoline Nat Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Totalizer Register Unit and Multiplier Fa	Power Type (chi ural Gas [] Tractor PTO [] Wi Setting Depth: 80' Pump Test Data for No Dur eet Below Land Surface Pun Feet Below Land Surface I Steel tape [] Electric tape [] Pump Test Data for I Steel tape [] Electric tape [] Pump Test Data for I Meter Install	indmill Other (Internation of Pump Terming Water Lev Test Pumping Ra Air line Other Flowing Well Inter Inter Serial Num Type of Meter: C):	_ feet NL est (minim el (B): ate: (describe	um 4 hour	rs): Feet Belo Gal	Hours W Land Surface
Electric ⊠ Diesel □ Gasoline □ Nat Horse Power Rating of Motor:	Power Type (chi ural Gas [] Tractor PTO [] Wi Setting Depth: <u>80'</u> Pump Test Data for No Dur eet Below Land Surface Pur Feet Below Land Surface Pur Feet Below Land Surface I Steel tape [] Electric tape [] Pump Test Data for I Feet a drawdown of feet Installed by: repaired [] Replacement <i>e information you are certifyin</i>	indmill Other (Internation of Pump Tee mping Water Lev Test Pumping Ra Air line Other Flowing Well feet after feet after ation Meter Serial Num Type of Meter: c):	_ feet NL est (minim el (B): ate: (describe r nber:	um 4 hour	rs): Feet Belo Gal	Hours w Land Surface lons Per Minute
□ Electric ⊠ Diesel □ Gasoline □ Nat Horse Power Rating of Motor: 60 Date Well Tested:	Power Type (chi ural Gas 🗆 Tractor PTO 🗆 Wi Setting Depth: <u>80'</u> Pump Test Data for No Dur eet Below Land Surface Pur Feet Below Land Surface I Steel tape 📄 Electric tape 📄 Pump Test Data for I Feet a drawdown of feet Install ctor (AF x .001, gal x 1000, etc Meter installed by: repaired 🗋 Replacement	indmill Other (Internation of Pump Tee mping Water Lev Test Pumping Ra Air line Other Flowing Well feet after feet after ation Meter Serial Num Type of Meter: c):	_ feet NL est (minim el (B): ate: (describe r nber:	um 4 hour	rs): Feet Belo Gal	Hours w Land Surface lons Per Minute
Electric ⊠ Diesel □ Gasoline □ Nat Horse Power Rating of Motor:	Power Type (chi ural Gas [] Tractor PTO [] Wi Setting Depth: 80' Pump Test Data for No Dur eet Below Land Surface Pur Feet Below Land Surface] Steel tape [] Electric tape [] Pump Test Data for [Pump Test Data for [] Feet a drawdown of feet installed by: tor (AF x .001, gal x 1000, etc Meter installed by: tepaired [] Replacement <i>e information you are certifyin,</i> <i>ultural wells, a list of approved</i>	indmill 🗌 Other (on Flowing Well ration of Pump Te mping Water Lev Test Pumping Ra Air line 📄 Other Flowing Well feet after feet after ation Meter Serial Num Type of Meter: c):	_ feet NL est (minim el (B): ate: (describe r nber:	um 4 hour	rs): Feet Belo Gal	Hours w Land Surface lons Per Minute
□ Electric ⊠ Diesel □ Gasoline □ Nat Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head: Well yielded GPM with Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fa Installation Date: Is This Meter (check one): □ New □ F Important: By submitting the abov For agric	Power Type (chi ural Gas [] Tractor PTO [] Wi Setting Depth: 80' Pump Test Data for No Dur eet Below Land Surface Pur Feet Below Land Surface] Steel tape [] Electric tape [] Pump Test Data for [Pump Test Data for [] Feet a drawdown of feet installed by: tor (AF x .001, gal x 1000, etc Meter installed by: tepaired [] Replacement <i>e information you are certifyin,</i> <i>ultural wells, a list of approved</i>	indmill 🗌 Other (on Flowing Well ration of Pump Te mping Water Lev Test Pumping Ra Air line 📄 Other Flowing Well feet after feet after ation Meter Serial Num Type of Meter: c):	_ feet NL est (minim el (B): ate: (describe r nber:	um 4 hour	rs): Feet Belo Gal	Hours w Land Surface lons Per Minute

٠.

• ·