	STATE WEI	LL REPORT	For C	Office Use Only:
County: Sunflower	Pai		Well #:	M162
Permit #: GW-47676		''s Log	Aquifer:	
Driller: Irrigation Equipment	Mississippi Department Office of Land and	or Environmental Q I Water Resources	E-Log #: _	
Date drilling completed: 01/08/2014	Jackson, MS (601) 96			
State Law requires that this report	(601) 360-	、 <i>、 、</i>	hla for tha work	and filed with the
Department at the above address v	vithin 30 days of complet			
Well Owner Informa (Landowner if borehole is not f		Wel	li or Borehole Loo	ation
Owner Name: Billups Plantation Inc.	La	titude: 33 27' 09.4	4 N Longitud	e: 90 43' 13.25 W
Mailing Address: 65 Holly Ridge Roa	d Me	ethod of Lat/Long (cl	heck one): 🔲 C	onventional Survey,
	🗆	l USGS quad, 🛛 Ha	ind-held GPS, 🗍 S	Survey-grade GPS
Indianola Ms City Stai	38751 e Zip code		₩ ¼, Sec <u>33</u> T <u>1</u>	<u>) N R 5 W</u>
Telephone No. () -		<u>3</u> Miles	West of	Indianola
·······		(Distance)	(Direction)	(Nearest Town)
	Well / Boreho	ole Data		
Date drilling started: 01/08/2014	Date drilling completed:	8/2014 Hole dept	h: 125 H	ole diameter: 24"
Location of the source of any surface wa	ter used for drilling: Surfa	ice Water		
Method of dosing and volume of Chlorine	e used in drilling and develop	ment: 50 PPM		
Method of dosing and volume of Chloring			ionic 🗔 Neutron [] Other:
Logs run (check all applicable): 🛛 No log	g run 🗌 Electric 🗌 Gamma I	Ray 🗋 Density 🗋 S		
Logs run (check all applicable): 🛛 No log	g run 🗌 Electric 🔲 Gamma I	Ray 🗌 Density 🗍 S		
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🕅 W	g run 🗌 Electric 🗌 Gamma I	Ray [] Density [] S	gation 🔲 Groun	d Source Heat Pump
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W 🗌 S	g run 🗌 Electric 🗌 Gamma I Vater Well 📄 Geotechnica Geismic Survey 🗌 Othe	Ray [] Density [] S al/Geological Investig er (describe)	gation 🔲 Groun	d Source Heat Pump
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W 🗌 S <i>If drilling is not rel</i>	g run 🗌 Electric 🗌 Gamma I Vater Well 📄 Geotechnica Geismic Survey 📄 Othe Mated to water well constru	Ray [] Density [] S al/Geological Investig er (describe) action, skip the re	gation	d Source Heat Pump
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W 🗌 S	g run 🗌 Electric 🗌 Gamma I Vater Well 📄 Geotechnica Geismic Survey 📄 Othe Mated to water well constru	Ray [] Density [] S al/Geological Investig er (describe) action, skip the re	gation	d Source Heat Pump
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W 🗌 S <i>If drilling is not rel</i>	g run 🗌 Electric 🗌 Gamma I Vater Well 📄 Geotechnica Geismic Survey 📄 Othe Mated to water well constru	Ray [] Density [] S al/Geological Investig er (describe) action, skip the re	gation	d Source Heat Pump
Logs run (check all applicable):	g run 🗌 Electric 🗌 Gamma I Vater Well 📄 Geotechnica Seismic Survey 📄 Othe ated to water well constru-	Ray 🗌 Density 🗌 S nl/Geological Investig er (describe) <u>action, skip the re</u> c Supply 🖾 Irrigation	gation	d Source Heat Pump
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W 🗌 S <i>If drilling is not rel</i> Purpose of Well (<i>check all applicable</i>): Other (<i>describe</i>):	g run 🗌 Electric 🗌 Gamma I Vater Well 📄 Geotechnica Seismic Survey 📄 Othe Anted to water well constru- Home 🗋 Industrial 🗋 Public n: Valve C	Ray Density S al/Geological Investig er (<i>describe</i>) <i>action, skip the re</i> c Supply Irrigation	gation	d Source Heat Pump
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W 🗌 S <i>If drilling is not rel</i> Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation	a run 🗌 Electric 🗌 Gamma I l'ater Well 📄 Geotechnica Seismic Survey 📄 Othe ated to water well constru- Home 🗋 Industrial 🗋 Public n: Valve C eet [] above or 🖾 below] la (check one)	Ray Density S al/Geological Investig er (<i>describe</i>) <i>action, skip the rel</i> c Supply I Irrigation Other (describe) Dther (describe)	gation Groun mainder of this D Fish Culture	d Source Heat Pump block
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W <i>If drilling is not rel</i> Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation Static Water Level:f	a run 🗌 Electric 🗌 Gamma I l'ater Well 📄 Geotechnica Seismic Survey 📄 Othe ated to water well constru- Home 🗋 Industrial 🗋 Public n: Valve C eet [] above or 🖾 below] la (check one) Steel tape 🗋 Electric tape 🗌	Ray Density S Al/Geological Investig er (<i>describe</i>) <i>action, skip the rel</i> c Supply Irrigation Other (describe) Dther (describe) and surface Data] Air line Dother: (describe)	gation Groun mainder of this D Fish Culture te measured: 01 describe)	d Source Heat Pump block
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): <i>If drilling is not rel If drilling is not rel</i> Other (<i>describe</i>): If a flowing well, method of flow regulatio Static Water Level: 42' Method of Measurement (check one) Well depth: 125 Well grouted to a	a run 🗆 Electric 🗌 Gamma I /ater Well 📄 Geotechnica Seismic Survey 📄 Othe ated to water well constru- Home 🗋 Industrial 🗋 Public n: Valve C eet [] above or 🖾 below] la (check one) Steel tape 🗋 Electric tape 🗔 depth of: <u>10</u> feet Ty	Ray Density S Ray Density S N/Geological Investig er (<i>describe</i>) <i>action, skip the reg</i> c Supply Irrigation Other (describe) Dther (describe) Dther (describe) Air line Other: (<i>d</i> pe of grout (<i>check o</i>	gation Groun mainder of this D Fish Culture te measured: 01 describe)	d Source Heat Pump block 22/2014 ent 🖾 Bentonite 🗆 Mix
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): <i>If drilling is not rel If drilling is not rel</i> Other (<i>describe</i>): If a flowing well, method of flow regulatio Static Water Level: 42' Method of Measurement (check one) Well depth: 125 Well grouted to a	g run Electric Gamma I fater Well Geotechnica Seismic Survey Othe ated to water well construction Home Industrial Home Industrial Public n: Valve check one) Steel tape Electric tape depth of: 10 feet Ty Casing diameter:	Ray Density S Ray Density S Al/Geological Investig er (<i>describe</i>) <i>action, skip the rea</i> c Supply Irrigation Other (describe) Dther (describe) Air line Other: (<i>describe</i>) pe of grout (<i>check o</i> inches	gation Groun mainder of this mainder of this for Fish Culture te measured: 01 describe) one): Neat Ceme Type of casing: 1	d Source Heat Pump block
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ W □ \$ <i>If drilling is not rel</i> Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 42'f Method of Measurement (check one) ⊠ Well depth: 125feet	g run Electric Gamma I g run Electric Gamma I g run Geotechnica g run Geotechnica Geismic Survey Othe ated to water well construct ated to construct ateg to construct ateg to construct ateg to const	Ray Density S Al/Geological Investig er (<i>describe</i>) <i>action, skip the rea</i> c Supply Irrigation Dther (describe) and surface Data Air line Other: (<i>d</i> upe of grout (<i>check o</i> inches inches	gation Groun mainder of this mainder of this for Fish Culture te measured: 01 describe) one): Neat Ceme Type of casing: 1	d Source Heat Pump block 22/2014 ent I Bentonite I Mix VC VC
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): If drilling is not rel If drilling is not rel Other (describe): If a flowing well, method of flow regulatio Static Water Level: 42' Method of Measurement (check one) Well depth: 125 Well grouted to a Casing length: 85 feet Screen length: 40 feet	g run Electric Gamma I gater Well Geotechnica Seismic Survey Othe ated to water well construct ated to water well construct Home Industrial Home Industrial Public n: Valve cet [] above or [X] below] la (check one) Steel tape Electric tape depth of: 10 feet Ty Casing diameter: 16 Screen diameter: 16 nches Setting depth:	Ray Density S Ray Density S Al/Geological Investig er (describe) action, skip the real c Supply Irrigation Dther (describe) Dther (describe) Dther (describe) and surface Dat Dther (describe) Dther (describe) Dther (describe) inches inches m 86	gation Groun mainder of this mainder o	d Source Heat Pump block 22/2014 ent I Bentonite I Mix PVC PVC feet
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ W □ S <i>If drilling is not rel</i> Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 42'f Method of Measurement (check one) ⊠ Well depth: 125feet Screen length: 40feet Screen slot size: .050ii Type of completion (check all applicable) ii	g run Electric Gamma I gater Well Geotechnica Seismic Survey Othe ated to water well construct ated to water well construct Home Industrial Home Industrial Public n: Valve cet [] above or [X] below] la (check one) Steel tape Electric tape depth of: 10 feet Ty Casing diameter: 16 Screen diameter: 16 nches Setting depth:	Ray Density S Al/Geological Investig er (<i>describe</i>) <i>action, skip the reg</i> c Supply Irrigation Dther (describe) Dther (describe) and surface Data Dther (describe) Dther (describe) inches inches m Reg reamed Dpen ho	gation Groun mainder of this mainder of this Fish Culture te measured: 01 describe) te measured: 01 describe) te measured: 01 describe) te measured: 01 describe) feet to 125 He Natural Deve	d Source Heat Pump block 22/2014 ent I Bentonite I Mix PVC PVC feet
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ W □ S <i>If drilling is not rel</i> Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 42'f Method of Measurement (check one) ⊠ Well depth: 125feet Screen length: 40feet Screen slot size: .050ii Type of completion (check all applicable) ii	g run Electric Gamma I /ater Well Geotechnica Seismic Survey Othe ated to water well construined Home Industrial Home Industrial Public n: Valve cet [above or below] la (check one) Steel tape Electric tape depth of: 10 feet Ty Casing diameter: 16 Screen diameter: 16 nches Setting depth: Froi Gravel packed	Ray Density S Al/Geological Investig er (<i>describe</i>) <i>action, skip the reg</i> c Supply Irrigation Dther (describe) Dther (describe) and surface Data Dther (describe) Dther (describe) inches inches m Reg reamed Dpen ho	gation Groun mainder of this mainder of this Fish Culture te measured: 01 describe) te measured: 01 describe) te measured: 01 describe) te measured: 01 describe) feet to 125 He Natural Deve	d Source Heat Pump block 22/2014 ent I Bentonite I Mix PVC PVC feet

· ·

		For Office Use Only:		
County: Sunflower	Well #:	1162		
Permit #: GW-47676				
The sketch below only required for water wells	Description of formations encountered	must be provided for a	ll w <u>ells</u>	
If well telescopes, show depths on sketch.	and boreholes, unless specifically exem	pted by regulations		
If well telescopes, show depins on sketch.	Description of Formations Encounter	ed From (depth)	To (depth)	
Ground level	Clay	Ground level	25	
P	Brown Sand	26	35	
	Fine Sand	36	45	
	Medium Sand	46	65	
	Course Sand & Gravel	66	125	
	· · · · · · · · · · · · · · · · · · ·			
			1	
			<u> </u>	
			1	
			+	
	· · · · · · · · · · · · · · · · · · ·		+	
	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	
				
			· · · · ·	
			+	
			1	
If more than one screen, show location of each on sketch	L		I	

	yout and include the following:			
1) the well locati	on			1
2) any permaner	nt structures on the property that ma	ly aid in locating the w	vell	
	wer lines, or other items that may ai	id in locating the prope	erty and the well	
4) a north arrow				
	Billups Plantation Inc.			
Landowner Name:	Dilups Flantation inc.			
· · · · · · · · · · · · · · · · · · ·			Form: OLWR-SWR-1A (04/09)
	that the well/borehole was drilled or	onstructed and compl	eted in accordance with all applicable	04/08)
requirements of the N	lississippi Department of Environme	ental Quality and the N	Assissippi Department of Health regulations,	
if applicable, and state		inter deality and the h		
Patrick Chism	0695	01/31/2014		
	nsible Licensee and License No.	Date	Signature of Licensee	
E FINIL Maine of Respo	TISIDIE LICEIISEE AND LICEIISE NO.	Dale	Form: OLWR-SVP 114	ASIVED
			· · · · · · · · · · · · · · · · · · ·	

• •

BY THE MA

o Sunflower		ELL REPOR	- 1		ce Use Only:
County: Sunflower Permit #: GW-47676	Pump Installer's	art 2 Completion Re		t:	1162
Driller: Irrigation Equipment	Mississippi Departmen	t of Environmental	Quality		
Driller:		nd Water Resources Box 2309	s Aquife	ท:	
Copy information from block on Part 1		IS 39225-2309 961-5210	L		
		0-0535 (fax)			
This part of the report must be complete	ed by a licensed water well c	contractor or a licens	ed pump install	ler. A copy	y of Part 1
of the report must be attached and both Well Owner Inform		nent at the above add	ress within 30 Well Loca		ell completion.
Owner Name: Billups Plantation Inc	······································	Latitude: 33 27' 09	.4N Lon	gitude: _	90 43' 13.25 W
Mailing Address: 65 Holly Ridge Roa	ıd i	Method of Lat/Long (check one):	🗆 Conve	ntional Survey,
		🗌 USGS quad, 🖾 F	land-held GPS	. 🗌 Surve	ev-grade GPS
Indianala **-		–			
Indianola Ms City Sta	38751 te Zip code	<u> 35</u> %	<u>NW</u> ¼, Sec <u>33</u>	1 13 14	K <u>5 VV</u>
Telephone No. () -		3 Miles	West	of	Indianola
	·····	(Distance)	(Direction)	(Nearest Town)
	Pump Type (check one)			
🗇 Submersible 🛛 Turbine 🗖 Air Lift 🗍	Centrifugal 🔲 Flowing Well	□ Jet □ Piston □ I	Rotary 🗋 Othe	r (describe	e):
	Rat	ed Pump Capacity:	2500+/-	(Gallons Per Minute
a Thia Duman (abaals ana), 🖂 Naus 🗖 D	epaired 🗍 Replacement				
] Electric 🛛 Diesel [] Gasoline 🗌 Nati	Power Type (Irał Gas 🗌 Tractor PTO 🗋	Windmill 🗌 Other (a		of Stages	. 1
🗍 Electric 🛛 Diesel 🗋 Gasoline 🗖 Nati	Power Type (Irał Gas 🗌 Tractor PTO 🗋	Windmill 🗆 Other (a 0		of Stages	s <u>1</u>
□ Electric ⊠ Diesel □ Gasoline □ Nate Horse Power Rating of Motor: _ 60	Power Type (urał Gas 🗆 Tractor PTO 🗆 Setting Depth: 70 Pump Test Data for	Windmill 🗆 Other (a 0	feet Number		
□ Electric ⊠ Diesel □ Gasoline □ Nate Horse Power Rating of Motor: _ 60 Date Well Tested: F	Power Type (urał Gas 🗆 Tractor PTO 🗆 Setting Depth: 7 Pump Test Data for	Windmill Other (a Mon Flowing Well Duration of Pump Ter Pumping Water Leve	feet Number st <i>(minimum 4 i</i>	hours): Feet	Hours Below Land Surface
Electric I Diesel I Gasoline I National Notor: 60 Iorse Power Rating of Motor: 60 Date Well Tested:	Power Type (urał Gas 🗆 Tractor PTO 🗆 Setting Depth: 7 Pump Test Data for	Windmill Other (a Mon Flowing Well Duration of Pump Ter Pumping Water Leve	feet Number st <i>(minimum 4 i</i>	hours): Feet	Hours Below Land Surface
Electric Diesel Gasoline Nate Vell Tested: Static Water Level (A): Drawdown [(B) - (A)]:	Power Type (ural Gas	Windmill Other (a Mon Flowing Well Duration of Pump Tee Test Pumping Ra	feet Number st (<i>minimum 4 i</i> I (B):	hours): Feet	Hours Below Land Surface
□ Electric ⊠ Diesel □ Gasoline □ Nate Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> □	Power Type (ural Gas	Windmill 🗌 Other (a D Non Flowing Well Duration of Pump Ter Pumping Water Leve Test Pumping Ra \square Air line \square Other	feet Number st (<i>minimum 4 i</i> I (B):	hours): Feet	Hours Below Land Surface
□ Electric ⊠ Diesel □ Gasoline □ Nate Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> □	Power Type (ural Gas	Windmill 🗌 Other (a D Non Flowing Well Duration of Pump Ter Pumping Water Leve Test Pumping Ra \square Air line \square Other	feet Number st (<i>minimum 4 i</i> I (B):	hours): Feet	Hours Below Land Surface
□ Electric ⊠ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> □ Measured shut in head:	Power Type (ural Gas	Windmill 🗌 Other (a) Non Flowing Well Duration of Pump Ter Pumping Water Leve Test Pumping Ra □ Air line 🗆 Other (or Flowing Well	feet Number st (minimum 4 (B): te: (describe):	<i>hour</i> s): Feet	Hours Below Land Surface Gallons Per Minute
□ Electric ⊠ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> □ Measured shut in head:	Power Type (ural Gas	Windmill 🗌 Other (a D Non Flowing Well Duration of Pump Tex Pumping Water Leve Test Pumping Ra Air line 🗆 Other or Flowing Well feet after	feet Number st (minimum 4 (B): te: (describe):	<i>hour</i> s): Feet	Hours Below Land Surface Gallons Per Minute
□ Electric ⊠ Diesel □ Gasoline □ Nate Horse Power Rating of Motor: _60 Date Well Tested: F Static Water Level (A): F Drawdown [(B) - (A)]: F Method of measurement <i>(check one):</i> □ Measured shut in head: Well yielded GPM with	Power Type (ural Gas	Windmill 🗌 Other (a D Non Flowing Well Duration of Pump Ter Pumping Water Leve Test Pumping Ra \square Air line \square Other (or Flowing Well feet after callation	feet Number st (minimum 4 (B): te: (describe):	hours): Feet	Hours Below Land Surface Gallons Per Minute
Electric Diesel Gasoline National Action Nation Contended Content of Motor: Date Well Tested: Date Well Tested: Static Water Level (A): Tested: Method of measurement (check one): Measured shut in head: Well yielded Meter Manufacturer: None Installed	Power Type (Irai Gas Tractor PTO Setting Depth: 7 Pump Test Data for [eet Below Land Surface Feet Below Land Surface Steel tape Electric tape Pump Test Data for [Feet a drawdown of Meter Inst	Windmill 🗌 Other (a D Non Flowing Well Duration of Pump Tes Pumping Water Leve Test Pumping Ra \square Air line \square Other or Flowing Well feet after allation Meter Serial Num	feet Number st (minimum 4 (B): (describe): ber:	hours): Feet	Hours Below Land Surface Gallons Per Minute
Electric I Diesel Gasoline Nature Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with Meter Manufacturer: None Installed Meter Model Number/Name:	Power Type (ural Gas Tractor PTO Setting Depth: 7 Pump Test Data for [eet Below Land Surface Feet Below Land Surface Steel tape Electric tape Pump Test Data for Feet a drawdown of Meter Inst	Windmill 🗌 Other (a D Non Flowing Well Duration of Pump Ter Pumping Water Leve Test Pumping Ra Air line 🗌 Other or Flowing Well feet after allation Meter Serial Num Type of Meter:	feet Number st (minimum 4 (B): (describe): ber:	hours): Feet	Hours Below Land Surface Gallons Per Minute
Electric Diesel Gasoline National Action Content Date Well Tested: Date Well Tested: Static Water Level (A): Tested: Method of measurement (check one): Measured shut in head: Mell yielded Meter Manufacturer: None Installed Meter Model Number/Name: Totalizer Register Unit and Multiplier Face	Power Type (ural Gas Tractor PTO Setting Depth: 7 Pump Test Data for [eet Below Land Surface Feet Below Land Surface Steel tape Electric tape Pump Test Data for Feet a drawdown of Meter Inst	Windmill 🗌 Other (a D Non Flowing Well Duration of Pump Ter Pumping Water Leve Test Pumping Ra Air line 🗌 Other or Flowing Well feet after allation Meter Serial Num Type of Meter: etc):	feet Number st (minimum 4 (B): te: (describe): ber:	hours): Feet hour	Hours Below Land Surface Gallons Per Minute
Electric I Diesel Gasoline Nature Norse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with Meter Manufacturer: None Installed Meter Model Number/Name: Totalizer Register Unit and Multiplier Fac	Power Type (ural Gas Tractor PTO Setting Depth: 7 Pump Test Data for [eet Below Land Surface Feet Below Land Surface Steel tape Electric tape Pump Test Data for [Feet a drawdown of Meter Inst etor (AF x .001, gal x 1000, Meter installed by:	Windmill 🗌 Other (a D Non Flowing Well Duration of Pump Ter Pumping Water Leve Test Pumping Ra Air line 🗌 Other or Flowing Well feet after allation Meter Serial Num Type of Meter: etc):	feet Number st (minimum 4 (B): te: (describe): ber:	hours): Feet hour	Hours Below Land Surface Gallons Per Minute
Electric Diesel Gasoline Nature Static Water Level (A): F Drawdown [(B) - (A)]: F Method of measurement (check one): Measured shut in head: Method of measurement (check one): Meth	Power Type (ural Gas	Windmill 🗌 Other (a D Non Flowing Well Duration of Pump Tex Pumping Water Leve Test Pumping Ra Air line 🗌 Other (a) or Flowing Well feet after feet after Type of Meter: etc):	feet Number feet Number st (minimum 4 (B): (describe): ber:	hours): Feet	Hours Below Land Surface Gallons Per Minute
Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> [Measured shut in head: Well yielded GPM with Meter Manufacturer: <u>None Installed</u> Meter Model Number/Name: Totalizer Register Unit and Multiplier Fac Installation Date: Is This Meter <i>(check one)</i> : [] New [] R <i>Important: By submitting the above</i>	Power Type (ural Gas	Windmill 🗌 Other (a D Non Flowing Well Duration of Pump Tes Pumping Water Leve Test Pumping Ra \square Air line \square Other or Flowing Well feet after allation Meter Serial Num Type of Meter: etc):	feet Number feet Number feet Number feet (minimum 4 feet (B): feet (B): feet (Comparison of the second of the seco	hours): Feet	Hours Below Land Surface Gallons Per Minute
Electric I Diesel Gasoline Nature Norse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with Meter Manufacturer: None Installed Meter Model Number/Name: Totalizer Register Unit and Multiplier Fac Installation Date: Is This Meter (check one): New R Important: By submitting the above	Power Type (urał Gas 🗆 Tractor PTO 📄 Setting Depth: _7(Pump Test Data for [eet Below Land Surface Feet Below Land Surface Steel tape 📄 Electric tape Pump Test Data fo Feet a drawdown of feet installed by: epaired 🗋 Replacement information you are certify illural wells, a list of approvi	Windmill 🗌 Other (a D Non Flowing Well Duration of Pump Tex Pumping Water Leve Test Pumping Ra \square Air line \square Other (or Flowing Well feet after allation Meter Serial Num Type of Meter: etc): wing that this meter were we demeters is on the M	feet Number feet Number feet Number feet (minimum 4 feet (B): feet (B): feet (Comparison of the second of the seco	hours): Feet	Hours Below Land Surface Gallons Per Minute
□ Electric ⊠ Diesel □ Gasoline □ Nate Horse Power Rating of Motor: _60 Date Well Tested:	Power Type (ural Gas Tractor PTO Setting Depth: 7 Pump Test Data for feet Below Land Surface Steel tape Electric tape Pump Test Data fo Feet a drawdown of for (AF x .001, gal x 1000, Meter installed by: expaired Replacement information you are certify futural wells, a list of approv- itements are true to the best 0695	Windmill 🗌 Other (a D Non Flowing Well Duration of Pump Tex Pumping Water Leve Test Pumping Ra \square Air line \square Other (or Flowing Well feet after allation Meter Serial Num Type of Meter: etc): wing that this meter were we demeters is on the M	feet Number feet Number st (minimum 4 (B):	hours): Feet	Hours Below Land Surface Gallons Per Minute

· ·

BY: OLWA