	STATE WELL	REPORT	For Office Use Only:
County: Sunflower	Part	L	Well #: <u>M167</u>
Permit #: GW-47945	Driller's		Aquifer:
Driller: Irrigation Equipment	Mississippi Department of E Office of Land and W		E-Log #:
Date drilling completed: 06/26/2014	P.O. Box 2 Jackson, MS 39		·
	(601) 961-	5210	
	(601) 360-05	. ,	
State Law requires that this report b Department at the above address w			
Well Owner Informat	tion		Borehole Location
(Landowner if borehole is not for	· ·	. 22 24 42 0 N	1 1 1 00 AA' 17 0 W
Owner Name: Lipe Farms Inc.		de: 33 31 43.9 N	Longitude: 90 44' 17.0 W
Mailing Address: 594 Fairview Road	Meth	od of Lat/Long (check	one): Conventional Survey,
	U	•	eld GPS, 🔲 Survey-grade GPS
Indianola Ms	38751	<u>. SW</u> ½ <u>NW</u> ½	4, Sec <u>5</u> ⊤ <u>19 N</u> R <u>5 W</u>
City State	e Zip code	• •	<b>hwest</b> of <b>Indianola</b>
Telephone No. () -	(Ľ		ection) (Nearest Town)
	Well / Borehole	Data	
ocation of the source of any surface wate	1		
Method of dosing and volume of Chlorine	used in drilling and developme	nt: 50 PPM	
Logs run (check all applicable): 🛛 No log	run 🔲 Electric 🗌 Gamma Ra	/ 🗌 Density 🔲 Sonic	Neutron  Other:
Name of organization running log(s):			
Purpose of borehole (check one): 🛛 🕅	ater Well 🛛 Geotechnical/G	eological Investigation	Ground Source Heat Pump
	eismic Survey 🔲 Other (	describe)	
If drilling is not rela	tted to water well construct	ion, skip the remai	nder of this block
Purpose of Well (check all applicable):	Home I Industrial I Public S	upply 🕅 Irrigation 🗔 F	ish Culture
_			
Other (describe):	• • • • • • • • • • • • • • • • • • •		
f a flowing well, method of flow regulation	: Valve Oth	er (describe)	
Static Water Level: _ <b>41'</b> fe	eet [□ above or ⊠ below] land (check one)	surface Date me	easured: 06/27/2014
Method of Measurement (check one) 🛛 S	Steel tape 🗌 Electric tape 🗌 A	ir line 🗌 Other: <i>(desci</i>	ribe)
Nell depth: _127' Well grouted to a d	depth of: _ <b>10'</b> feet Type	of grout (check one):	🗆 Neat Cement 🛛 Bentonite 🗂 Mi
Casing length: <b>87'</b> feet	Casing diameter: 16"	inches Type	of casing: <b>PVC</b>
Screen length: <b>40'</b> feet	Screen diameter: 16"	inches Type	of screen: PVC
	nches Setting depth: From	88'	feet to 127' feet
Screen slot size: <b>.050</b> ir		med 🗌 Open hole 🗍	
Screen slot size: <b>.050</b> ir Fype of completion (check all applicable): ] Other <i>(describe)</i> :	Gravel packed 🗌 Underrea	med 🗌 Open hole 🗍	

Form: OLWR-SWR-1A (4/13)

r e

County: <b>Sunflower</b> Permit #: <b>GW-47945</b>	<b>Fo</b> Well #:	r Office Use M 167	Only:
The sketch below only required for water wells	Description of formations encountered mus		<u>ll wells</u>
If well telescopes, show depths on sketch.	and boreholes, unless specifically exempted	by regulations	
	Description of Formations Encountered	From (depth)	To (depth)
Ground level	Clay	Ground level	24
	Fine Sand	25	42
	Fine Sand & Gravel	43	62
	Medium Sand & Gravel	63	127

If more than one screen, show location of each on sketch

۱ I

1) the well location 2) any permanent	yout and include the following: on It structures on the property that ma wer lines, or other items that may a		
Landowner Name:	Lipe Farms Inc.		
requirements of the M if applicable, and state <b>Patrick Chism</b>	ississippi Department of Environme	onstructed, and complete ental Quality and the Miss 07/08/2014 Date	Form: OLWR-SWR-1A (04/08) eq in accordance with all applicable sissippi Department of Health regulations, Signature of Licensee Form: OLWR-SWR-1A (4/13)

	STATE WELL REPORT For Office Use Only:
County: Sunflower	Part 2 Well #: M167
Permit #:	Pump Installer's Completion Report Mississippi Department of Environmental Quality
Driller: Irrigation Equipment	Office of Land and Water Resources Aquifer:
Date drilling completed: 06/26/2014	P.O. Box 2309 Jackson, MS 39225-2309
Copy information from block on Part 1	(601) 961-5210
	(601) 360-0535 (fax)
	ed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 parts filed with the Department at the above address within 30 days of well completion.
Well Owner Informa	
Owner Name: Lipe Farms Inc	Latitude: 33 31' 43.9 N Longitude: 90 44' 17.0 W
Mailing Address: 594 Fairview Road	Method of Lat/Long (check one):   Conventional Survey,
	USGS quad, 🛛 Hand-held GPS, 🗋 Survey-grade GPS
Indianola Ms	<u>38751</u> <u>SW</u> ¼ <u>NW</u> ¼, Sec <u>5</u> T <u>19 N</u> R <u>5 W</u>
City State	
Telephone No. () -	6 Miles Northwest of Indianola
	Pump Type (check one)
□ Submersible ⊠ Turbine □ ∆ir Lift □ (	Centrifugal   Flowing Well   Jet   Piston   Rotary   Other ( <i>describe</i> ):
	Rated Pump Capacity: 2500+/- Gallons Per Minute
Is This Pump (check one): New 🗌 Re	
	Power Type (check one)
	Power Type (check one) urał Gas 🔲 Tractor PTO 🗌 Windmill 🔲 Other (describe):
🛛 Electric 🗋 Diesel 🗋 Gasoline 🗋 Natu	
🛛 Electric 🗋 Diesel 🗋 Gasoline 🗋 Natu	ural Gas  Tractor PTO  Windmill  Other (describe): Setting Depth: 70' feet Number of Stages: 1
☑ Electric  ☐ Diesel  ☐ Gasoline  ☐ Natu Horse Power Rating of Motor:60	ural Gas       Tractor PTO       Windmill       Other (describe):          Setting Depth:       70°       feet       Number of Stages:       1          Setting Depth:       70°       feet       Number of Stages:       1          Pump Test Data for Non Flowing Well
Image: Second contract of the second contract on the second	ural Gas       Tractor PTO       Windmill       Other (describe):
☑ Electric □ Diesel □ Gasoline □ Natu         Horse Power Rating of Motor:       60	ural Gas       Tractor PTO       Windmill       Other (describe):         Setting Depth:       70'       feet       Number of Stages:       1         Pump Test Data for Non Flowing Well
Image: Static Water Level (A):       Image: Static Water Level (A):       Fe         Drawdown [(B) - (A)]:       Image: Static Water Level (A):       Image: Static Water Level (A):	ural Gas       Tractor PTO       Windmill       Other (describe):
Image: Static Water Level (A):       Image: Static Water Level (A):       Image: Static Water Level (A):	ural Gas       Tractor PTO       Windmill       Other (describe):
Image: Static Water Level (A):       Fe         Drawdown [(B) - (A)]:       Image: Static Water Level (Check one):	ural Gas       Tractor PTO       Windmill       Other (describe):
☑ Electric □ Diesel □ Gasoline □ Natu         Horse Power Rating of Motor:       60         Date Well Tested:	ural Gas Tractor PTO   Windmill Other (describe):   Setting Depth: 70'   feet Number of Stages:   Pump Test Data for Non Flowing Well   Duration of Pump Test (minimum 4 hours):   Duration of Pump Test (minimum 4 hours):   Hour   eet Below Land Surface   Pumping Water Level (B):   Feet Below Land Surface   Test Pumping Rate:   Gallons Per Minut   Steel tape   Electric tape   Air line   Other (describe):   Pump Test Data for Flowing Well Feet
Electric Diesel Gasoline Natu Horse Power Rating of Motor: 60  Date Well Tested:  Static Water Level (A): Fe  Drawdown [(B) - (A)]:  Method of measurement (check one):   Measured shut in head:	ural Gas       Tractor PTO       Windmill       Other (describe):
☑ Electric □ Diesel □ Gasoline □ Natu         Horse Power Rating of Motor:       60         Date Well Tested:	ural Gas Tractor PTO   Windmill Other (describe):   Setting Depth: 70'   feet Number of Stages:   Pump Test Data for Non Flowing Well   Duration of Pump Test (minimum 4 hours):   Duration of Pump Test (minimum 4 hours):   Hour   eet Below Land Surface   Pumping Water Level (B):   Feet Below Land Surface   Test Pumping Rate:   Gallons Per Minut   Steel tape   Electric tape   Air line   Other (describe):   Pump Test Data for Flowing Well Feet
Electric Diesel Gasoline Natu Horse Power Rating of Motor: 60  Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one):  Measured shut in head: Well yielded GPM with a	ural Gas Tractor PTO   Windmill Other (describe):
Electric Diesel Gasoline Natu Horse Power Rating of Motor: 60  Date Well Tested:  Static Water Level (A): Fe Drawdown [(B) - (A)]:  Method of measurement (check one):  Measured shut in head:  Well yielded GPM with a Meter Manufacturer:	ural Gas Tractor PTO   Windmill Other (describe):
	ural Gas       Tractor PTO       Windmill       Other (describe):
Electric Diesel Gasoline Natu Horse Power Rating of Motor: 60  Date Well Tested:  Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head:  Well yielded GPM with a  Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fact	ural Gas Tractor PTO   Windmill Other (describe):
Electric Diesel Gasoline Natu Horse Power Rating of Motor: 60  Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one):	ural Gas Tractor PTO   Windmill Other (describe):
☑ Electric □ Diesel □ Gasoline □ Natu   Horse Power Rating of Motor:60   Date Well Tested:   Static Water Level (A): Fe   Drawdown [(B) - (A)]:   Method of measurement (check one): □   Method of measurement (check one): □   Measured shut in head:   Well yielded GPM with a   Meter Manufacturer:   Meter Model Number/Name:   Totalizer Register Unit and Multiplier Fact   Installation Date:   Is This Meter (check one): □	ural Gas Tractor PTO   Setting Depth: 70'   feet Number of Stages:   Pump Test Data for Non Flowing Well     Duration of Pump Test (minimum 4 hours):     Below Land Surface   Pumping Water Level (B):     Feet Below Land Surface   Test Pumping Rate:     Gallons Per Minut   Steel tape   Electric tape   Air line   Other (describe):   Pump Test Data for Flowing Well   Feet   a drawdown of     Meter Installation     Type of Meter:     Meter installed by:
☑ Electric □ Diesel □ Gasoline □ Natu         Horse Power Rating of Motor:       60         Date Well Tested:	ural Gas Tractor PTO   Windmill Other (describe):
☑ Electric □ Diesel □ Gasoline □ Natu   Horse Power Rating of Motor:60   Date Well Tested:   Static Water Level (A): Fe   Drawdown [(B) - (A)]:   Method of measurement (check one): □   Measured shut in head:   Well yielded GPM with a   Meter Manufacturer:   Meter Model Number/Name:   Totalizer Register Unit and Multiplier Fact   Installation Date:   Is This Meter (check one): □ New □ Reg   Important: By submitting the above For agricular	ural Gas Tractor PTO   Windmill Other (describe):
☑ Electric □ Diesel □ Gasoline □ Natu         Horse Power Rating of Motor:       60         Date Well Tested:	ural Gas Tractor PTO   Setting Depth: 70'   feet Number of Stages:   Pump Test Data for Non Flowing Well     Duration of Pump Test (minimum 4 hours):     Hour   eet Below Land Surface   Pumping Water Level (B):     Feet Below Land Surface   Test Pumping Water Level (B):     Gallons Per Minut   Steel tape   Electric tape   Air line   Other (describe):   Pump Test Data for Flowing Well     Feet   a drawdown of     Meter Installation     Type of Meter:     Meter installed by:     Meter installed by:     mater installed by:
☑ Electric □ Diesel □ Gasoline □ Natu         Horse Power Rating of Motor:       60         Date Well Tested:	aral Gas Tractor PTO   Setting Depth: 70'   feet Number of Stages:   Pump Test Data for Non Flowing Well     Duration of Pump Test (minimum 4 hours):     Duration of Pump Test (minimum 4 hours):     Below Land Surface   Pump Test Data for Non Flowing Well   Steel Below Land Surface   Feet Below Land Surface   Test Data for Flowing Well   Steel tape   Electric tape   Air line   Other (describe):   Pump Test Data for Flowing Well Feet   a drawdown of     Meter Installation   Meter Installation   Meter Installation   Meter installation   Meter installed by:     Type of Meter:

• :