| | 11237 | |
|-----|-------|-----|
| - 1 | 7 | - |
| - 1 | - / | 7 |
| - 1 | _ | - 1 |

| County: | Sunflower | |
|-------------|---------------|------------|
| Permit #: | GW-51679 | |
| Driller: | Chicot Irriga | tion, Inc. |
| Date drilli | ng completed: | 6-17-21 |

STATE WELL REPORT Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)

| For | Office | Use Only: |
|----------|--------|-----------|
| Well #: | M | 184 |
| Aquifer: | | |
| E-Log #: | | |
| | | |

State Law requires that this report be prepared by the license holder responsible for the work and filed with the

| Department at the above address within 30 days of con Well Owner Information | well or Borehole. Well or Borehole Location |
|--|---|
| (Landowner if borehole is not for a water well) | Well of Botoliole Education |
| Owner Name: St. Rest Plantation Inc | Latitude: 33° 27' 56.2"N Longitude: 90° 44' 58.3"W |
| Mailing Address: 65 Holly Ridge Road | Method of Lat/Long (check one): |
| | ☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS |
| Indianola MS 38751 | NE 1/4 SE 1/4, Sec 30 T 19N R 5W |
| City State Zip code | |
| Telephone No(| Miles North of Holly Ridge (Nearest Town) |
| Wall / R | Sorehole Data |
| | 6-17-21 Hole depth: 128' Hole diameter: 24" |
| 이 마른 그는 그는 물이를 살아 보는 것이 아니다. 이 경우 회의 기가 없다. | |
| Method of dosing and volume of Chlorine used in drilling and de | |
| Logs run (check all applicable): ☑ No log run ☐ Electric ☐ Ga | amma Ray 🗌 Density 🗎 Sonic 🗎 Neutron 🗎 Other: |
| Name of organization running log(s): | |
| Purpose of borehole (check one): ☑ Water Well ☐ Geote | echnical/Geological Investigation Ground Source Heat Pump |
| _ | Other (describe) |
| | CEIVED |
| | onstruction, skip the remainder of this block |
| Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ |] Public Supply ⊠ Irrigation □ Fish Culture |
| Other (describe): | RYOLWR |
| If a flowing well, method of flow regulation: Valve | Other (describe) |
| | elow] land surface Date measured: |
| (check one) | |
| Method of Measurement (check one) ☑ Steel tape ☐ Electric | tape Air line Other: (describe) |
| Well depth: 128' Well grouted to a depth of: 10 1 | feet Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix |
| Casing length: 88 feet Casing diameter: 1 | inches Type of casing: PVC |
| Screen length: 40 feet Screen diameter: | inches Type of screen: PVC |
| Screen slot size:050 inches Setting dep | oth: From <u>89</u> feet to <u>128</u> feet |
| Type of completion (check all applicable): ⊠ Gravel packed □ |] Underreamed ☐ Open hole ☐ Natural Development |
| ☐ Other (describe): | |
| Top of lap pipe or reduction in casing: Fee | t |
| | one screen, describe on next page |

| | | | Office Use (| |
|--|--|----------------|------------------|------------|
| ounty: Sunflower | | Well #: | | |
| ermit #:GW-51679 | | | | |
| the sketch below only required for water wells | Description of formations en and boreholes, unless specif | | | l wells |
| well telescopes, show depths on sketch. | | | y regulations | |
| Ground level | Description of Formations | Encountered | From (depth) | To (depth |
| Mound level | Clay | | Ground level | 22 |
| | Fine Sand | | 23 | 39 |
| | Fine Sand & Gravel | | 40 | 56 |
| | Med. Sand & Gravel | | 57 | 128 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | - |
| | | | | |
| | | | | |
| | | | | |
| f more than one screen, show location of each on sketc | ch | | | |
| Sketch the property layout and include the followir 1) the well location 2) any permanent structures on the property 3) any roads, power lines, or other items that | that may aid in locating the well | the well | | |
| 4) a north arrow | | | | |
| | | | | |
| | 11 | IED | | |
| | DECEL | 0 1 | | |
| | NL 311 | 3021 | | |
| | RECEIV OCT 11 BY O | - | | |
| | . 01 | WR | | |
| | BYO | _ , | | |
| | | | | |
| | | | | |
| | | | | |
| Landowner Name: | | | Form: OLWR- | |
| Landowner Name: | | | | SWR-1A (04 |
| | drilled, constructed, and completed in | accordance wit | h all applicable | |
| I HEREBY CERTIFY that the well/borehole was d | drilled, constructed, and completed in ovironmental Quality and the Mississip | accordance wit | h all applicable | |
| | drilled, constructed, and completed in nvironmental Quality and the Mississip | accordance wit | h all applicable | |


County: Sunflower Permit #: GW-51679 Driller: Chicot Irrigation, Inc. Date drilling completed: 6-17-21 Copy information from block on Part 1

STATE WELL REPORT Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)

| Office | Use Only: |
|--------|-----------|
| M | 184 |
| | |
| | Office |

| Well Owner Information | artment at the above address within 30 days of well completion. Well Location |
|---|--|
| | 000 441 50 0104 |
| Owner Name: St. Rest Plantation Inc | Latitude: 33° 27' 56.2"N Longitude: 90° 44' 58.3"W |
| Mailing Address: 65 Holly Ridge Road | Method of Lat/Long (check one): Conventional Survey, |
| | ☐ USGS quad, ☒ Hand-held GPS, ☐ Survey-grade GPS |
| Indianola MS 38751 | NE 1/4 SE 1/4, Sec 30 T 19N R 5W |
| City State Zip code | <u></u> // <u></u> // |
| Felephone No. () - | Miles North of Holly Ridge |
| | (Distance) (Direction) (Nearest Town) |
| Pump Tv | pe (check one) |
| | |
| | Well ☐ Jet ☐ Piston ☐ Rotary ☐ Other (describe): |
| | Rated Pump Capacity: Gallons Per Minute |
| s This Pump <i>(check one)</i> : New Repaired Replacemer | nt rpe (check one) |
| 그렇게 그렇게 그렇게 있는데 그들 보면 보는데 그 계속했다고 하다 중요 없었다. 그렇게 다 ^ | |
| | O Windmill Other (describe): |
| Horse Power Rating of Motor: 60 Setting Depth: | feet Number of Stages: 1 |
| | |
| Pump Test Data | for Non Flowing Well |
| Date Well Tested: | Duration of Pump Test (minimum 4 hours): Hours |
| Static Water Level (A): Feet Below Land Surface | e Pumping Water Level (B): Feet Below Land Surface |
| Drawdown [(B) - (A)]: Feet Below Land Sur | face Test Pumping Rate: Gallons Per Minute |
| Method of measurement (check one): ☐ Steel tape ☐ Electric t | tape ☐ Air line ☐ Other (describe): |
| | ata for Flowing Well |
| | ata for Flowing From |
| Measured shut in head: Feet | |
| | |
| | feet after hours of pumping |
| | feet after hours of pumping |
| Well yielded GPM with a drawdown of | r Installation |
| Well yielded GPM with a drawdown of Meter | r Installation |
| Well yielded GPM with a drawdown of Meter Meter Manufacturer: | Meter Serial Number: Type of Meter: |
| Well yielded GPM with a drawdown of Meter Meter Manufacturer: Meter Model Number/Name: | Type of Meter. |
| Well yielded GPM with a drawdown of Meter Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1) | Type of Meter. O00, etc): |
| Well yielded GPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1 Installation Date: Meter installed by: | Meter Serial Number: Type of Meter: 2021 |
| Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1 Installation Date: Meter Model Number/Name: Meter installed by: Repaired Replacement | Meter Serial Number: Type of Meter: 2021 000, etc): |
| Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1 Installation Date: Is This Meter (check one): New Repaired Replacement | Type of Meter: 2021 O00, etc): BY OLVER ent By Olver was installed to manufacturer standards. |
| Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1 Installation Date: Is This Meter (check one): New Repaired Replacement | Meter Serial Number: Type of Meter: 2021 000, etc): |
| Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1 Installation Date: Is This Meter (check one): ☐ New ☐ Repaired ☐ Replacement of the American Submitting the above information you are a for agricultural wells, a list of a | Type of Meter. Type of Meter. O00, etc): BY OLVIP ent certifying that this meter was installed to manufacturer standards. approved meters is on the MDEQ website. |
| Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1 Installation Date: Is This Meter (check one): New Repaired Replacement | Type of Meter. Type of Meter. O00, etc): BY OLVIP ent certifying that this meter was installed to manufacturer standards. approved meters is on the MDEQ website. |
| Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1 Installation Date: Meter installed by: Is This Meter (check one): ☐ New ☐ Repaired ☐ Replacement of the Re | Type of Meter. Type of Meter. O00, etc): BY OLVIP ent certifying that this meter was installed to manufacturer standards. approved meters is on the MDEQ website. |



Don R. Christy, PhD Executive Director

P. O. Box 129 Stoneville, MS 38776

Tel.: (662) 686-7712 Fax: (662) 686-9078 www.ymd.org

Yazoo Mississippi Delta Joint Water Management District

June 10, 2021

RE: CONSTRUCTION NOTICE

St. Rest Plantation Inc 65 Holly Ridge Road Indianola, MS 38751

RE: Receipt for Notification of Construction of Replacement Well MS-GW-51679 which will be replacing GW-04422 well located at

Location: NE1/4 of the SE1/4 Section 30 Township 19N Range 05W County Sunflower Latitude: 33.465278N Longitude -90.749444

Dear St. Rest Plantation Inc:

This letter acknowledges your notification to the state that you intend to replace a previously permitted well in the Mississippi River Valley Alluvial Aquifer and that this replacement construction will meet the requirements for a groundwater replacement well specified in 11 Miss. Admin. Code Part 7, Chapter 1, Rule 1.4.F.1 (see attached/back of page). Construction may begin immediately on your replacement well.

Remember that you are still required to <u>submit a permit application</u> (enclosed) for the replacement well within 5 days of construction beginning. You are also <u>required</u> to properly decommission (plug and abandon) the replaced well within 180 days of the replacement well's construction.

A copy of this letter, or a water use permit for the replacement well, must be attached to the State Well Report submitted by your driller to MDEQ and they must also submit a copy to YMD, as specified in the Water Well Contractor regulations found in 11 Miss. Admin. Code Part 7, Chapter 2, Rule 2.9.

If you have any questions, please call YMD at 662-686-7712.

Sincerely,

Dillard Melton, Jr Permitting Director RECEIVED OCT 11 2021 BY OLWR



Google Earth

feet ______1000 meters _____500

RECEIVED

OCT 11 2001

BY OLWR