County: Sunflower Permit #: GW-48498 **Driller:** Irrigation Equipment

Date drilling completed: 09/22/2014

STATE WELL REPORT

Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources

P.O. Box 2309
Jackson, MS 39225-2309
(601) 961-5210
(601) 360-0535 (fax)

For Office Use Only:				
Well#:	0 236			
Aquifer:				
E-Log #:				

Well Owner Information (Landowner if borehole is not for a water well)	completion of drilling of the well or borehole. Well or Borehole Location
Owner Name: Jerry Nobile	Latitude: 33 27' 51.4 N Longitude: 90 32' 35.6 W
Mailing Address: 58 Jerry Nobile Road	Method of Lat/Long (check one): Conventional Survey,
	USGS quad, ⊠ Hand-held GPS, ☐ Survey-grade GPS
Moorhead Ms 38761 City State Zip code	SE % SE %, Sec _ T _ 19 R 3W
City State Zip code Telephone No. () -	2 Miles Northwest of Moorhead
	(Distance) (Direction) (Nearest Town)
Well /	Borehole Data
Date drilling started: 09/22/2014 Date drilling completed	ed: 09/22/2014 Hole depth: 125 Hole diameter: 24"
Location of the source of any surface water used for drilling:	Surface Water
Method of dosing and volume of Chlorine used in drilling and	development: 50 PPM
•	Gamma Ray ☐ Density ☐ Sonic ☐ Neutron ☐ Other:
Name of organization running log(s):	
or pose of borehole (check one): ☑ Water Well ☐ Geot	technical/Geological Investigation
·	technical/Geological Investigation
☐ Seismic Survey	
☐ Seismic Survey If drilling is not related to water well of	☐ Other (describe) construction, skip the remainder of this block
☐ Seismic Survey If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐	☐ Other (describe) construction, skip the remainder of this block
☐ Seismic Survey If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ Other (describe):	☐ Other (describe) construction, skip the remainder of this block Public Supply ☑ Irrigation ☐ Fish Culture
☐ Seismic Survey If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ Other (describe):	☐ Other (describe) construction, skip the remainder of this block Public Supply ☑ Irrigation ☐ Fish Culture
☐ Seismic Survey If drilling is not related to water well of turpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☐ Other (describe): a flowing well, method of flow regulation: Valve	☐ Other (describe) construction, skip the remainder of this block ☐ Public Supply ☑ Irrigation ☐ Fish Culture Other (describe) celow] land surface Date measured: 09/23/2014
☐ Seismic Survey If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☐ Other (describe): If a flowing well, method of flow regulation: Valve Static Water Level: 46' feet [☐ above or ☒ b (check one)	☐ Other (describe) construction, skip the remainder of this block ☐ Public Supply ☑ Irrigation ☐ Fish Culture Other (describe) celow] land surface Date measured: 09/23/2014
☐ Seismic Survey If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☐ Other (describe): If a flowing well, method of flow regulation: Valve Static Water Level: 46' feet [☐ above or ☒ b (check one)) Method of Measurement (check one) ☒ Steel tape ☐ Electric	□ Other (describe) construction, skip the remainder of this block □ Public Supply ☑ Irrigation □ Fish Culture Other (describe) celow] land surface Date measured: 09/23/2014 ctape □ Air line □ Other: (describe)
☐ Seismic Survey If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☐ Other (describe): If a flowing well, method of flow regulation: Valve ☐ static Water Level: 46' ☐ feet [☐ above or ☒ b (check one) ☐ feet flow of Measurement (check one) ☒ Steel tape ☐ Electric ☐ feet ☐ feet ☐ Electric ☐ feet ☐ fee	□ Other (describe) construction, skip the remainder of this block □ Public Supply ☑ Irrigation □ Fish Culture Other (describe) celow] land surface Date measured: 09/23/2014 cetape □ Air line □ Other: (describe) feet Type of grout (check one): □ Neat Cement ☑ Bentonite □ Mix
☐ Seismic Survey If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☐ Other (describe): If a flowing well, method of flow regulation: Valve ☐ static Water Level: 46' ☐ feet [☐ above or ☒ b (check one) ☐ feet flow of Measurement (check one) ☒ Steel tape ☐ Electric ☐ feet ☐ feet ☐ Electric ☐ feet ☐ fee	□ Other (describe) construction, skip the remainder of this block □ Public Supply ☑ Irrigation □ Fish Culture Other (describe) celow] land surface Date measured: 09/23/2014 ctape □ Air line □ Other: (describe) feet Type of grout (check one): □ Neat Cement ☑ Bentonite □ Mix
☐ Seismic Survey If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☐ Other (describe): If a flowing well, method of flow regulation: Valve ☐ static Water Level: 46'	□ Other (describe) construction, skip the remainder of this block □ Public Supply ☑ Irrigation □ Fish Culture Other (describe) celow] land surface Date measured: 09/23/2014 ctape □ Air line □ Other: (describe) feet Type of grout (check one): □ Neat Cement ☑ Bentonite □ Mix 16" inches Type of casing: PVC
Seismic Survey If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☐ Other (describe): If a flowing well, method of flow regulation: Valve Static Water Level: 46' feet [☐ above or ☒ b (check one) Method of Measurement (check one) ☒ Steel tape ☐ Electric ☐ Steel depth: 125' Well grouted to a depth of: 10' feet ☐ Screen length: 40' feet ☐ Screen diameter: 1	□ Other (describe) construction, skip the remainder of this block □ Public Supply ☑ Irrigation □ Fish Culture Other (describe) celow] land surface Date measured: 09/23/2014 ctape □ Air line □ Other: (describe) feet Type of grout (check one): □ Neat Cement ☑ Bentonite □ Mix 16" inches Type of casing: PVC
☐ Seismic Survey If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☐ Other (describe): If a flowing well, method of flow regulation: Valve Static Water Level: 46'	□ Other (describe) construction, skip the remainder of this block □ Public Supply ☑ Irrigation □ Fish Culture Other (describe) celow] land surface Date measured: 09/23/2014 ctape □ Air line □ Other: (describe) feet Type of grout (check one): □ Neat Cement ☑ Bentonite □ Mix 16" inches Type of casing: PVC 16" inches Type of screen: PVC oth: From 86' feet to 125' feet
Seismic Survey If drilling is not related to water well of Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☐ Other (describe): If a flowing well, method of flow regulation: Valve Static Water Level: 46' feet [☐ above or ☒ b (check one) Method of Measurement (check one) ☒ Steel tape ☐ Electric ☐ Steel depth: 125' Well grouted to a depth of: 10' feet ☐ Screen length: 40' feet ☐ Screen diameter: 1	□ Other (describe) construction, skip the remainder of this block □ Public Supply ☑ Irrigation □ Fish Culture Other (describe) celow] land surface Date measured: 09/23/2014 cetape □ Air line □ Other: (describe) feet Type of grout (check one): □ Neat Cement ☒ Bentonite □ Mix 16" inches Type of casing: PVC 16" inches Type of screen: PVC oth: From 86' feet to 125' feet Underreamed □ Open hole □ Natural Development
Seismic Survey If drilling is not related to water well of Purpose of Well (check all applicable): Home Industrial	□ Other (describe) construction, skip the remainder of this block □ Public Supply ☑ Irrigation □ Fish Culture Other (describe) celow] land surface Date measured: 09/23/2014 ctape □ Air line □ Other: (describe) feet Type of grout (check one): □ Neat Cement ☑ Bentonite □ Mix 16" inches Type of casing: PVC 16" inches Type of screen: PVC oth: From 86' feet to 125' feet □ Underreamed □ Open hole □ Natural Development

OLVILL-SWR-1A (4/13)

County: Sunflower Permit #: GW-48	498		For Office Use Well #: 236	Only:
The sketch below only requ		<u>Description of formations enc</u> and boreholes, unless specific	ountered must be provided for a ally exempted by regulations	ıll wells
If well telescopes, show der	olhs on sketch.	Description of Formations Er	ncountered From (depth)	To (depth)
Ground level —	7	Clay	Ground level	
		Fine Sand	23	42
		Fine Sand & Gravel	43	55
		Medium Sand & Grav	el 56	125
				
If more than one screen,	show location of each on sketc	h		<u></u>
the well locatio any permanent	structures on the property t	g: hat may aid in locating the well may aid in locating the property and the	e well	
Landowner Name: _	Jerry Nobile			
requirements of the Mis if applicable, and state	ssissippi Department of Envi	lled, constructed, and completed in accironmental Quality and the Mississippi D	erdange with all applicable permission of Health-regulation	
Patrick Chism	0695	09/23/2014		

Date

Print Name of Responsible Licensee and License No.

Signature of Licensee
Form: OLWR-SWR-1A (4/13)

County: Sunflower Permit #: GW-48498 **Driller: Irrigation Equipment** 09/22/2014 Date drilling completed:

Copy information from block on Part 1

STATE WELL REPORT

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)

For Office Use Only:				
Well #:	<u>0 236</u>			
Aquifer:				

(601)) 300-0333 (lax)
This part of the report must be completed by a licensed water w	vell contractor or a licensed pump installer. A copy of Part 1 partment at the above address within 30 days of well completion.
Well Owner Information	Well Location
Owner Name: Jerry Nobile	Latitude: 33 27' 51.4 N Longitude: 90 32' 35.6 W
	Latitude. do 21 51.415 Longitude. do 22 5515 11
Mailing Address: 58 Jerry Nobile Road	Method of Lat/Long (check one): Conventional Survey,
	☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS
Moorhead Ms 38761	SE 1/4 SE 1/4, Sec. T 1 9N R 3 W
City State Zip code	7 2 7 2 7 2 7 7 7 7 7 7 7 7 7 7 7 7 7 7
Telephone No(2 Miles Northwest of Moorhead (Nearest Town)
	pe (check one)
☐ Submersible ☑ Turbine ☐ Air Lift ☐ Centrifugal ☐ Flowing N	-
s This Pump <i>(check one)</i> : ⊠ New ☐ Repaired ☐ Replacemen Power Ty	nt rpe (check one)
☑ Electric ☐ Diesel ☐ Gasoline ☐ Natural Gas ☐ Tractor PTO	• ` `
	: 80' feet Number of Stages: 2
Total Taking of Motor County Depth.	1000 11011100 01 012900.
Pump Test Data	for Non Flowing Well
Date Well Tested:	Duration of Pump Test (minimum 4 hours): Hours
Static Water Level (A): Feet Below Land Surface	Pumping Water Level (B): Feet Below Land Surface
orawdown [(B) - (A)]: Feet Below Land Surfa	face Test Pumping Rate: Gallons Per Minute
Method of measurement (check one): ☐ Steel tape ☐ Electric ta	ape 🗌 Air line 🗎 Other (describe):
Pump Test Dat	ta for Flowing Well
Neasured shut in head: Feet	
Vell yielded GPM with a drawdown of	feet after hours of numping
or in that a datacont of	Tool and
Meter i	Installation
Neter Manufacturer:	Meter Serial Number:
fleter Model Number/Name:	Type of Meter:
otalizer Register Unit and Multiplier Factor (AF x .001, gal x 100	00, etc):
nstallation Date: Meter installed by:	
s This Meter (check one): New Repaired Replacement	t
	rtifying that this meter was installed to manufacturer standards.
For agricultural wells, a list of app	proved meters is on the MDEQ website.
HEREBY CERTIFY that the above statements are true to the b	pest of my knowledge.
•	
Patrick Chism 0695	09/23/2014
Print Name of Pump Installer and License No. (if applicable)	Date Signature of Pump Installer Form: OLWR-SWR-1B (4/13)
	APR 3 7