| Cunflower | SIALLY | VELL REPORT Part 1 | For Office Use Only: Well #: L 249 |
|---|---|---|---|
| County: Sunflower Permit #: GW-48482 | Dr | iller's Log | Aquifer: |
| Driller: Irrigation Equipment | Mississippi Departn | nent of Environmental Quality and Water Resources | E-Log #: |
| Date drilling completed: 09/22/2014 | P.(| O. Box 2309 | |
| | (60 | n, MS 39225-2309 01) 961-5210 360-0535 (fax) | |
| State Law requires that this report | | | |
| Department at the above address w Well Owner Informa | | | <i>Il or borehole.</i> |
| (Landowner if borehole is not fo | »r a water well) | | |
| Owner Name: Jerry Nobile Farms | | Latitude: 33 26' 08.8 N | Longitude: 90 31' 21.9 W |
| Mailing Address: 58 Jerry Nobile Roa | 3d | | ne): 🔲 Conventional Survey, |
| | | 🔲 USGS quad, 🖾 Hand-hel | d GPS, 🔲 Survey-grade GPS 🦯 |
| Moorhead Ms | 38761 | <u>SE</u> ¼ <u>SE</u> ¼, | Sec <u>8</u> T <u>18 N</u> R <u>3 W</u> |
| City Stat Telephone No. () - | e Zip code | 1 Miles South | west of Moorhead |
| | Well / R | prehole Data | |
| | | | 7 |
| Date drilling started: 09/22/2014 D | | 09/22/2014 Hole depth: 12 | 7 Hole diameter: 24 |
| Location of the source of any surface wat | ter used for drilling: | Surface Water | |
| Method of dosing and volume of Chlorine | used in drilling and de | velopment: 50 PPM | |
| Logs run (check all applicable): 🖾 No log | 3 run 🗌 Electric 🗌 Gar | nma Ray 🗋 Density 🗍 Sonic 🕻 | Neutron 🗌 Other: |
| Name of organization running log(s): | | | |
| Purpose of borehole (check one): 🛛 W | /ater Well 🔲 Geoter | hnical/Geological Investigation | Ground Source Heat Pump |
| П. | _ | Other (describe) | |
| | | nstruction, skip the remain | ler of this block |
| Purpose of Well (check all applicable): | | a media 🤷 📕 | * • • • • • • • • • • • • • • • • • • • |
| | | | |
| | | | |
| | | | |
| If a flowing well, method of flow regulation | n: Valve | Other (describe) | |
| | n: Valve | Other (describe) | |
| If a flowing well, method of flow regulation | n: Valve leet [] above or 🛛 bel (check one) | Other (describe) ow] land surface Date mea | sured: 09/23/2014 |
| If a flowing well, method of flow regulation Static Water Level: 45' f | n: Valve feet [] above or 🛛 bel (check one) Steel tape] Electric ta | Other (describe) ow] land surface Date mea ape [] Air line [] Other: (describ | sured: 09/23/2014 |
| If a flowing well, method of flow regulation Static Water Level: 45' Method of Measurement (check one) 🛛 | n: Valve feet [] above or 🛛 bel <i>(check one)</i> Steel tape] Electric ta depth of: 10' fe | Other (describe) ow] land surface Date mea ape [] Air line [] Other: (describ et Type of grout (check one): [] | sured: 09/23/2014 ne) Neat Cement ⊠ Bentonite □ M |
| If a flowing well, method of flow regulation Static Water Level: 45' f Method of Measurement (check one) Well depth: 127' Well grouted to a Casing length: 87' feet | n: Valve feet [] above or 🛛 bel <i>(check one)</i> Steel tape] Electric ta depth of: 10' fe Casing diameter: 16 | Other (describe) ow] land surface Date mea ape [] Air line [] Other: (describ et Type of grout (check one): [] | sured: 09/23/2014 e) I Neat Cement ⊠ Bentonite □ M f casing: _ PVC |
| If a flowing well, method of flow regulation Static Water Level: 45' f Method of Measurement (check one) Well depth: 127' Well grouted to a Casing length: 87' feet | n: Valve feet [] above or 🛛 bel (check one) Steel tape] Electric ta depth of: 10' fe Casing diameter: 16 Screen diameter: 16 | Other (describe) ow] land surface Date mea apeAir lineOther: (descrit et Type of grout (check one): "inches Type o "inches Type o | sured: e) I Neat Cement ⊠ Bentonite □ M f casing: f screen: F screen: |
| If a flowing well, method of flow regulation Static Water Level: <u>45'</u> f Method of Measurement (check one) Well depth: <u>127'</u> Well grouted to a Casing length: <u>87'</u> feet Screen length: <u>40'</u> feet Screen slot size: <u>.050</u> in | n: Valve feet [] above or 🛛 bel (check one) Steel tape] Electric ta depth of: 10' fe Casing diameter: 16 Screen diameter: 16 nches Setting depth | Other (describe) ow] land surface Date mea ape [] Air line [] Other: (descrit et Type of grout (check one): [] "inches Type o "inches Type o a: From 88' fe | sured: |
| If a flowing well, method of flow regulation Static Water Level: <u>45'</u> f Method of Measurement (check one) Well depth: <u>127'</u> Well grouted to a Casing length: <u>87'</u> feet Screen length: <u>40'</u> feet Screen slot size: <u>.050</u> in Type of completion (check all applicable) | n: Valve feet [] above or 🛛 bel (check one) Steel tape] Electric ta depth of: 10' fee Casing diameter: 16 Screen diameter: 16 nches Setting depth : 🏹 Gravel packed] 1 | Other (describe) ow] land surface Date mea ape [] Air line [] Other: (descrit et Type of grout (check one): [] "inches Type o "inches Type o a: From 88' fe | sured: |
| If a flowing well, method of flow regulation Static Water Level: <u>45'</u> f Method of Measurement (check one) Well depth: <u>127'</u> Well grouted to a Casing length: <u>87'</u> feet Screen length: <u>40'</u> feet Screen slot size: <u>.050</u> in Type of completion (check all applicable) | n: Valve feet [] above or 🛛 bel (check one) Steel tape] Electric ta depth of: 10' fer Casing diameter: 16 Screen diameter: 16 nches Setting depth : 🖾 Gravel packed] 1 | Other (describe) ow] land surface Date mea ape [] Air line [] Other: (describ et Type of grout (check one): [] " inches Type o " inches Type o " inches Type o " fe Underreamed [] Open hole [] N | sured: |

| - | | h | | ~** ~ ~ ~ ~ ~ ~ ~ ~ | Francia On A Diale and |
|---|------|---|------|---------------------|------------------------|
| | | | | | |

, 1

| I | For O | ffice Use Only: |
|---------|-------|-----------------|
| Well #: | R | 249 |
| | | |

The sketch below only required for water wells

If well telescopes, show depths on sketch.

 County:
 Sunflower

 Permit #:
 GW-48482

ł

Ground level

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

| Description of Formations Encountered | From (depth) | To (depth) |
|--|--------------|------------|
| Clay | Ground level | 19 |
| Fine Sand | 20 | 34 |
| Fine Sand & Gravel | 35 | 58 |
| Medium Sand & Gravel | 59 | 127 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | ····· | |
| | | |
| | | |
| | | |
| | | |
| · · · · · · · · · · · · · · · · · · · | | |
| ······································ | | |
| ······································ | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | l |

If more than one screen, show location of each on sketch

| ketch the property lavo | ut and include the following: | | |
|--------------------------|------------------------------------|---------------------------|---|
| 1) the well location | | | |
| | structures on the property that m | av aid in locating the we | 11 |
| | r lines, or other items that may a | | |
| 4) a north arrow | | 5 , , , | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| ndowner Name: | Jerry Nobile Farms | | |
| ndowner Name: | Serry Noble Farms | ,e, | |
| | | | Form: OLWR-SWR-1A (04/08) |
| EREBY CERTIFY the | t the well/borehole was drilled. | constructed, and comple | tell in accordance with all applicable |
| | | | ssissippi Department of Health regulations, |
| applicable, and state la | | | |
| atrick Chism | 0695 | 09/23/2014 | |
| | ible Licensee and License No. | Date | Signature of Licensee |
| | | ····· | Form: OLWR-SWR-1A (4/13) |
| | | | 102) |

•

| Cunflower | STATE WELL REPORT | For Office Use Only: Well #: 249 |
|--|---|---|
| County: Sunflower | Part 2 Pump Installer's Completion Report | |
| Permit #: <u>GW-48482</u> | Mississippi Department of Environmental Qualit | ty |
| Driller: Irrigation Equipment | Office of Land and Water Resources P.O. Box 2309 | Aquifer: |
| Date drilling completed: 09/22/2014 Copy information from block on Part 1 | Jackson, MS 39225-2309 | |
| | (601) 961-5210 (601) 360-0535 (fax) | |
| This part of the report must be complete | ed by a licensed water well contractor or a licensed put | mp installer. A copy of Part 1 |
| of the report must be attached and both Well Owner Information | parts filed with the Department at the above address vertices | vithin 30 days of well completion. Vell Location |
| | | |
| Owner Name: Jerry Nobile Farms | Latitude: 33 26' 08.8 N | Longitude: 90 31' 21.9 W |
| Mailing Address: 58 Jerry Nobile Ro | Method of Lat/Long (check | one): Conventional Survey, |
| | 🔲 USGS quad, 🛛 Hand-H | neld GPS, 🔲 Survey-grade GPS |
| Moorhead Ms | 38761 SE ½ SE ½ | ¼, Sec 8 T 18 N R 3 W |
| City Sta | te Zip code | |
| Telephone No. () - | | thwest of Moorhead (Nearest Town) |
| | Pump Type (check one) | |
| 🖾 Submaraible 🗖 Turbine 🗖 Air Lift 🗍 | Centrifugal C Flowing Well Jet Piston Rotan | (Ti Other (describe)) |
| | v – v – – . | |
| Date Pump Installed 09/23/2014 Is This Pump (check one): | | Gallons Per Minu |
| Horse Power Rating of Motor: 30 | Power Type (check one) ural Gas [] Tractor PTO [] Windmill [] Other (descril | Number of Stages: 1 |
| Horse Power Rating of Motor: 30 Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: | urał Gas [] Tractor PTO [] Windmill [] Other (descril Setting Depth: <u>80'</u> feet Pump Test Data for Non Flowing Well Duration of Pump Test (min feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: | Number of Stages: 1 nimum 4 hours): Ho Feet Below Land Surf. Gallons Per Min |
| Horse Power Rating of Motor: 30 Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: | urał Gas [] Tractor PTO [] Windmill [] Other (descril Setting Depth: <u>80'</u> feet Pump Test Data for Non Flowing Well Duration of Pump Test (min Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate:] Steel tape [] Electric tape [] Air line [] Other (descri | Number of Stages: 1 nimum 4 hours): Ho Feet Below Land Surf. Gallons Per Min |
| Horse Power Rating of Motor: 30 Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement (check one): □ | urał Gas [] Tractor PTO [] Windmill [] Other (descrit Setting Depth: <u>80'</u> feet Pump Test Data for Non Flowing Well Duration of Pump Test (min Seet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate:] Steel tape [] Electric tape [] Air line [] Other (descrit Pump Test Data for Flowing Well | Number of Stages: 1 nimum 4 hours): Ho Feet Below Land Surf. Gallons Per Min |
| Horse Power Rating of Motor: 30 Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: | urał Gas [] Tractor PTO [] Windmill [] Other (descrit Setting Depth: <u>80'</u> feet Pump Test Data for Non Flowing Well Duration of Pump Test (min Seet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate:] Steel tape [] Electric tape [] Air line [] Other (descrit Pump Test Data for Flowing Well Feet | Number of Stages: 1 nimum 4 hours): Ho Feet Below Land Surf Gallons Per Min ribe): |
| Horse Power Rating of Motor: 30 Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: | urał Gas [] Tractor PTO [] Windmill [] Other (descrit Setting Depth: <u>80'</u> feet Pump Test Data for Non Flowing Well Duration of Pump Test (min Seet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate:] Steel tape [] Electric tape [] Air line [] Other (descrit Pump Test Data for Flowing Well | Number of Stages: 1 nimum 4 hours): Ho Feet Below Land Surf Gallons Per Min ribe): |
| Horse Power Rating of Motor: 30 Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with | urał Gas [] Tractor PTO [] Windmill [] Other (descrit Setting Depth: <u>80'</u> feet Pump Test Data for Non Flowing Well Duration of Pump Test (min Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate:] Steel tape [] Electric tape [] Air line [] Other (descrit Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation | Number of Stages: 1 nimum 4 hours): Hours Feet Below Land Surf Gallons Per Min ribe): |
| Horse Power Rating of Motor: 30 Date Well Tested: | urał Gas [] Tractor PTO [] Windmill [] Other (descrit Setting Depth: <u>80'</u> feet Pump Test Data for Non Flowing Well Duration of Pump Test (min feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate:] Steel tape [] Electric tape [] Air line [] Other (descrit Pump Test Data for Flowing Well Feet a drawdown offeet after Meter Installation Meter Serial Number: | Number of Stages: 1 nimum 4 hours): |
| Horse Power Rating of Motor: 30 Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with Meter Manufacturer: Meter Model Number/Name: | urał Gas [] Tractor PTO [] Windmill [] Other (descrit Setting Depth: <u>80'</u> feet Pump Test Data for Non Flowing Well Duration of Pump Test (min feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate:] Steel tape [] Electric tape [] Air line [] Other (descrit Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number: Type of Meter: | Number of Stages: 1 nimum 4 hours): Ho Feet Below Land Surf Gallons Per Min ribe): hours of pumping |
| Horse Power Rating of Motor: 30 Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head: Well yielded GPM with Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Face | urał Gas [] Tractor PTO [] Windmill [] Other (descrit Setting Depth: <u>80'</u> feet Pump Test Data for Non Flowing Well Duration of Pump Test (min Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate:] Steel tape [] Electric tape [] Air line [] Other (descrit Pump Test Data for Flowing Well Feet a drawdown offeet after Meter Installation Meter Serial Number: Type of Meter: Ctor (AF x .001, gal x 1000, etc): | Number of Stages: 1 nimum 4 hours): |
| Horse Power Rating of Motor: 30 Date Well Tested: | urał Gas [] Tractor PTO [] Windmill [] Other (descrit Setting Depth: <u>80'</u> feet Pump Test Data for Non Flowing Well Duration of Pump Test (min feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate:] Steel tape [] Electric tape [] Air line [] Other (descrit Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number: Type of Meter: Meter installed by: | Number of Stages: 1 nimum 4 hours): |
| Horse Power Rating of Motor: 30 Date Well Tested: | urał Gas [] Tractor PTO [] Windmill [] Other (descrit Setting Depth: 80' Pump Test Data for Non Flowing Well Duration of Pump Test (mill Geet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape [] Electric tape [] Air line [] Other (descrit Pump Test Data for Flowing Well Feet a drawdown of Meter Installation Type of Meter: Type of Meter: Ctor (AF x .001, gal x 1000, etc): Meter installed by: Lepaired [] Replacement | Number of Stages: 1 nimum 4 hours): |
| Horse Power Rating of Motor: 30 Date Well Tested: | urał Gas [] Tractor PTO [] Windmill [] Other (descrit Setting Depth: <u>80'</u> feet Pump Test Data for Non Flowing Well Duration of Pump Test (min feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate:] Steel tape [] Electric tape [] Air line [] Other (descrit Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number: Type of Meter: Meter installed by: | Number of Stages: 1 nimum 4 hours): |
| Horse Power Rating of Motor: 30 Date Well Tested: | urał Gas [] Tractor PTO [] Windmill [] Other (descritt Setting Depth: 80' Pump Test Data for Non Flowing Well Duration of Pump Test (minit) Feet Below Land Surface Pump Test Data for Flowing Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape [] Electric tape [] Air line [] Other (descritted) Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number: Type of Meter: Ctor (AF x .001, gal x 1000, etc): Meter installed by: Lepaired [] Replacement | Number of Stages: 1 nimum 4 hours): |
| Horse Power Rating of Motor: 30 Date Well Tested: | urał Gas [] Tractor PTO [] Windmill [] Other (descritt Setting Depth: 80' Pump Test Data for Non Flowing Well Duration of Pump Test (mine) Seet Below Land Surface Pump Test Data for Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape [] Electric tape [] Air line [] Other (descritted and rescand for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number: Type of Meter: Ctor (AF x .001, gal x 1000, etc): Meter installed by: Replacement e information you are certifying that this meter was insultural wells, a list of approved meters is on the MDPR tements are true to the best of my knowledge. | Number of Stages: 1 nimum 4 hours): |

• ,