County:	Sunflower	
Permit #:	GW-50258	<b>3</b> √
Driller: Irrigation Equipment, Inc.		
Date drilling completed: 7-27-18		T 07 40

### STATE WELL REPORT Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601) 961-5210

(601) 360-0535 (fax)

For Office Use Only:	
Well #:	R268
Aquifer:	
E-Log #:	

Well Owner Information (Landowner if borehole is not for a water well)	Department at the above address within 30 days of comp				
Owner Name: McGregor Family Land LLC  Mailing Address: 481 Highway 3  Method of Lat/Long (check one):  Conventional Survey,  Method of Lat/Long (check one):  Conventional Survey,  Method of Lat/Long (check one):  Conventional Survey,  USGS quad,  Hand-held GPS,  Survey-grade GPS  Sw. 1/5/2.  Sec 18 T 18N R 3W  Miles Sw. 1/6/2.  Sec 18 T 18N R 3W  Well / Borehole Data  Date drilling started: 7-27-18  Date drilling completed: 7-27-18  Hole depth: 127  Hole diameter: 24"  Method of dosing and volume of Chlorine used in drilling and development:  Surface Water  Method of dosing and volume of Chlorine used in drilling and development:  Surface Water  Method of dosing and volume of Chlorine used in drilling and development:  Surface Water  Method of dosing and volume of Chlorine used in drilling and development:  Surface Water  Method of dosing and volume of Chlorine used in drilling and development:  Surface Water  Method of dosing and volume of Chlorine used in drilling and development:  Surface Water  Method of dosing and volume of Chlorine used in drilling and development:  Surface Water  Method of dosing and volume of Chlorine used in drilling and development:  Surface Water  Method of dosing and volume of Chlorine used in drilling and development:  Surface Water  Logs run (check all applicable):  No log run   Electric   Gamma Ray   Density   Sonic   Neutron   Other:     Purpose of borehole (check all applicable):  Home   Industrial   Public Surply   Irrigation   Fish Culture    Other (describe):     If a flowing well, method of flow regulation:  Valve   Other (describe)    Static Water Level:  44	Well Owner Information Well or Borehole Location				
Mailing Address: 481 Highway 3	,	Latitude: 33° 25' 21.0"N Longitude: 90° 32' 50.6"W			
USGS quad,					
Moorhead   MS   State   Zip code   State   Zip code   Telephone No.   State   Zip code   Miles   SW   Miles   SW   Miles   SW   Miles   SW   Miles   SW   Miles   Mi	Mailing Address: 481 Highway 3	Method of Lat/Long (check one):			
City   State   Zip code   Well / Borehole Data   Date drilling started:   7-27-18   Date drilling completed:   7-27-18   Hole depth:   127   Hole diameter:   24"		☐ USGS quad, ☒ Hand-held GPS, ☐ Survey-grade GPS			
Miles   SW   Of   Moorhead   (Nearest Town)   (Nearest Town)   Moorhead   (Nearest Town)   (Nearest To	Moorhead MS 38761	<u>Ś₩</u> ¼ <u>SE</u> ¼, Sec <u>18</u> T <u>18Ň</u> R <u>3₩</u>			
Well / Borehole Data		CIM A Manufacia			
Date drilling started: 7-27-18  Date drilling completed: 7-27-18  Hole depth: 127  Hole diameter: 24"  Location of the source of any surface water used for drilling: Surface Water  Method of dosing and volume of Chlorine used in drilling and development: 50 PPM  Logs run (check all applicable): No log run   Electric   Gamma Ray   Density   Sonic   Neutron   Other:    Name of organization running log(s):   Purpose of borehole (check one): Water Well   Geotechnical/Geological Investigation   Ground Source Heat Pump      Seismic Survey   Other (describe)   If drilling is not related to water well construction, skip the remainder of this block  Purpose of Well (check all applicable):   Home   Industrial   Public Supply   Irrigation   Fish Culture   RECENTAGE    Other (describe):   Other (describe)   Other (describe)   AUG   2    Static Water Level: 44   feet   above or   below] land surface   Date measured: 7-27-18   BY OL William    Method of Measurement (check one)   Steel tape   Electric tape   Air line   Other: (describe)   Neat Cement   Bentonite   Mix    Casing length: 87   feet   Casing diameter: 16   inches   Type of casing: PVC    Screen length: 40   feet   Screen diameter: 16   inches   Type of screen: PVC    Screen slot size: .050   inches   Setting depth: From   71   feet   110   feet   11	Telephone No				
Method of dosing and volume of Chlorine used in drilling:   Surface Water	Well / Bor	rehole Data			
Method of dosing and volume of Chlorine used in drilling:   Surface Water					
Method of dosing and volume of Chlorine used in drilling and development: 50 PPM  Logs run (check all applicable): ☑ No log run ☐ Electric ☐ Gamma Ray ☐ Density ☐ Sonic ☐ Neutron ☐ Other: ☐ Name of organization running log(s): ☐ Purpose of borehole (check one): ☑ Water Well ☐ Geotechnical/Geological Investigation ☐ Ground Source Heat Pump ☐ Seismic Survey ☐ Other (describe) ☐ If drilling is not related to water well construction, skip the remainder of this block  Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ Public Supply ☑ Irrigation ☐ Fish Culture ☐ Other (describe): ☐ If a flowing well, method of flow regulation: Valve ☐ Other (describe) ☐ Static Water Level: 44 ☐ feet ☐ above or ☑ below] land surface ☐ Date measured: 7-27-18 ☐ Other (check one) ☐ Well depth: 127 ☐ Well grouted to a depth of: 10 ☐ feet Type of grout (check one): ☐ Neat Cement ☑ Bentonite ☐ Mix Casing length: 87 ☐ feet Casing diameter: 16 ☐ inches Type of casing: PVC ☐ Screen length: 40 ☐ feet Screen diameter: 16 ☐ inches Type of screen: PVC ☐ Screen slot size: _050 ☐ inches Setting depth: From 71 ☐ feet to _110 ☐ feet					
Logs run (check all applicable):  No log run   Electric   Gamma Ray   Density   Sonic   Neutron   Other:   Name of organization running log(s):   Purpose of borehole (check one):  Water Well   Geotechnical/Geological Investigation   Ground Source Heat Pump	Location of the source of any surface water used for drilling:	urface Water			
Name of organization running log(s):  Purpose of borehole (check one):	Method of dosing and volume of Chlorine used in drilling and deve	elopment: 50 PPM			
Purpose of borehole (check one):	Logs run (check all applicable): ⊠ No log run ☐ Electric ☐ Gam	ıma Ray 🗌 Density 🗎 Sonic 🗎 Neutron 🗎 Other:			
Seismic Survey	Name of organization running log(s):				
Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ Public Supply ☒ Irrigation ☐ Fish Culture  ☐ Other (describe):  If a flowing well, method of flow regulation: Valve ☐ Other (describe) ☐ AUS 2 7 20  Static Water Level: 44 ☐ feet [☐ above or ☒ below] land surface ☐ Date measured: 7-27-18 ☐ AUS 2 7 20  Method of Measurement (check one) ☒ Steel tape ☐ Electric tape ☐ Air line ☐ Other: (describe) ☐ Well depth: 127¹ ☐ Well grouted to a depth of: 10 ☐ feet ☐ Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix  Casing length: 87 ☐ feet ☐ Casing diameter: 16 ☐ inches ☐ Type of casing: PVC  Screen length: 40 ☐ feet ☐ Screen diameter: 16 ☐ inches ☐ Type of screen: PVC  Screen slot size: _050 ☐ inches ☐ Setting depth: From _71 ☐ feet to _110 ☐ feet ☐	Purpose of borehole (check one):   Water Well Geotech	nnical/Geological Investigation			
Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ Public Supply ☒ Irrigation ☐ Fish Culture  ☐ Other (describe):  If a flowing well, method of flow regulation: Valve ☐ Other (describe) ☐ AUS 2 7 20  Static Water Level: 44 ☐ feet [☐ above or ☒ below] land surface ☐ Date measured: 7-27-18 ☐ AUS 2 7 20  Method of Measurement (check one) ☒ Steel tape ☐ Electric tape ☐ Air line ☐ Other: (describe) ☐ Well depth: 127¹ ☐ Well grouted to a depth of: 10 ☐ feet ☐ Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix  Casing length: 87 ☐ feet ☐ Casing diameter: 16 ☐ inches ☐ Type of casing: PVC  Screen length: 40 ☐ feet ☐ Screen diameter: 16 ☐ inches ☐ Type of screen: PVC  Screen slot size: _050 ☐ inches ☐ Setting depth: From _71 ☐ feet to _110 ☐ feet ☐	☐ Seismic Survey ☐ €	Other (describe)			
Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ Public Supply ☒ Irrigation ☐ Fish Culture  ☐ Other (describe):  If a flowing well, method of flow regulation: Valve ☐ Other (describe) ☐ AUG 2 7 20  Static Water Level: 44 ☐ feet [☐ above or ☒ below] land surface ☐ Date measured: 7-27-18 ☐ AI line ☐ Other: (describe) ☐ W/  Method of Measurement (check one) ☒ Steel tape ☐ Electric tape ☐ Air line ☐ Other: (describe) ☐ Well depth: 127' ☐ Well grouted to a depth of: 10 ☐ feet Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix  Casing length: 87 ☐ feet ☐ Casing diameter: 16 ☐ inches ☐ Type of casing: PVC  Screen length: 40 ☐ feet ☐ Screen diameter: 16 ☐ inches ☐ Type of screen: PVC  Screen slot size:050 ☐ inches ☐ Setting depth: From71 ☐ feet to110 ☐ feet					
Static Water Level: 44					
Static Water Level: 44		Public Supply M Imgation LI Fish Culture  RECHALL			
Static Water Level: 44	Other (describe):				
Static Water Level: 44	If a flowing well, method of flow regulation: Valve Other (describe)				
Method of Measurement (check one) ☑ Steel tape ☐ Electric tape ☐ Air line ☐ Other: (describe)    Well depth: 127' Well grouted to a depth of: 10 feet Type of grout (check one): ☐ Neat Cement ☑ Bentonite ☐ Mix  Casing length: 87 feet Casing diameter: 16 inches Type of casing: PVC  Screen length: 40 feet Screen diameter: 16 inches Type of screen: PVC  Screen slot size: .050 inches Setting depth: From 71 feet to 110 feet	Static Water Level: 44 feet [ above or below] land surface Date measured: 7-27-18 BY OL WID				
Casing length: 87 feet Casing diameter: 16 inches Type of casing: PVC  Screen length: 40 feet Screen diameter: 16 inches Type of screen: PVC  Screen slot size: .050 inches Setting depth: From 71 feet to 110 feet	Method of Measurement (check one) ☑ Steel tape ☐ Electric tape ☐ Air line ☐ Other: (describe)				
Screen length: 40 feet Screen diameter: 16 inches Type of screen: PVC  Screen slot size: .050 inches Setting depth: From 71 feet to 110 feet	Well depth: 127 Well grouted to a depth of: 10 feet Type of grout (check one): ☐ Neat Cement ☑ Bentonite ☐ Mix				
Screen slot size:050 inches Setting depth: From71 feet to110 feet	Casing length: 87 feet Casing diameter: 16 inches Type of casing: PVC				
	Screen length: 40 feet Screen diameter: 16	inches Type of screen: PVC			
Type of completion (check all applicable):   Gravel packed  Underreamed  Open hole  Natural Development	Screen slot size: .050 inches Setting depth:	From <u>71</u> feet to <u>110</u> feet			
ı					
Other (describe):					
Top of lap pipe or reduction in casing: Feet					
If telescoped or more than one screen, describe on next page Form: OLWR-SWR-1A (4/13)					

	TE.	or Office Use	O-1-7-
0.00	<b>1</b>	or Office Use	-
County: Sunflower	Well #: _	R268	
Permit #: <b>GW-50258</b>			
The sketch below only required for water wells	Description of formations encountered mu	st be provided for a	ll wells
If well telescopes, show depths on sketch.	and boreholes, unless specifically exempte	d by regulations	
Ground level	Description of Formations Encountered	From (depth) Ground level	To (depth)
<u> </u>	Clay Fine Sand	29	28
}	Fine Sand & Gravel	47	46 67
			+
	Med. Sand & Gravel	68	110
	Fine Sand	111	120
	Med. Sand & Gravel	121	124
	Clay	125	127
			<del>                                     </del>
			4
		<u>.</u>	-
			ļ
If more than one screen, show location of each on sketch			
Sketch the property layout and include the following:			
1) the well location			
2) any permanent structures on the property that			
<ul><li>3) any roads, power lines, or other items that ma</li><li>4) a north arrow</li></ul>	y aid in locating the property and the well		
1) a notar anow			
	<b>5</b>	_	
	K	ECEIVE	
	,	AUG 27 2811	,
		The factor july	
	B\	OLVAT	· ·
	L. /	ULVII	d.
Landowner Name:			
		Form: OLWR-S	WR-1A (04/08
I HEREBY CERTIFY that the well/borehole was driller requirements of the Mississippi Department of Enviror	d, constructed, and completed in accordance wi	th all applicable	•

7-27-18

Date

Signature of Licensee Form: OLWR-SWR-1A (4/13)

Print Name of Responsible Licensee and License No.

# County: Sunflower Permit #: GW-50258 Driller: Irrigation Equipment, Inc.

Copy information from block on Part 1

Date drilling completed: \_7-27-18

# STATE WELL REPORT Part 2

# Pump Installer's Completion Report

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309
(601) 961-5210

(601) 360-0535 (fax)

For Office Use Only:	
Well #:	Rabs
Aquifer:	

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1

of the report must be attached and both parts filed with the Depa	rtment at the above address within 30 days of well completion.			
Well Owner Information	Well Location			
Owner Name: McGregor Family Land LLC	Latitude: 33° 25' 21.0"N Longitude: 90° 32' 50.6"W			
Mailing Address: 481 Highway 3	Method of Lat/Long (check one):   Conventional Survey,			
	☐ USGS quad, ☒ Hand-held GPS, ☐ Survey-grade GPS			
Moorhead MS 38761	5 vv 1/2 SE 1/4, Sec 18 T 18N R 3W			
City State Zip code	7, 000 to 1 total ( over			
Telephone No	Miles SW of Moorhead (Direction) (Nearest Town)			
Pump Typ	e (check one)			
☐ Submersible ☑ Turbine ☐ Air Lift ☐ Centrifugal ☐ Flowing W	ell ☐ Jet ☐ Piston ☐ Rotary ☐ Other (describe):			
	Rated Pump Capacity: 2000+/- Gallons Per Minute			
Is This Pump (check one): New Repaired Replacement				
	e (check one)			
☐ Electric ☑ Diesel ☐ Gasoline ☐ Natural Gas ☐ Tractor PTO	☐ Windmill ☐ Other (describe):			
Horse Power Rating of Motor: 60 Setting Depth:	80 feet Number of Stages: 2			
Pump Test Data fo	or Non Flowing Well			
Date Well Tested:	Duration of Pump Test (minimum 4 hours): Hours			
Static Water Level (A): Feet Below Land Surface	Pumping Water Level (B): Feet Below Land Surface			
Drawdown [(B) - (A)]: Feet Below Land Surfa	ce Test Pumping Rate: Gallons Per Minute			
Method of measurement <i>(check one):</i> ☐ Steel tape ☐ Electric ta	pe ☐ Air line ☐ Other <i>(describe)</i> :			
Pump Test Data for Flowing Well				
Measured shut in head: Feet	PEOPLE			
	RECEIVED			
Well yielded GPM with a drawdown of	feet after hours of pumping			
Meter Installation				
	Meter Serial Number: BY OLWR			
Meter Model Number/Name: Type of Meter:  Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc):				
Installation Date: Meter installed by:				
Is This Meter (check one): New Repaired Replacement				
Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards.  For agricultural wells, a list of approved meters is on the MDEQ website.				
A or agreement as recess, a test of appr	V. ON HOUSE OF DESTROY AND AND THE STATE OF			
I HEREBY CERTIFY that the above statements are true to the be	est of my knowledge.			
0695	8-9-18			
Print Name of Pump Installer and License No. (if applicable)	Date Signature of Pump Installer			

Form: OLWR-SWR-1B (4/13)

# STATE OF MISSISSIPPI

R 268

RECEIVED
AND 27 2000
BY OLWR

Department of Environmental Quality
Office of Land and Water Resources
P. O. Box 2309
Jackson, Mississippi 39225

#### **PERMIT**

## TO DIVERT OR WITHDRAW FOR BENEFICIAL USE THE PUBLIC WATERS

This permit is issued to the landowner named below in accordance with the provisions of the Mississippi Water Laws, Mississippi Code Sections 51-3-1, et seq.(1972, as amended), and the regulations and standards as promulgated thereunder. Whether or not specifically named in this permit or in the applications for this permit, anyone using water from the diversion/withdrawal point described below shall do so in compliance with the provisions of this permit. Neither this permit, nor any authority conferred hereby, may be sold, conveyed, encumbered, assigned, or otherwise aliened, for any period of time or under any conditions whatsoever. This permit may not be modified, transferred or revoked without prior action by the Permit Board. Any attempts to modify, transfer or revoke this permit, or to take any other action on this permit, shall be invalid and unenforceable and may result in immediate revocation or suspension of this permit. The holder of this permit shall at all times be responsible for adherence to the terms and conditions of this permit. No agreement between the permit holder and any other party shall affect the obligations and liabilities of the permit holder. Water use under this permit is allowed only when the streamflow, lake level elevation, or static groundwater level (whichever, if any, is applicable) is above the established minimum, pursuant to Mississippi Code Section 51-3-7. Authorization is hereby granted to divert/withdraw water for the beneficial use designated herein, and for no other purpose, subject to the following terms, conditions, and limitations:

Permit Number: MS-GW-50258

Landowner Name: MCGREGOR FAMILY LAND LLC

Landowner Address: 481 HIGHWAY 3

MOORHEAD

MS 38761

Source Of Water: MISSISSIPPI RIVER VALLEY ALLUVIAL AQUIFER

Beneficial Use: IRRIGATION WILDLIFE MANAGEMENT

Diversion/Withdrawal Location: NE 1/4 of the SW 1/4 Section: 18 Township:18N Range: 03W

County: SUNFLOWER

Maximum Volume: 335 Acre-Feet/Year equivalent to .299 Million Gallons/Day

Maximum Rate: 2500 Gallons/Minute

Applicant Name: MCGREGOR FAMILY LAND LLC

Applicant Address: 481 HIGHWAY 3

MOORHEAD MS 38761

**Date Permit Issued:** 12/22/2017 **Date Permit Expires:** 12/22/2022

Date Permit Modified:
Date Permit Re-issued:

This permit shall be deemed null and void if construction has not begun within one (1) year of permit issue date

SPECIAL TERMS AND CONDITIONS: SEE ATTACHMENT 1, WHICH IS HEREBY DECLARED TO BE PART OF THIS PERMIT.

SPECIAL TERMS AND CONDITIONS 2:

Gary C. Rikard, Executive Director

Quad: MOORHEAD

Mississippi Department of Environmental Quality



Google Earth

feet 1000 meters 500

RECEIVED AUG 27 2018 BY OLWR