| Sunflower | • |
|---------------|-----------------------|
| GW-4650 | 3 |
| Irrigation | Equipment |
| ng completed: | 05/19/2012 |
| | GW-4650 Irrigation |

State Well Report Part 1 – Driller's Log Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 1 Jackson, MS 39225 (601) 961-5210 (601) 961-5228 (fax)

| For Office Use Only: | | |
|----------------------|--|--|
| Aquifer:/2/ | | |
| Well #: | | |
| L.S. Elevation: | | |
| E-log #: | | |
| | | |

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

| Information on Well Owner | Well or Borehole Location |
|---|---|
| (Landowner if borehole is not for a water well) | |
| Owner Name Lake Dawson Plantation | Latitude:33 °7 '40 " Longitude:90 °40 '4 " |
| Mailing Address: 164 Gene Lester Road | Method of Lat/Long (check one): Conventional Survey, |
| | USGS quad, X Hand-held GPS, Survey-grade GPS |
| Isola Ms 38754 | SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 25 $\sqrt{1}$ Twn 17N Rng 5W |
| City State Zip code | Distance Direction Nearest Town |
| Telephone No. () - | 5 Miles Southwest of Inverness |
| Well | / Borehole Data |
| Date drilling started: 05/19/2012 Date drilling completed: | 05/19/2012 Hole depth: 125 Hole diameter: 24" |
| <u> </u> | ······································ |
| Location of the source of any surface water used for drilling: <u>Surf</u> Method of dosing and volume of Chlorine used in drilling and develo | |
| - | mma Ray Density Sonic Neutron Other: |
| Name of organization running log(s): | |
| Purpose of borehole (check one): X Water Well Geotechr | nical/Geological Investigation 🔲 Ground Source Heat Pump |
| Seismic Survey Oth | ner (<i>describe</i>) |
| If drilling is not related to water wel | ll construction, skip the remainder of this block |
| Purpose of Well (check one) | Supply 🖾 Irrigation 🔲 Fish Culture 🖾 Other: <u>Repl GW-09591</u> |
| If flowing, method of flow regulation: Valve Other | (describe) |
| Static Water Level: 38 feet above or below (check one) |] land 🛛 surface Date measured: 05/20/2012 |
| Method of Measurement (check one) 🛛 steel tape 🗌 electric tap | e 🗋 air line 🗋 other: |
| | Type of grout (check one): Neat Cement Bentonite Mix |
| | |
| Casing length: 85 feet Casing diameter: 16 | |
| Screen length: <u>40</u> feet Screen diameter: <u>16</u> | inches Type of screen: PVC |
| Screen slot size: .050 inches Setting depth: Fr | om <u>86</u> feet to <u>125</u> feet |
| Type of completion (check all applicable): Gravel packed [| Underreamed Telescoped Open hole Natural Development |
| Other (describe): | |
| Top of lap pipe or reduction in casing: fee | r. If telescoped or more than one screen, describe on next page |
| | Form: OLWR-SWR-1A (04/08) |
| | |
| | AUG 0 6 2012 |
| Farm manifold by Farma On A Disk, 244 240 0400, FarmaOn ADisk and | Ind to a start |
| Form provided by Forms On-A-Disk · 214-340-9429 · FormsOnADisk.com | A A A A A A A A A A A A A A A A A A A |

5121

RFRENED

AUG 0 6 2012

BY: OLWR

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground level

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

| Description of Formations Encountered | From (depth) | To (depth) |
|--|--------------|------------|
| Clay | Ground level | 25 |
| Fine Sand | 26 | 45 |
| Medium Sand | 46 | 85 |
| Course Sand & Gravel | 86 | 125 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| ······································ | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| · | | |
| | | |
| | | |
| | | |

re of Licensee

If more than one screen, show location of each on sketch

| aid in | yout and include the following: 1) the well location; 2) any perm locating the well; 3) any roads, power lines, or other items that m orth arrow. | |
|-------------------------|---|---------------------------------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| andowner Name: | Lake Dawson Plantation | _ |
| ertify that the well/ho | rehole was drilled, constructed, and completed in accordance with a | Form: OLWR-SWR-1A (04/0 |
| ssissippi Department | of Environmental Quality and the Mississippi Department of Health | regulations, if applicable, and state |

07/31/2012

Date

0695

Print Name of Responsible Licensee and License No.

Patrick Chism

à,

5/21

STATE WELL REPORT

| County: | Sunflower | |
|---------------------------------------|------------|-----------|
| Permit #: | _GW-4650 | 3 |
| Driller: | Irrigation | Equipment |
| Date drilling completed: 05/19/2012 | | |
| Copy information from block on Part 1 | | |

Part 2 Pump Installer's Completion Report


Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601) 961-5210 (601) 961-5228 (fax)

| For Office Use Only: | | |
|----------------------|---------------------------------------|--|
| Aquifer: _ | | |
| Well #: | · · · · · · · · · · · · · · · · · · · | |
| Elevation: | | |

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.

| Well Owner Information | Well Location |
|--|---|
| Owner Name: Lake Dawson Plantation | Latitude: 33 17' 40.0 N Longitude: 90 40' 14.9 W |
| Mailing Address: 164 Gene Lester Road | Method of Lat/Long (check one): |
| | USGS quad, 🛛 Hand-held GPS, 🗍 Survey-grade GPS |
| Isola Ms 38754 | SE ¹ / ₄ NW ¹ / ₄ Sec 25 T 17N R 5W |
| City State Zip code | Distance Direction Nearest Town |
| | |
| Telephone No | 5 Miles Southwest of Inverness |
| Ритр Туре | Power Type |
| Check one | Check one |
| Air Lift Jet Submersible | Diesel Engine Gasoline Engine Natural Gas |
| Bucket Piston I Turbine | Electric Motor Hand Tractor PTO |
| Centrifugal Rotary Flowing Well | Windmill Other (specify): |
| Other (specify): | Horse Power Rating of Motor: 60 |
| Date Pump Installed: 05/20/2012 | Setting Depth: 70 feet |
| Rated Pump Capacity 2500+/- Gallons Per Minute | Number of Stages: 1 |
| Pump Test Data | Method of Measuring Water Level |
| | Check one |
| Date Well Tested: | Air Line Electric Measuring Line Steel Tape |
| Static Water Level (A): Feet Below Land Surface | Other (specify): |
| Pumping Water Level (B): Feet Below Land Surface | |
| Drawdown [(B) - (A)]: Feet Below Land Surface | For flowing well, measured shut in head: feet |
| Test Pumping Rate: Gallons Per Minute | Well yielded GPM with a drawdown of |
| Duration of Pump Test (minimum 4 hours): hours | feet after hours of pumping |
| This is for (check one): New Well Replace | nent of Existing Pump Repair of Existing Pump |
| I HEREBY CERTIFY that the above statements are true to the best of m | ny knowledge. |
| Patrick Chism 0695 | With The American |

Print Name of Pump Installer and License No. (if applicable)



Form: 401.00 R \$VIR-14 (07-09)

