c. Cumflauran	STATE WELL REPORT	For Office Use Only:
County: Sunflower	Part 1 Driller's Log	
Permit #: GW-49560	Mississippi Department of Environmental Quality	Aquifer:
Driller: Irrigation Equipment, Inc. Date drilling completed: 6-20-16	Office of Land and Water Resources P.O. Box 2309	E-Log #:
Date drilling completed: 6-20-16	Jackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)	L
State I am requires that this report	be prepared by the license holder responsible for	or the work and filed with the
	within 30 days of completion of drilling of the w	
Well Owner Informa (Landowner if borehole is not f		Borehole Location
Owner Name: Bruce Brumfield	Latitude: 33 18' 23.5"	Longitude: 42' 13.4"
Mailing Address: PO Box 165	Method of Lat/Long (check of	one): 🔲 Conventional Survey,
	USGS quad, 🛛 Hand-he	eld GPS, 🔲 Survey-grade GPS
Inverness MS City Sta		, Sec <u>22</u> T <u>17N</u> R <u>5W</u>
Telephone No. () -	Miles S	
	(Distance) (Dire	ction) (Nearest Town)
	Well / Borehole Data	
Date drilling started: 6-20-16	Date drilling completed: 6-20-16 Hole depth: 12	26' Hole diameter: 20"
I ocation of the source of any surface wa	ater used for drilling: Surface Water	
Location of the course of any canade ne		
Method of dosing and volume of Chloring	-	
Method of dosing and volume of Chloring	-	Neutron D Other:
Method of dosing and volume of Chloring	e used in drilling and development: 50 PPM	Neutron Other:
Method of dosing and volume of Chloring Logs run (check all applicable): X No lo Name of organization running log(s):	e used in drilling and development: 50 PPM	
Method of dosing and volume of Chloring Logs run (check all applicable): I No lo Name of organization running log(s): Purpose of borehole (check one): I V	e used in drilling and development: 50 PPM og run Electric Gamma Ray Density Sonic Vater Well Geotechnical/Geological Investigation	
Method of dosing and volume of Chloring Logs run (check all applicable):	e used in drilling and development: 50 PPM og run Electric Gamma Ray Density Sonic Vater Well Geotechnical/Geological Investigation Seismic Survey Other (<i>describe</i>)	Ground Source Heat Pump
Method of dosing and volume of Chloring Logs run (check all applicable):	e used in drilling and development: 50 PPM og run Electric Gamma Ray Density Sonic Nater Well Geotechnical/Geological Investigation Seismic Survey Other (describe) Interd to water well construction, skip the remain	Ground Source Heat Pump
Method of dosing and volume of Chloring Logs run (check all applicable):	e used in drilling and development: 50 PPM og run Electric Gamma Ray Density Sonic Vater Well Geotechnical/Geological Investigation Seismic Survey Other (<i>describe</i>)	Ground Source Heat Pump
Method of dosing and volume of Chloring Logs run (check all applicable):	e used in drilling and development: 50 PPM og run Electric Gamma Ray Density Sonic Nater Well Geotechnical/Geological Investigation Seismic Survey Other (describe) Interd to water well construction, skip the remain	Ground Source Heat Pump
Method of dosing and volume of Chloring Logs run (check all applicable): ☑ No log Name of organization running log(s): Purpose of borehole (check one): ☑ W □ If drilling is not rel Purpose of Well (check all applicable): □ □ Other (describe):	e used in drilling and development: 50 PPM og run Electric Gamma Ray Density Sonic Nater Well Geotechnical/Geological Investigation Seismic Survey Other (describe) Interd to water well construction, skip the remain	Ground Source Heat Pump
Method of dosing and volume of Chloring Logs run (check all applicable): ☑ No lo Name of organization running log(s): Purpose of borehole (check one): ☑ W □ If drilling is not rel Purpose of Well (check all applicable): □ □ Other (describe): If a flowing well, method of flow regulation	e used in drilling and development: 50 PPM og run Electric Gamma Ray Density Sonic Nater Well Geotechnical/Geological Investigation Seismic Survey Other (describe) Industrial Home Industrial Public Supply Irrigation Fi	Ground Source Heat Pump
Method of dosing and volume of Chloring Logs run (check all applicable): ☑ No lo Name of organization running log(s): Purpose of borehole (check one): ☑ W □ If drilling is not rel Purpose of Well (check all applicable): □ □ Other (describe): If a flowing well, method of flow regulation Static Water Level: _30	we used in drilling and development: 50 PPM og run Electric Gamma Ray Density Sonic Water Well Geotechnical/Geological Investigation Seismic Survey Other (describe)	Ground Source Heat Pump
Method of dosing and volume of Chloring Logs run (check all applicable): ☑ No lo Name of organization running log(s): Purpose of borehole (check one): ☑ W □ If drilling is not rel Purpose of Well (check all applicable): □ □ Other (describe): If a flowing well, method of flow regulation Static Water Level: _30 Method of Measurement (check one) ☑	e used in drilling and development: 50 PPM og run Electric Gamma Ray Density Sonic Vater Well Geotechnical/Geological Investigation Seismic Survey Other (describe) Industrial Public Supply Irrigation Fi on: Valve Other (describe) feet [above or below] land surface Date met (check one)	Ground Source Heat Pump der of this block ish Culture asured: 6-21-16 ibe)
Method of dosing and volume of Chloring Logs run (check all applicable): ☑ No lo Name of organization running log(s): Purpose of borehole (check one): ☑ W □ If drilling is not rel Purpose of Well (check all applicable): □ □ Other (describe): If a flowing well, method of flow regulation Static Water Level: _30 Method of Measurement (check one) ☑ Well depth: _126' Well grouted to a	be used in drilling and development: 50 PPM bg run Electric Geotechnical/Geological Investigation Vater Well Geotechnical/Geological Investigation Seismic Survey Other (describe) Iated to water well construction, skip the remain Home Industrial Public Supply Irrigation Fiet above or below] land surface Date mean Check one) Air line	□ Ground Source Heat Pump der of this block ish Culture asured: 6-21-16 ibe) □ Neat Cement ⊠ Bentonite □ Mix
Method of dosing and volume of Chloring Logs run (check all applicable): ☑ No lo Name of organization running log(s): Purpose of borehole (check one): ☑ W □ If drilling is not rel Purpose of Well (check all applicable): □ □ Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 30 Method of Measurement (check one) ☑ Well depth: 126' Well grouted to a Casing length: 86 feet Screen length: 40 feet	be used in drilling and development: 50 PPM bg run [] Electric [] Gamma Ray [] Density [] Sonic [Water Well [] Geotechnical/Geological Investigation Seismic Survey [] Other (describe) Mated to water well construction, skip the remain [] Home [] Industrial [] Public Supply [] Irrigation [] Fi bn: Valve Other (describe) feet [[] above or [] below] land surface Date means (check one) Steel tape [] Electric tape [] Air line [] Other: (describe) Steel tape [] Electric tape [] Air line [] Other: (describe) casing diameter: 12 inches Type of	□ Ground Source Heat Pump der of this block ish Culture asured: 6-21-16 ibe) □ Neat Cement ⊠ Bentonite □ Mix of casing: PVC of screen: PVC
Method of dosing and volume of Chloring Logs run (check all applicable): ☑ No lo Name of organization running log(s): Purpose of borehole (check one): ☑ W □ If drilling is not rel Purpose of Well (check all applicable): □ □ Purpose of Well (check all applicable): □ □ Other (describe): □ If a flowing well, method of flow regulation Static Water Level: 30 Method of Measurement (check one) ☑ Well depth: 126' Well grouted to a Casing length: 86 feet Screen length: 40 feet	are used in drilling and development: 50 PPM bg run Electric Gamma Ray Density Sonic Water Well Geotechnical/Geological Investigation Seismic Survey Other (describe)	□ Ground Source Heat Pump der of this block ish Culture asured: 6-21-16 ibe) □ Neat Cement ⊠ Bentonite □ Mix of casing: PVC of screen: PVC
Method of dosing and volume of Chloring Logs run (check all applicable): ☑ No lo Name of organization running log(s): Purpose of borehole (check one): ☑ W □ If drilling is not rel Purpose of Well (check all applicable): □ □ Other (describe): □ If a flowing well, method of flow regulation Static Water Level: 30 Method of Measurement (check one) ☑ Well depth: 126' Well grouted to a Casing length: 86 feet Screen length: 40 feet	be used in drilling and development: 50 PPM bg run [] Electric [] Gamma Ray [] Density [] Sonic [Water Well [] Geotechnical/Geological Investigation Seismic Survey [] Other (describe) Mated to water well construction, skip the remain [] Home [] Industrial [] Public Supply [] Irrigation [] Fi bn: Valve Other (describe) feet [[] above or [] below] land surface Date means (check one) Steel tape [] Electric tape [] Air line [] Other: (describe) Steel tape [] Electric tape [] Air line [] Other: (describe) casing diameter: 12 inches Type of	□ Ground Source Heat Pump der of this block ish Culture asured: 6-21-16 ibe) □ Neat Cement ⊠ Bentonite □ Mix of casing: PVC of screen: PVC ieet to 126 feet
Method of dosing and volume of Chloring Logs run (check all applicable): ☑ No lo Name of organization running log(s): Purpose of borehole (check one): ☑ W □ If drilling is not rel Purpose of Well (check all applicable): □ □ Other (describe):	e used in drilling and development: 50 PPM og run □ Electric □ Gamma Ray □ Density □ Sonic □ Water Well □ Geotechnical/Geological Investigation Seismic Survey □ Other (describe)	□ Ground Source Heat Pump der of this block ish Culture asured: 6-21-16 ibe) □ Neat Cement ⊠ Bentonite □ Mix of casing: PVC of screen: PVC feet to 126 feet Natural Development
Method of dosing and volume of Chloring Logs run (check all applicable): IN No lo Name of organization running log(s): Purpose of borehole (check one): IV If drilling is not rel Purpose of Well (check all applicable): I Other (describe): If a flowing well, method of flow regulation Static Water Level: 30 flow regulation Static Water Level: 30 flow regulation Well depth: 126' Well grouted to a Casing length: 86 feet Screen length: 40 feet Screen slot size: .050 i Type of completion (check all applicable)	e used in drilling and development: 50 PPM og run □ Electric □ Gamma Ray □ Density □ Sonic [Nater Well □ Geotechnical/Geological Investigation Seismic Survey □ Other (describe)	□ Ground Source Heat Pump der of this block ish Culture asured: 6-21-16 ibe) □ Neat Cement ⊠ Bentonite □ Mix of casing: PVC of screen: PVC feet to 126 feet Natural Development


· .

	For (Office	Use	Only:	
Well #:	S	139			

The sketch below only required for water wells

If well telescopes, show depths on sketch.

County: Sunflower Permit #: GW-49560



Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clay	Ground level	33
Fine Sand	34	69
Fine Sand & Gravel	70	75
Med. Sand & Gravel	76	126
<u> </u>		
		
• • • • • • • • • • • • • • • • • • •		
	· · · · · ·	
	· · · · ·	
	l	
······································		
· · · · · · · · · · · · · · · · · · ·		
	<u> </u>	
	1	L]

If more than one screen, show location of each on sketch

Sketch the p	roperty la	yout and i	include the	following

Sketch the property layout and include the following:		
1) the well location		
2) any permanent structures on the property that may	aid in locating the well	
3) any roads, power lines, or other items that may aid	in locating the property	y and the well
4) a north arrow		
Landowner Name:		
		Form: OLWR-SWR-1A (04/08)
I HEREBY CERTIFY that the well/borehole was drilled, con	structed, and complet	ed in accordance with all applicable
requirements of the Mississippi Department of Environment	tal Quality and the Mis	sissippi Department of Health regulations,
if applicable, and state laws.		
0695		ale .
Print Name of Responsible Licensee and License No.	Date	Signature of Licensee
		Form: OLWR-SWR MACHES

JUL 08 2016

By OLWR

		ELL REPORT	For Office Use Only:
County: Sunflower	1	Part 2	Well#: <u>\$139</u>
Permit #: GW-49560	Pump Installer'	s Completion Report ent of Environmental Quality	
Driller: Irrigation Equipment, Inc.		and Water Resources	Aquifer:
Date drilling completed: 6-20-16	-	. Box 2309	
Copy information from block on Part 1		MS 39225-2309) 961-5210	
	(601) 3	60-0535 (fax)	
This part of the report must be completed	d by a licensed water well	contractor or a licensed pump	installer. A copy of Part 1
of the report must be attached and both p Well Owner Information			<i>in 30 days of well completion.</i>
Weil Owner Informa	uon	· · · · · · · · · · · · · · · · · · ·	Location
Owner Name: Bruce Brumfield		Latitude: 33 18' 23.5"	_ Longitude: 90 42' 13.4"
Mailing Address: PO Box 165		Method of Lat/Long (check or	ne): 🔲 Conventional Survey,
		🔲 USGS quad, 🖾 Hand-hel	d GPS, 🔲 Survey-grade GPS
Inverness MS	20752		0 22 T 47N D 5W
Inverness MS City State	38753 e Zip code	<u>NW</u> 74 <u>JE</u> 74,	Sec <u>22</u> T <u>17N</u> R <u>5W</u>
Telephone No. () -		Miles SV	of Inverness
		(Distance) (Direct	
	Pump Type	(check one)	
		. ,	
Submersible 🗌 Turbine 🗋 Air Lift 📋 C		+	
		ated Pump Capacity: 900+/-	Gallons Per Minute
s This Pump <i>(check one)</i> : 🛛 New 🗌 Re		(check one)	
🛛 Electric 🗌 Diesel 🔲 Gasoline 🔲 Natur			
			• • • • • • • • • • • • • • • • • • • •
Horse Power Rating of Motor: 30	Setting Depth:	10 feet Ni	umber of Stages: 1
Date Well Tested: Fe Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one):	et Below Land Surface Feet Below Land Surfac	Pumping Water Level (B):	Gallons Per Minute
	Pump Test Data	for Flowing Well	
Measured shut in head:	_ Feet		
Vell yielded GPM with a	a drawdown of	feet after	hours of pumping
	Meter Ins	stallation	<u></u>
Neter Manufacturer:		Meter Serial Number:	
Meter Model Number/Name:			
Fotalizer Register Unit and Multiplier Fact			
	motor motalicu by.		······································
s This Meter (check one): 🗌 New 🗌 Re			
s This Meter (check one): New Re Important: By submitting the above to	information you are certij		
s This Meter (check one): D New D Rep Important: By submitting the above a	information you are certij	fying that this meter was instal oved meters is on the MDEQ was	
s This Meter (check one): New Re Important: By submitting the above a For agricul	information you are certi tural wells, a list of appro	wed meters is on the MDEQ we	
Is This Meter (check one): New Re Important: By submitting the above of For agricul HEREBY CERTIFY that the above state	information you are certi tural wells, a list of appro	oved meters is on the MDEQ we st of my knowledge.	
s This Meter (check one): New Re Important: By submitting the above to For agricul HEREBY CERTIFY that the above state 0695	information you are certi tural wells, a list of appro ements are true to the bes	oved meters is on the MDEQ we st of my knowledge. <u>6-30-16</u>	Receive
s This Meter (check one): New Re Important: By submitting the above to For agricul HEREBY CERTIFY that the above state	information you are certi tural wells, a list of appro ements are true to the bes	oved meters is on the MDEQ we st of my knowledge.	Receive Signature of Pump Installer
s This Meter (check one): New Re Important: By submitting the above to For agricul HEREBY CERTIFY that the above state 0695	information you are certi tural wells, a list of appro ements are true to the bes	oved meters is on the MDEQ we st of my knowledge. <u>6-30-16</u>	Receive
s This Meter (check one): New Re Important: By submitting the above to For agricul HEREBY CERTIFY that the above state 0695	information you are certi tural wells, a list of appro ements are true to the bes	oved meters is on the MDEQ we st of my knowledge. <u>6-30-16</u>	Signature of Pump Installer Form: OLWR-SWR-10 (7/2011
Is This Meter (check one): New Re Important: By submitting the above of For agricul HEREBY CERTIFY that the above state 0695	information you are certi- itural wells, a list of appro- ements are true to the bes use No. (if applicable)	oved meters is on the MDEQ we st of my knowledge. 6-30-16 Date	Receive Signature of Pump Installer

۰ e