	State W	ell Report	
County: Sunflower		Oriller's Log	For Office Use Only:
		nt of Environmental Quality	Aguifer: 1.46
Permit #: <u>GW - 4365</u> 7		nd Water Resources	
Irrigation Equipment		Box 2309	Well #:
		n, MS 39225 961- 5210	L. S. Elevation:
Date drilling completed: 4-2-10		1- 5228 (fax)	
	, ,	` ´	E-log #:
State Law requires that this report Department at the above address	t be prepared by the lic	ense holder responsible for t	the work and filed with the
Information on Well O	wunin <i>30 uays of comp</i> wner		or borehole. orehole Location
(Landowner if borehole is not fo			_
Owner Name Holly Ridge	Planting	Latitude: <u>33 ° 18 27.4</u>	Longitude: 90 · 37 · 53.5
Mailing Address: 65 Holly R	idae Rd	Method of Lat/Long (circle or	ne): Conventional Survey,
7		USGS quad, Hand-held	GPS Survey-grade GPS
Indianola M City 62-887	ds 38751	SW 1/ NE 1/2 Sec 20	Twn 17N Rng 4W
City Stat	e Zip Code	Distance Direction	Nearest Town
Telephone No.	-3821	Distance Direction  4 Miles 5 W	of <u>Inverness</u>
	Well / Bore	hole Dete	
4.5			<b>_</b>
Date drilling started: 4-2-10 Date dril	lling completed: 4-2-/	<u>O</u> Hole depth: 127	Hole diameter: 24"
Location of the source of any surface water Method of dosing and volume of Chlorine	used for drilling: S used in drilling and devel	urface Water opment: 50 PPM	
Logs run (circle all applicable) No log run Name of organization running log(s):		-	Other:
Purpose of borehole (check one): Water We	ell Geotechnical/Geole	ogical Investigation Ground	Source Heat Pump
Seismic S	urveyOther (describe	)	
If drilling is not related	to water well construction	n, skip the remainder of this blo	ock
Purpose of Well (check one): HomeIn	dustrial Public Supply	IrrigationFish Culture_	Other:
If a flowing well, method of flow regulation	n: Valye O	ther (describe)	
Static Water Level: 28 feet abo	ove or below circle one) la	and surface Date measured:_	4-2-10
Method of Measurement (circle one) (ste	el tape electric tape	air line other:	
Well depth: 127 Well grouted to a dep	th of 10 feet Type	of grout (circle one): Neat Cem	ent Bentonite Mix
Casing length: 6 feet Casing	g diameter: 16	_inches Type of casing:	PVC
Screen length: 40 feet Screen	n diameter: 16	_inches Type of screen:	PUC
Screen slot size:inches	Setting depth: From	88 feet to	127 feet
Type of completion (circle all applicable):	Gravel packed Underr	reamed Telescoped Open	hole Natural Development

Other (describe):

Top of lap pipe or reduction in casing: \_\_\_\_\_\_ feet. If telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A (04/08)

The sketch	below	onlv	reauired	for	water wells

If well telescopes, show depths on sketch.
Ground Level.

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

From (depth) To (depth)
Ground Level 5%

Description of Formations Encountered

	j .				
	1			i	1 .
•	1				
•	ļ				<del> </del>
	1				
	1				<u> </u>
				<u></u>	
	İ		· · · · · · · · · · · · · · · · · · ·		
	· [				+
				·	
		<del></del>			<del>- </del> -
	• •	<u> </u>	· · · · · · · · · · · · · · · · · · ·		
		· · · · · · · · · · · · · · · · · · ·			
	İ				
i .					<del></del>
	1				<del> </del>
	show location of each on sket				
ndowner Name: <u></u>	lly Ridge Pl	anting.			
ndowner Name: <u></u>	lly Ridge Pl	anting.		Form, Of WP SWP 1	
				Form: OLWR-SWR-1	
rtify that the well/boreho	le was drilled, constructed, a	and completed in accor	rdance with all applic	cable requirements of	the
rtify that the well/boreho		and completed in accor	rdance with all applic	cable requirements of	the
rtify that the well/boreholsissippi Department of E	le was drilled, constructed, and the	and completed in accor	rdance with all applic	cable requirements of	the
rtify that the well/boreho	le was drilled, constructed, and the	and completed in accor	rdance with all applic	cable requirements of	the
rtify that the well/boreholsissippi Department of El	le was drilled, constructed, a rvironmental Quality and the chism 0695	and completed in accor	rdance with all applic	cable requirements of	the
rtify that the well/boreholsissippi Department of E	le was drilled, constructed, a rvironmental Quality and the chism 0695	and completed in accor	rdance with all applic	cable requirements of tions, if applicable, an	the

County: Jun Flower		Part 2	
Permit#: <u>GW-43657</u> Irrigation Equipment	Pump Installer	's Completion Report	Aquifer:
Irrigation Equipment	Office of Land	nt of Environmental Quality and Water Resources	
Driller:	O ZZZOT OZ ZZZZ	Box 2309	Well #:
Date completed: 4-2-10		n, MS 39225	
	(601)961-5210		Elevation:
Cour information from block on Part 1	(601)90	61-5228 (fax)	
This part of the report must be completed report must be attached and both parts fi	i by a licensed water well	contractor or a licensed pump	installer. A copy of Part 1 of the
Well Owner Informa	tion		days of well completion.
		<b>**</b>	en l'ocation
Owner Name: Holly Ridge	Planting	Latitude:	Longitude:
Mailing Address: 65 Holly	Ridge Bd.	Method of Lat/Long (check	one): Conventional Survey,
		USGS quad, Hand-hel	d GPS Survey-grade GPS
Indianola 1 City State	Ms. 38751	5w 1/4 NE 1/4 Sec	20 T/7NR 4W
Telephone No. ()	• -	Distance Direction	Nearest Town
			or 1 nverness
Pump Type		P	ower Type
Circle one Air Lift Jet	Submersible	l	Circle one
Bucket Piston	Turbine		ine Engine Natural Gas
Centrifugal Rotary	Flowing Well		
Other (specify):	riowing wen	i	r (specify):
Date Pump Installed: 4-2-	10	Horse Power Rating of Moto	
		Setting Depth:	GO feet
Rated Pump Capacity: 2200±	_Gallons Per Minute	Number of Stages:	2
Pump Test Data		Method of M	leasuring Water Level
Date Well Tested:		1	Circle one
Static Water Level (A):Feet		Air Line Electric Me	easuring Line Steel Tape
ræl	. Delow Land Surface		
		Other (on a de.)	
Pumping Water Level (B):Feet	Below Land Surface	Other (specify):	
-		and the second	
Drawdown [(B) – (A)]:Feet	Below Land Surface	For flowing well, measured s	shut in head:feet
Drawdown [(B) – (A)]:Feet Test Pumping Rate:	Below Land Surface  Gallons Per Minute	For flowing well, measured s Well yielded	shut in head:feet  GPM with a drawdown of
Drawdown [(B) – (A)]:Feet Test Pumping Rate:	Below Land Surface  Gallons Per Minute	For flowing well, measured s Well yielded	shut in head:feet
Drawdown [(B) – (A)]:Feet Test Pumping Rate:  Duration of Pump Test (minimum 4 hours):	Below Land Surface  Gallons Per Minute	For flowing well, measured s Well yielded	shut in head:feet  GPM with a drawdown of
Drawdown [(B) – (A)]:Feet Test Pumping Rate:	Below Land Surface  Gallons Per Minute  hours	For flowing well, measured s  Well yielded	shut in head:feet GPM with a drawdown of
Drawdown [(B) – (A)]: Feet  Test Pumping Rate:  Duration of Pump Test (minimum 4 hours):  This is for (circle one): New Well	Below Land Surface  Gallons Per Minute  hours  Replacement of Exi	For flowing well, measured s  Well yielded	shut in head:feetGPM with a drawdown ofhours of pumping
Drawdown [(B) – (A)]:Feet  Test Pumping Rate:  Duration of Pump Test (minimum 4 hours):  This is for (circle one): New Well  I HEREBY CERTIFY that the above statem	Below Land Surface  Gallons Per Minute  hours  Replacement of Eximates are true to the best of	For flowing well, measured s  Well yielded	shut in head:feetGPM with a drawdown ofhours of pumping
Drawdown [(B) – (A)]:Feet Test Pumping Rate:  Duration of Pump Test (minimum 4 hours):  This is for (circle one): New Well  HEREBY CERTIFY that the above statem	Below Land Surface  Gallons Per Minute  hours  Replacement of Eximents are true to the best of 595	For flowing well, measured s  Well yielded	Shut in head:feet GPM with a drawdown ofhours of pumping  Existing Pump

STATE WELL REPORT