County:	Sunflower	
	GW-47491	J
	Irrigation Eq	
· ·	ing completed:	06/14/2013

Farms massified by Farms On & Diale 044 040 0400 Farms On & Diale 1044 040

STATE WELL REPORT Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309
(601) 961-5210
(601) 360-0535 (fax)

For	Office Use Only:
Well #:	7 173
Aquifer:	
E-Log #:	

Well Owner Information	ppletion of drilling of the well or borehole. Well or Borehole Location
(Landowner if borehole is not for a water well)	Well of Boleliole Location
Owner Name: Four M Farms	Latitude: 33 16' 54.2 N Longitude: 90 34' 42.5 W
Mailing Address: P.O. Box 878	Method of Lat/Long (check one):
	☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS
Indianola Ms 38751	NW 1/4 NE 1/4, Sec 35 T 17 N R 4W
City State Zip code Telephone No. () -	1 Miles Southeast of Caile
relephone No	(Distance) (Direction) (Nearest Town)
Well / Bo	prehole Data
Date drilling started: 06/14/2013 Date drilling completed:	06/14/2013 Hole depth: 126 Hole diameter: 18"
Location of the source of any surface water used for drilling:	Surface Water
— — Wethod of dosing and volume of Chlorine used in drilling and dev	velopment: 50 PPM
•	nma Ray Density Sonic Neutron Other:
	Ima Ray Density Sonic Neutron Other.
Name of organization running log(s):	
Purpose of borehole (check one): 🛛 Water Well 🔲 Geotech	hnical/Geological Investigation
☐ Seismic Survey ☐	Other (describe)
If drilling is not related to water well con	nstruction, skip the remainder of this block
Purpose of Well <i>(check all applicable)</i> : ☐ Home ☐ Industrial ☐ F	Public Supply ⊠ Irrigation □ Fish Culture
Other (describe):	
f a flowing well, method of flow regulation: Valve	Other (describe)
Static Water Level: 30' feet [☐ above or ☒ belo	bw] land surface Date measured: 06/15/2013
(check one)	
(check one) Method of Measurement (check one) ⊠ Steel tape □ Electric ta	pe Air line Other: (describe)
Method of Measurement (check one) ☑ Steel tape ☐ Electric tape	pe ☐ Air line ☐ Other: <i>(describe)</i> t Type of grout <i>(check one)</i> : ☐ Neat Cement ☒ Bentonite ☐ Mix
Method of Measurement (check one) ⊠ Steel tape ☐ Electric tape Well depth: 126 Well grouted to a depth of: 10 fee	et Type of grout (check one): Neat Cement Bentonite Mix
Well depth: 126 Well grouted to a depth of: 10 fee Casing length: 86 feet Casing diameter: 10	et Type of grout <i>(check one)</i> : Neat Cement Bentonite Mix inches Type of casing: PVC
Well depth: 126 Well grouted to a depth of: 10 fee Casing length: 86 feet Casing diameter: 10 Screen length: 40 feet Screen diameter: 10	t Type of grout (check one): ☐ Neat Cement ☑ Bentonite ☐ Mix inches Type of casing: PVC inches Type of screen: PVC
Well depth: 126 Well grouted to a depth of: 10 fee Casing length: 86 feet Casing diameter: 10 Screen length: 40 feet Screen diameter: 10 Screen slot size: .050 inches Setting depth:	t Type of grout (check one): ☐ Neat Cement ☑ Bentonite ☐ Mix inches Type of casing: PVC inches Type of screen: PVC From 87 feet to 126
Well depth: 126 Well grouted to a depth of: 10 fee Casing length: 86 feet Casing diameter: 10 Screen length: 40 feet Screen diameter: 10	t Type of grout (check one): ☐ Neat Cement ☑ Bentonite ☐ Mix inches Type of casing: PVC inches Type of screen: PVC From 87 feet to 126
Well depth: 126 Well grouted to a depth of: 10 fee Casing length: 86 feet Casing diameter: 10 Screen length: 40 feet Screen diameter: 10 Screen slot size: .050 inches Setting depth:	t Type of grout (check one): ☐ Neat Cement ☑ Bentonite ☐ Mix inches Type of casing: PVC inches Type of screen: PVC From 87 feet to 126
Method of Measurement (check one) ☑ Steel tape ☐ Electric tape Nell depth: 126 Well grouted to a depth of: 10 feet Casing length: 86 feet Casing diameter: 10 Screen length: 40 feet Screen diameter: 10 Screen slot size:050 inches Setting depth: Type of completion (check all applicable): ☑ Gravel packed ☐ U	t Type of grout (check one): ☐ Neat Cement ☑ Bentonite ☐ Mix inches Type of casing: PVC inches Type of screen: PVC From 87 feet to 126

Form: OLWR-SWR-1A (4/13)

County: Sunflower Permit #: GW-47491			For Well #:	Office Use (Only:
The sketch below only required	for water wells	Description of formations enc	ountered must l	e provided for al	l wells
If well telescopes, show depths	on sketch	and boreholes, unless specific	ally exempted b	y regulations	
If well telescopes, more mepusa		Description of Formations Er	ncountered	From (depth)	To (depth)
Ground level	•	Clay		Ground level	19
		Fine Sand		20	39
	j	Fine Sand & Gravel		40	57
		Medium Sand & Grav	el	58	126
If more than one screen, sho	 w location of each on sketch				
1) the well location 2) any permanent str	t and include the following: ructures on the property that may lines, or other items that may aid	vaid in locating the well I in locating the property and the	e well		
					EIVEC 0 5 2013
				2100	v 8) € 010
Landowner Name: F	our M Farms		_	BY:	AID 10 (04/09)
I HEREBY CERTIFY that requirements of the Missis if applicable, and state law	the well/borehole was drilled, co ssippi Department of Environmen	nstructed, and completed in accordal Quality and the Mississippi	cordance with a Department of	all applicable	, ,
Patrick Chism	vs. 0695	07/20/2013			
L	le Licensee and License No.	Date	Signature	of Licensee	

Signature of Licensee Form: OLWR-SWR-1A (4/13)

County:	Sunflower	
Permit #:	GW-47491	
Driller:	Irrigation Eq	uipment
Date drill	ing completed:	06/14/2013

STATE WELL REPORT Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309

Jackson, MS 39225-2309

For	Office Use Only:
Well#:	<u>T173</u>
Aquifer:	

Copy information from block on Part 1 (601) 961-5210 (601) 360-0535 (fax)

Well Owner Information	Well Location
Owner Name: Four M Farms	Latitude: 33 16' 54.2 N Longitude: 90 34' 42.5 W
Mailing Address: P.O. Box 878	Method of Lat/Long (check one): Conventional Survey,
	☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS
Indianola Ms 38751 City State Zip code	<u>NW</u> ¼ <u>NE</u> ¼, Sec <u>35</u> T <u>17 N</u> R <u>4 W</u>
Telephone No. () -	1 Miles Southeast of Caile (Distance) (Direction) (Nearest Town)
Pump T	ype (check one)
☑ Submersible ☐ Turbine ☐ Air Lift ☐ Centrifugal ☐ Flowing	well ☐ Jet ☐ Piston ☐ Rotary ☐ Other (describe):
-	Rated Pump Capacity: 1000+/- Gallons Per Minute
Is This Pump (check one): New Repaired Replaceme	ent
	ype (check one)
	O 🗆 Windmill 🗎 Other (describe):
Horse Power Rating of Motor: 30 Setting Depth	h: 70 feet Number of Stages: 1
·	a for Non Flowing Well
Date Well Tested:	Direction of Direct Took (minimum 4 to com).
Static Water Level (A): Feet Below Land Surfac	ce Pumping Water Level (B): Feet Below Land Surface
Static Water Level (A): Feet Below Land Surfac Drawdown [(B) - (A)]: Feet Below Land Sur	ce Pumping Water Level (B): Feet Below Land Surface rface Test Pumping Rate: Gallons Per Minute
Static Water Level (A): Feet Below Land Surfac Drawdown [(B) - (A)]: Feet Below Land Sur	ce Pumping Water Level (B): Feet Below Land Surface rface Test Pumping Rate: Gallons Per Minute
Static Water Level (A): Feet Below Land Surfact Drawdown [(B) - (A)]: Feet Below Land Surfact Method of measurement (check one): Steel tape Electric	ce Pumping Water Level (B): Feet Below Land Surface rface Test Pumping Rate: Gallons Per Minute
Static Water Level (A): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Method of measurement (check one): Steel tape Pump Test Date Pump Test Date	ce Pumping Water Level (B): Feet Below Land Surface rface Test Pumping Rate: Gallons Per Minute tape Air line Other (describe):
Static Water Level (A): Feet Below Land Surfact Drawdown [(B) - (A)]: Feet Below Land Surfact Method of measurement (check one): Pump Test Day Measured shut in head: Feet	ce Pumping Water Level (B): Feet Below Land Surface Inface Test Pumping Rate: Gallons Per Minute Itape
Static Water Level (A): Feet Below Land Surfact Drawdown [(B) - (A)]: Feet Below Land Surfact Method of measurement (check one): □ Steel tape □ Electric Pump Test Defined Measured shut in head: Feet Well yielded GPM with a drawdown of	ce Pumping Water Level (B): Feet Below Land Surface Inface Test Pumping Rate: Gallons Per Minute Itape
Static Water Level (A): Feet Below Land Surfact Drawdown [(B) - (A)]: Feet Below Land Surfact Method of measurement (check one): □ Steel tape □ Electric Pump Test Different Different Peet Well yielded GPM with a drawdown of Meter	ce Pumping Water Level (B): Feet Below Land Surface Inface Test Pumping Rate: Gallons Per Minute Itape
Static Water Level (A): Feet Below Land Surfactor Drawdown [(B) - (A)]: Feet Below Land Surfactor Method of measurement (check one): Steel tape Electric Pump Test Defined Electric Pump Test Defined Electric Feet Well yielded GPM with a drawdown of Meter Manufacturer: N/A	ce Pumping Water Level (B): Feet Below Land Surface Inface Test Pumping Rate: Gallons Per Minute Intape
Static Water Level (A): Feet Below Land Surfactor Drawdown [(B) - (A)]: Feet Below Land Surfactor Feet Below Land Surfactor Pump Test Description Feet Below Land Surfactor Pump Test Description Feet Well yielded GPM with a drawdown of Meter Manufacturer: N/A Meter Model Number/Name:	ce Pumping Water Level (B): Feet Below Land Surface Inface Test Pumping Rate: Gallons Per Minute Itape
Static Water Level (A): Feet Below Land Surfactor Drawdown [(B) - (A)]: Feet Below Land Surfactor Method of measurement (check one): Steel tape Electric Pump Test Defined	ce Pumping Water Level (B): Feet Below Land Surface Inface Test Pumping Rate: Gallons Per Minute Itape
Static Water Level (A): Feet Below Land Surfactor Drawdown [(B) - (A)]: Feet Below Land Surfactor Method of measurement (check one): Steel tape Electric Pump Test Defined Feet Well yielded GPM with a drawdown of Meter Manufacturer: N/A Meter Manufacturer: N/A Meter Model Number/Name: Meter installed by:	ce Pumping Water Level (B): Feet Below Land Surface Inface Test Pumping Rate: Gallons Per Minute Inface Test Pumping Rate: Gallons Per Minute Inface Test Pumping Rate: hours of pumping Inface Test Pumping Well Inface Test Pu
Static Water Level (A): Feet Below Land Surfact Drawdown [(B) - (A)]: Feet Below Land Surfact Method of measurement (check one): □ Steel tape □ Electric Pump Test Defined Measured shut in head: Feet Well yielded GPM with a drawdown of Meter Manufacturer: N/A Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 10 Installation Date: Meter installed by: Is This Meter (check one): □ New □ Repaired □ Replacement	ce Pumping Water Level (B): Feet Below Land Surface Inface Test Pumping Rate: Gallons Per Minute Intape
Static Water Level (A): Feet Below Land Surfact Drawdown [(B) - (A)]: Feet Below Land Surfact Method of measurement (check one): □ Steel tape □ Electric Pump Test Defined Measured shut in head: Feet Well yielded GPM with a drawdown of Meter Manufacturer: N/A Meter Model Number/Name: Meter installed by: Installation Date: New □ Repaired □ Replacement Important: By submitting the above information you are constant.	ce Pumping Water Level (B): Feet Below Land Surface Inface Test Pumping Rate: Gallons Per Minute Inface Test Pumping Rate: Gallons Per Minute Inface Test Pumping Rate: hours of pumping Inface Test Pumping Well Inface Test Pu
Static Water Level (A): Feet Below Land Surfact Drawdown [(B) - (A)]: Feet Below Land Surfact Method of measurement (check one): □ Steel tape □ Electric Pump Test Defined Measured shut in head: Feet Well yielded GPM with a drawdown of Meter Manufacturer: N/A Meter Model Number/Name: Meter installed by: Installation Date: New □ Repaired □ Replacement Important: By submitting the above information you are constant.	ce Pumping Water Level (B): Feet Below Land Surface Inface Test Pumping Rate: Gallons Per Minute Intape
Static Water Level (A): Feet Below Land Surfact Drawdown [(B) - (A)]: Feet Below Land Surfact Method of measurement (check one): □ Steel tape □ Electric Pump Test Defined Measured shut in head: Feet Well yielded GPM with a drawdown of Meter Manufacturer: Meter Meter Manufacturer: N/A Meter Model Number/Name: Meter installed by: Installation Date: Meter installed by: Is This Meter (check one): □ New □ Repaired □ Replacement Important: By submitting the above information you are conformation.	ce Pumping Water Level (B): Feet Below Land Surface Inface Test Pumping Rate: Gallons Per Minute Intape