County:	Tallahatchie			
Permit #:C Irriga Driller:	Sw.	<b>山</b> で Equ	Q ipm	る ent
Date drilling	complete	<b>d</b> :5	<b>-</b> 5-	05

# State Well Report

## Part 1

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601)961-5210
(601)354-6938 (fax)

<u> </u>	For Office Use Only:
Aqu	ifer:
Wel	1#: <u>C- 74</u>
L. S	. Elevation:
E-lo	g#:

State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well

30 days of completion of drilling of the well.	
Well Owner Information	Well Location
Owner Name Swindoll Farms Partnershi	PLatitude: 33 . 59 .52 . 8 Longitude: 90 .23 .35 . 5
Mailing Address: 5253 Willis Road	Method of Lat/Long (circle one): Conventional Survey,
	USGS quad, Hand-held GPS, Survey-grade GPS
Tutwiler MS 38963	$\frac{\text{NW}}{\text{NW}} \text{NSE} \text{NSec} \frac{28}{\text{Twn}} \frac{25\text{N}}{\text{Rng}} \frac{2\text{W}}{\text{Rng}}$
City State Zip Code	Distance Direction Nearest Town Miles E of Tutwiler
Telephone No. ()	Miles of utwiter
Well I	Data
Purpose of Well (circle one) Home Industrial Public Supply	Irrigation Fish Culture Other:
Date well drilling started: 5-5-05 Date w	vell drilling completed: 5-5-05
If flowing, method of flow regulation: Valve Other (d	escribe)
	and surface Date measured: 5-6-05
Method of Measurement (circle one) steel tape electric tape	air line other:
Hole depth: 117' Well depth: 117'	Well grouted to a depth offeet
Type of grout (circle one): Cement Bentonite Mix	
Casing length: 77 feet Casing diameter: 10	_inches Type of casing: PVC 160
Screen length: 40 feet Screen diameter: 10	inches Type of screen:PVC 160
Screen slot size: . 050 inches Setting depth: From _	78 feet to 117 feet
Type of completion (circle all applicable): Gravel packed Under	reamed Telescoped Open hole Natural Development
Other (describe):	
Top of lap pipe or reduction in casing:feet. If tel	escoped or more than one screen, describe on back of page
Logs run (circle all applicable) No log run Electric Gamma Ray	Density Sonic Neutron Other:
Name of organization running log(s):	
I certify that the well was drilled, constructed, and completed in a	accordance with all applicable requirements of the Mississippi
Department of Environmental Quality and/or the Mississippi Dep	partment of Health regulations and state laws.
Irrigation Equipment Inc. Patrick M. Chism 0695	Patril M Chini
Print Name of Water Well Contractor and License No.	Signature of Water Well Contractor

Ground Level

Description of Formations Encountered	From _	То
Clay	0	25
Fine Sand	26	45
Fine Sand Med. Sand	46	65
Coarse Sand/gravel	66	117
	<u> </u>	
	<u> </u>	$oxed{oxed}$
	<u> </u>	
	ļ	<u> </u>
		1—1
	<u> </u>	
	<u> </u>	
	ļ	
	<u> </u>	ļ
	ļ	ļ
	1	
	<b> </b>	<u> </u>
	ــــــــ	<b>↓</b> _
	ļ	1
	<u> </u>	

If more than one screen, show location of each on sketch

Signature of Water Well Contractor

County: Tallahatchie Irrigation Equipment

Date completed: 5-6-05

## STATE WELL REPORT

### Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

For Office Use Only:	
•	
Aquifer:	
Well #:	
Elevation:	
Elevation:	

Swindol			Well Location		
Swindoll Farms Partnership Owner Name:  Mailing Address: 5253 Willis Road			Latitude: Longitude: Longitude: Method of Lat/Long (circle one): Conventional Survey,		
	2-627-55	91	2 Miles SE of Tutwiler		
	Pump Typ Circle one		Power Type Circle one		
Air Lift	Jet	Submersible	Diesel Engine Gasoline Engine Natural Ga		
Bucket	Piston	Turbine	Rectric Motor Hand Tractor PT		
Centrifugal	Rotary	Flowing Well	Windmill Other (specify):		
Other (specify):			Horse Power Rating of Motor: 25		
Date Pump Installed:	5.	-6-05	Setting Depth: 70 feet		
1100-1200 Rated Pump Capacity	1200	Gallons Per Minute	Number of Stages:1		
	Pump Test D		Method of Measuring Water Level Circle one		
	<b>)</b> :	Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify):		
Drawdown [(B) - (A)	ļ:]	Feet Below Land Surface	For flowing well, measured shut in head:fee		
Test Pumping Rate: _		Gallons Per Minute	Well yieldedGPM with a drawdown of		
Duration of Pump Tes	t (minimum 4 ho	urs): hours	feet afterhours of pumpin		
	that the above st	atements are true to the best			