County:	Tallahatchie
Permit #:	GW-46831 √
Driller:	Irrigation Equipment
Date drill	ing completed: 03/07/2013

State Well Report

Part 1 - Driller's Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309

Jackson, MS 39225 (601) 961-5210 (601) 961-5228 (fax)

For Office Use Only:		
Aquifèr:		
Well #.	C124	
L.S. Elevation:		
E-log #:		

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

	epartment at the above address within 30 days	of completion of drilling of the well or borehole.
(Lando)	Information on Well Owner well)	Well or Borehole Location
-	Mabry Holdings LLC	Latitude: 34 ° 02 ' 99 " Longitude: 90 ° 25 ' 53 "
Mailing Address:	P.O. Box 37	Method of Lat/Long (check one): Conventional Survey,
		☐ USGS quad, ☐ Hand-held GPS, ☐ Survey-grade GPS
	Vance Ms 38964	NW 1/4 SW 1/4 Sec 17 Twn 25 N Rng 2 W
	City State Zip code	Distance Direction Nearest Town
Telephone No.	() -	
	Well / Bo	orehole Data
Date drilling starte	d: 03/07/2013 Date drilling completed: 03/0	07/2013 Hole depth: 122 Hole diameter: 24"
	urce of any surface water used for drilling: Surface and volume of Chlorine used in drilling and developm	
	l applicable): 🛛 No log run 🗌 Electric 🔲 Gamma ion running log(s):	Ray Density Sonic Neutron Other:
Purpose of boreho	le (check one): 🛛 Water Well 🔲 Geotechnical	//Geological Investigation
	Seismic Survey Other (a	
	If drilling is not related to water well co	nstruction, skip the remainder of this block
Purpose of Well (c	check one)	pply ☑ Irrigation ☐ Fish Culture ☐ Other:
If flowing, method	of flow regulation: Valve Other (de	scribe)
Static Water Level	feet above or below (check one) 🗆 la	nd ⊠ surface Date measured: 03/09/2013
Method of Measur	ement (check onc) 🖾 steel tape 🗌 electric tape	□ air line □ other:
Well depth: 122	Well grouted to a depth of feet	Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix
Casing length:	feet Casing diameter: 16	inches Type of casing: PVC
Screen length:	feet Screen diameter: 16	inches Type of screen: PVC
Screen slot size:	.050 inches Setting depth: From	83 8 2 feet to 122 feet
Type of completion	n (check all applicable): 🛛 Gravel packed 📋 U	Inderreamed Telescoped
	Other (describe):	
Top of lap pipe or	reduction in casing: feet. II	telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A (04/08)

RECEIVED

MAR 2 5 2013



The sketch below only required for	or water wells	Description of formations encounter wells and boreholes, unless specifications	red must be provided for all	
If well telescopes, show depths on	sketch.	weus and vorenoies, unless specific	my exemples by regulations	<u>.</u>
Ground level		Description of Formations Encountered	From (depth)	To (depth)
		Clay	Ground level	20
		Fine Sand	21	38
		Fine Sand & Gravel	39	54
		Medium Sand & Gravel	55	122
	1			
	İ			
	1			
16-mars than and auras	n, show location of each on sketch			
Mississippi Department laws.	of Environmental Quality and	and completed in accordance with all applicable the Mississippi Department of Health regulations	if applicable, and state	, ,
Print Name of Responsible Lice	0695	03/19/2013 Date Signature of Licensee		LUCIVER
Frint vaine of Responsible Lace	HISCO BING LAUCHSCIPU.	Diguative of Lectific	ı	MAR 2 5 2013
Pause available bir Pause Au	. 4 Nint - 044 040 0400 PaumaOn-85	Alabo a a a a a a a a a a a a a a a a a a	B	RECEIVED MAR 2 5 2013 Y: OLWR

STATE WELL REPORT

Part 2

Pump Installer's Completion Report

County Tallahatchie

Permit #: GW-46831

Driller: Irrigation Equipment

Date drilling completed: 03/07/2013

Copy information from block on Part 1

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225
(601) 961-5210
(601) 961-5228 (fax)

1	For Office Use Only:	
Aquifer:		_
Well #:	C124	
Elevation:	,	_

Well Owner Inform	ation		Well Location	
Owner Name: Mabry Holdings LLC		Latitude: 34 02' 00.9 N Longitude: 90 25' 53.4 W		
Mailing Address: P.O. Box 37		Method of Lat/Long (check one): Conventional Survey,		
	,	USGS qua	id, 🛛 Hand-held GPS,	Survey-grade GPS
Vance City	Ms 38964 State Zip code	NW 1/4 SW	½ Sec <u>17</u> T	25 N R 2 W
City	State Zip code	Distance	Direction Neare	st Town
Telephone No. () -		5 Miles	Northeast of Tutw	iler
Pump Type Check one			Power Type Check one	
☐ Air Lift ☐ Jet	Submersible	☑ Diesel Engine	Gasoline Engine	☐ Natural Gas
☐ Bucket ☐ Piston	☐ Turbine	Electric Motor	Hand	☐ Tractor PTO
☐ Centrifugal ☐ Rotary	☐ Flowing Well	Windmill	Other (specify):	
Other (specify):		Horse Power Rating	of Motor: 60	
Date Pump Installed: 03/09/2013		Setting Depth: 70)	feet
Rated Pump Capacity 2300+/-	Gallons Per Minute	Number of Stages:	2	
Pump Test Dat	a	Me	ethod of Measuring War Check one	ter Level
Date Well Tested:		Air Line	Electric Measuring Lin	ne Steel Tape
Static Water Level (A):	Feet Below Land Surface	Other (specify):		
Pumping Water Level (B):	Feet Below Land Surface			
Drawdown [(B) - (A)]:	Feet Below Land Surface	For flowing well, m	easured shut in head:	feet
Test Pumping Rate:	Gallons Per Minute	Well yielded		GPM with a drawdown of
Duration of Pump Test (minimum 4 hours):	hours		řeet after	hours of pumping
This is for (check one):	v Well Replacer	ment of Existing Pump	Repair of Existing	Pump
I HEREBY CERTIFY that the above statem		y knowledge)	RECE MAR 2 5 Form: OLWB SWR-1C (07-05
Patrick Chism Print Name of Pump Installer and License	No. (if applicable)	Signature of	f Pump Installer	MADO