State W	ell Report			
	art 1 For Office Use Only:			
	t of Environmental Quality Aquifer:			
Irrigation Equipment				
	961-5210 4-6938 (fax) E-log #:			
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.				
Well Owner Information	Well Location			
Owner NameDillard Melton	Latitude: 34.03 03.4 Longitude: 90. 14.30.6			
Mailing Address: Box 429	Method of Lat/Long (circle one): Conventional Survey,			
	USGS quad, Hand-held GPS, Survey-grade GPS			
Sumner, MS 38957	NE 1/2 SE 1/2 Sec 2/4/2 Twn 25N Rng 1W			
City State Zip Code	p p			
Telephone No. ()	2 Miles East of Brazil			
Well I				
Purpose of Well (circle one) Home Industrial Public Supply	-			
Date well drilling started: <u>5-22-06</u> Date w	ell-drilling completed: 5-22-06			
If flowing, method of flow regulation: Valve Other (describe)				
Static Water Level: <u>16'</u> feet above or kelow circle one) land surface Date measured: <u>5-25-06</u>				
Method of Measurement (circle one) steel tape electric tape air line other:				
Hole depth: <u>116</u> Well depth: <u>116</u> Well grouted to a depth of <u>10</u> feet				
Type of grout (circle one): Ccment Bentonite) Mix				
Casing length: <u>76</u> feet Casing diameter: <u>16</u>	_inches Type of casing: _ PVC Sch. 40			
Screen length: <u>40</u> feet Screen diameter: <u>16</u>	_inches Type of screen:PVC Sch.40			
Screen slot size:inches Setting depth: From				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page				
Logs run (circle all applicable): Notlog run Electric Gamma Ray Density Sonic Neutron Other:				
Name of organization running log(s): I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi				
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws				
Irrigation Equipment Inc. Patrick M. Chism 0695				
Print Name of Water Well Contractor and License No. Signature of Water Well Contractor				

٢.

.


RECEIVED JUN 07 2006 BY: OLWR If well telescopes please sketch below and show depths.

Ground Level

Description of Formations	Encountered	From	To
Clay			18
Fine Sand		19	35
Fine Sand Fine Sand/grave Med. Sand/grave	1	, 36	46
Med Sand/grave	1	47	116
Hear Dund/ grave	<u></u>		·
		<u> </u>	
		<u> </u>	
		<u> </u>	
		ļ	<b>└──┤</b>
		ļ	<u> </u>
		-	
· · · · · · · · · · · · · · · · · · ·		1	
		1	
			t
			1
		<u> </u>	<b> </b>
		<u> </u>	
Less and the second sec			

...

If more than one screen, show location of each on sketch



Signature of Water Well Contractor

SIALE W	ELL REPORT			
Permit #: () () () () () () () () () () () () ()	Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality			
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.				
Well Owner Information Owner Name: Dillard Melton Deve 420				
Mailing Address: Box 429	Method of Lat/Long (check one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS			
Sumner,       MS       38957         City       State       Zip Code         Telephone No. ()		4 T <u>25N</u> R <u>1W</u> Nearest Town Brazil		
Pump Type Circle one		ver Type rcle one		
Air Lift Jet Submersible	Diesel Engine Gasolin	e Engine Natural Gas		
Bucket Piston Turbine	Electric Motor Hand	Tractor PTO		
Centrifugal Rotary Flowing Well	Windmill Other (	specify):		
Other (specify):	Horse Power Rating of Motor:60			
Date Pump Installed: $5-25-06$ Rated Pump Capacity:Gallons Per Minute	Setting Depth:         60' feet           Number of Stages:         1			
Pump Test Data	1	asuring Water Level		
Date Well Tested:Feet Below Land Surface Pumping Water Level (B):Feet Below Land Surface		suring Line Steel Tape		
Drawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet			
Test Pumping Rate:Gallons Per Minute	Well yieldedGPM with a drawdown of			
Duration of Pump Test (minimum 4 hours):hours	feet after	hours of pumping		
I HEREBY CERTIFY that the above statements are true to the best Patrick M. Chism 0695 Print Name of Pump Installer and License No. (if applicable)	of my knowledge. Signature of Pump In	staller Form: OLWR-SWR-11		

· •

RECEIVED JUN 0.7 2006 BY: OLWR