| County: Tallahatchie | |
|--|------|
| Permit #6W-40805 Irrigation Equipor Driller: | nent |
| Date drilling completed: 12-17- | -05 |

State Well Report

Part 1

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601)961-5210
(601)354-6938 (fax)

| For | Office Use Only: |
|------------------|------------------|
| Aquifer: | E85 |
| Well #: 7 | -54 |
| L. S. Elevat | |
| E-log #: | |

State Law requires that this report be prepared by the driller in detail and filed with the Department within

| 30 days of completion of drilling of the well. | |
|--|--|
| Well Owner Information | Well Location |
| Owner Name Nolan West | Latitude: 34 00 38.,8N Longitude: 90.08.578W |
| Mailing Address: 266 Walnut Road | Method of Lat/Long (circle one): Conventional Survey, |
| | USGS quad, Hand-held GPS, Survey-grade GPS |
| Sardis, MS 38666 | NW 1/4 NW 1/4 Sec 30 Twn 25N Rng 25 |
| City State Zip Code | Distance Direction Nearest Town |
| Telephone No. () | 5 Miles West of Charles RECEIVE |
| Well I | lata lata |
| YY CIK I | |
| Purpose of Well (circle one) Home Industrial Public Supply 12-17-05 | vell drilling completed: 12-17-05 BY: OLW |
| Date well drilling started: Date w | ven anning completed. |
| If flowing, method of flow regulation: Valve Other (d | escribe) |
| Static Water Level:feet above or below (circle one) i | and surface Date measured: |
| Method of Measurement (circle one) steel tape electric tape | |
| Hole depth: 126' Well depth: 126' | Well grouted to a depth of 10 feet |
| Type of grout (circle one): Cement Bentonite Mix | |
| Casing length: 86 feet Casing diameter: 16 | inches Type of casing: PVC Sch. 40 |
| Screen length: 40 feet Screen diameter: 16 | inches Type of screen: PVC Sch. 40 |
| Screen slot size: • 050 inches Setting depth: From | 87 feet to 126 feet |
| Type of completion (circle all applicable): Gravel packed) Under | reamed Telescoped Open hole Natural Development |
| Other (describe): | |
| Top of lap pipe or reduction in easing:feet. If te | lescoped or more than one screen, describe on back of page |
| Logs run (circle all applicable): No log run Electric Gamma Ray | Density Sonic Neutron Other: |
| Name of organization running log(s): | |
| I certify that the well was drilled, constructed, and completed in | accordance with all applicable requirements of the Mississippi |
| Department of Environmental Quality and/or the Mississippi De | |
| Irrigation Equipment Inc. Patrick M. Chism 0695 | Patr Mich |
| Print Name of Water Well Contractor and License No. | Signature of Water Well Contractor |

Owner contracted with Circle S Irrigation (Clarksdale, MS). Circle S Irrigation will install pump.


If well telescopes please sketch below and show depths.

Ground Level

6w-40805

| Description of Formations Encountered | From | To |
|---------------------------------------|-----------------|----------|
| Clay | 0 | 21 |
| Fine Sand | 22 | 35 |
| Fine Sand/gravel | 36 | 80 |
| Fine Sand/gravel Med. Sand/gravel | 81 | 126 |
| | | |
| | | |
| | 1 | \Box |
| | | |
| <u></u> | | \vdash |
| | | |
| | + | 1 |
| | | +-1 |
| DEA | + | +-+ |
| RECEIV | / | + |
| JAN 1 2 26 | (El) | + |
| 1411 | + | 1 |
| JAN 1-2-26 | !/\c | +1 |
| | 90 | 4 |
| BY: OLV | | 1 |
| 0[/ | VR. | |
| | | |
| | | \perp |
| | | |
| | | |
| | | \top |
| | | |

If more than one screen, show location of each on sketch



STATE WELL REPORT Part 2

Pump Installer's Completion Report

Tallahatchie Permit #: 6W -40 80 Driller: Date completed:

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631

Jackson, MS 39289-0631 (601)961-5210

For Office Use Only: E85 Aquifer: Well #: 3 Elevation:

(601)354-6938 (fax) This report must be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump. A copy of Part 1 of this report must be attached to this report. Well Location Well Owner Information Latitude: 34 . Do, 38 Longitude: 90.08.57 Owner Name: Mailing Address: 266 Walnut Road Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS NW 1/4 NW/4 Sec 36 Twn 25 N Rng Direction Nearest Town Distance 5 Miles WEST of Charleston JAN 1 Telephone No. 462) 487.5234 **Power Type** Pump Type Circle one Circle one Natural Gas Gasoline Engine Diesel Engine Jet Submersible Air Lift Tractor PTO Hand Turbine Electric Motor Bucket Piston Flowing Well Windmill Other (specify): Centrifugal Rotary Horse Power Rating of Motor: Other (specify): ____ 12-20.05 feet Setting Depth: Date Pump Installed: 3500 Number of Stages: _____ Gallons Per Minute Rated Pump Capacity: ___ Method of Measuring Water Level Pump Test Data Circle one Date Well Tested: Steel Tape Electric Measuring Line Air Line Static Water Level (A): _____Feet Below Land Surface Other (specify): Pumping Water Level (B): _____Feet Below Land Surface For flowing well, measured shut in head: feet $Drawdown\ [(B)-(A)]: \underline{\hspace{1.5cm}} Feet\ Below\ Land\ Surface$ Well yielded _____GPM with a drawdown of Test Pumping Rate: _____ Gallons Per Minute feet after hours of pumping Duration of Pump Test (minimum 4 hours): hours \sim \sim \sim

| | | | <i>a</i> | | <i></i> |
|---|---------|----------|----------------|---------|----------|
| I HEREBY CERTIFY that the above statements are true to the best of my | knowled | ge/ | <i>')][</i> | | / |
| | رسكوا | H | /// | //- | - |
| DAUID P. HOLT 0-752P | 2// | | | | |
| Print Name of Pump Installer and License No. (if applicable) Si | gnature | It Pu | mp 11 | istaile | <u> </u> |