

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
Bureau of Land and Water Resources

P. O. Box 10631
Jackson, MS 39289-0631
WATER WELL DRILLERS LOG

COUNTY WELL LOCATED Tallahatchie	
WELL NUMBER Well -2	CODED
DATE WELL COMPLETED 7/31/94	

PERMIT NUMBER
NAME OF DRILLING FIRM Layne-Central

NAME & MAILING ADDRESS OF LANDOWNER Bud Trout			
P.O. Box 414			
Charleston, MS 37921			
WELL LOCATION:	SEC 34	TOWNSHIP 25	RANGE 2
		N	E
		S	W
DISTANCE	DIRECTION	NEAREST TOWN	
_____ Miles	_____ of _____		
OTHER LANDMARK			
WELL PURPOSE: <u>Home</u> Irrigation, Municipal, Industrial, Fish Pond, etc.			

PUMP DATA		
PUMP TYPE (Circle One): Submersible, <u>Turbine</u> Jet Flowing Well, Other (Describe) _____		
POWER TYPE (Circle One): Electric, Tractor, Diesel, Gasoline, Butane, Other (Describe) _____ H/P <u>60</u>		
Pump Capacity (GPM) 2000	No. of Stages 2	Setting Depth 63' FT.
PUMP TEST NOT TESTED		
Well yielded _____ GPM with a drawdown of _____ ft. after _____ hours of pumping		

WELL DATA		
Well Depth 118'	Casing Diameter (In.) 16"	Casing Length (Ft.) 78'
Type of Casing PVC	Hole Depth 122'	Depth to Static Water Level 27'
TYPE OF COMPLETION: (Circle One or More): <u>Gravel Packed</u> Underreamed, Telescoped, Natural Development, Open Hole, Other (Describe) _____		
Top of Lap Pipe or Reduction in Casing N/A FEET IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE		

LOG DATA	
TYPE OF LOG RUN (Circle One): <u>No Log Run</u> Electric, Gamma Ray, Density, Sonic, Neutron, Other (Describe) _____	
Name of Organization Running Log	

SCREEN DATA		
Diameter - Inches 16"	Length - Feet 40'	Slot Size - Inches
Screen Type PVC	Depth to Bottom - Feet 118'	

GEOLOGIC DATA (Office Use Only)			
Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test
Driller's Remarks			

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO	FORMATIONS (Continued)	FROM	TO
Clay	0	55	RECEIVED JUL 22 1994 Dept. of Environmental Quality Office of Land & Water Resources		
Fine Sand	55	75			
Course Sand Gravel	75	118			
Clay	118	122			

IF MORE SPACE IS NEEDED, USE BACK

