County: 19119191Ch12	Part 1 – 1	Prilier's Log	Tor Office ose Only.	
Permit #: 6W-45059	Mississippi Department of Environmental Quality Office of Land and Water Resources		Aquifer: 5 // 7	
Irrigation Equipment		nd Water Resources Box 2309	Well #:	
		, MS 39225	weit #:	
Date drilling completed: 5-10-11		961- 5210	L. S. Elevation:	
and animal completion.		I- 5228 (fax)		
State I am accordant 41 + 41 :			E-log#:	
State Law requires that this repor	t be prepared by the lic	ense holder responsible for	the work and filed with the	
Department at the above address	wunin 30 days of comp	eletion of drilling of the well	or borehole.	
Information on Well Owner (Landowner if borehole is not for a water well)			orehole Location	
Owner Name Don Bridges		Latitude: 33 · 55 - 27.	5. Longitude: 90 . 17 . 55.6	
Mailing Address: 212 Court Street		Method of Lat/Long (circle or	ne): Conventional Survey,	
		USGS quad, Hand-held	GPS, Survey-grade GPS	
Bates ville Ms. 38606 City State Zip Code		NE 14 NE 1/4 Sec 28	Twn 24N Rng 1W	
City State Zip Code		Distance Direction	Nearest Town	
Telephone No. (				
Well / Borehole Data				
Date drilling started: 5-10-1 Date drilling completed: 5-10-1 Hole depth: 104 Hole diameter: 24"				
Location of the source of any surface water used for drilling: Surface Water  Method of dosing and volume of Chlorine used in drilling and development: 50 PPM				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Other:				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe)				
Purpose of Well (check one): HomeIndustrialPublic SupplyIrrigation_Fish CultureOther:Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level:feet above on below (circle one) land surface Date measured:				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 104 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 64 feet Casing diameter: 16 inches Type of casing: PVC				
Screen length: 40 feet Screen diameter: 16 inches Type of screen: PVC				
Screen slot size:				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page				

feet. If telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A (04/08)

Circle S. Irrigation will set pump.

<u>Description of formations encountered must be provided for all</u> wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clay	Ground Level	72
Fine Sand	23	38
Fine Sand & Gravel	39	49
Rine Sand & Gravel Medium Sand & Gravel	50	73
Clay	94	104
/		
		T
Blanked 10' on	hottom	
		1
	1	1
	<u> </u>	<u> </u>

Sketch the property layout and include the following: 1) the well location; 2) any permanent struct aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the well in location; 2) any permanent struct aid in location; 2) any permanent struct aid in location; 2) any permanent struct aid in location; 3) any permanent struct aid in location; 3) any permanent struct aid in location; 3) any roads, power lines, or other items that may aid in location; 4) a north arrow.	tures on the property that may atting the property and the well;
4) a norm arrow.	i
· ·	
,	
•	
	·
$\rho$	
Landowner Name: Don Bridges	
	Form: OLWR-SWR-1A (04/08)
certify that the well/borehole was drilled, constructed, and completed in accordance with all	` ,
Mississippi Department of Environmental Quality and the Mississippi Department of Health	
	De la company de
Patrick M. Chism 0695	

## STATE WELL REPORT County: TALLA HATCHIE Part 2 For Office Use Only: Pump Installer's Completion Report Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources P.O. Box 2309 J117 Date completed: 5-10-11 Jackson, MS 39225 (601)961-5210 Elevation: (601)961-5228 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Latitude: 33.55.26. 8 Longitude: 90.17.54.994 Owner Name: Mailing Address: Method of Lat/Long (check one): Conventional Survey USGS quad\_\_\_\_, Hand-held GPS\_\_\_, Survey-grade GPS\_ Baksoville MS 38600 City State Zip Code $_{1}$ $_{2}$ $_{3}$ Sec $_{1}$ $_{2}$ $_{4}$ $_{R}$ $_{1}$ $_{1}$ Distance Direction Nearest Town Telephone No. (42) 609-0/94 2.8 Miles SE of WEBB Pump Type Power Type Circle one Circle one Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Turbine Piston Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): \_ Other (specify): \_\_ Horse Power Rating of Motor: Date Pump Installed: 6-24-11 Setting Depth: feet Rated Pump Capacity: /300 Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: Air Line Electric Measuring Line Steel Tape Static Water Level (A): \_\_\_\_\_Feet Below Land Surface Other (specify): \_ Pumping Water Level (B): \_\_\_\_\_Feet Below Land Surface Drawdown [(B) - (A)]: \_\_\_\_\_Feet Below Land Surface For flowing well, measured shut in head: \_\_\_\_\_\_feet Test Pumping Rate: \_\_\_\_\_\_Gallons Per Minute Well yielded \_\_\_\_\_ GPM with a drawdown of Duration of Pump Test (minimum 4 hours): \_\_\_\_\_ hours feet after hours of pumping I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer
Form: OLWR-SWR-1B (04/08)

11.00