	STATE WELL REPORT	For Office Use Only:
County: Tallahatchie	Part 1	Well #: 1722
Permit #: GW-48901	Driller's Log Mississippi Department of Environmental Quality	Aquifer:
Driller: Irrigation Equipment Inc.	Office of Land and Water Resources	E-Log #:
Date drilling completed: 07/13/2015	P.O. Box 2309 Jackson, MS 39225-2309	
	└ (601) 961-5210 (601) 360-0535 (fax)	
State Law requires that this report	be prepared by the license holder responsible f	or the work and filed with the
Department at the above address v	within 30 days of completion of drilling of the w	<i>vell or borehole.</i> Borehole Location
Well Owner Informa (Landowner if borehole is not fo		Borenole Location
Owner Name: George Houston	Latitude: 33 57' 51.0 N	Longitude: 90 19' 00.9 W
Mailing Address: P.O. Box 321	Method of Lat/Long (check	one): 🔲 Conventional Survey,
		eld GPS, 🔲 Survey-grade GPS
Sumner Ms City Stat		4, Sec <u>8</u> T <u>24 N</u> R <u>1 W</u>
Telephone No. () -		theast of Webb
		ection) (Nearest Town)
	Well / Borehole Data	
Date drilling started: 07/13/2015	Date drilling completed: 07/13/2015 Hole depth: 1	26' Hole diameter: 18"
	.	
Location of the source of any surface wa	ter used for drilling: Surface Water	
Location of the source of any surface wa Method of dosing and volume of Chloring	e used in drilling and development: 50 PPM	
Method of dosing and volume of Chlorine		Neutron 🗋 Other:
Method of dosing and volume of Chlorine	e used in drilling and development: 50 PPM	Neutron Other:
Method of dosing and volume of Chlorine Logs run (check all applicable): 🛛 No log	e used in drilling and development: 50 PPM	
Method of dosing and volume of Chlorine Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): N	e used in drilling and development: 50 PPM	
Method of dosing and volume of Chlorine Logs run (check all applicable): A No log Name of organization running log(s): Purpose of borehole (check one): A N	e used in drilling and development: 50 PPM g run 🗋 Electric 🗋 Gamma Ray 🗍 Density 🗋 Sonic Vater Well 📄 Geotechnical/Geological Investigation Seismic Survey 📄 Other (<i>describe</i>)	Ground Source Heat Pump
Method of dosing and volume of Chlorine Logs run (check all applicable): A No log Name of organization running log(s): Purpose of borehole (check one): A N C S <i>If drilling is not rel</i>	e used in drilling and development: 50 PPM g run 🗍 Electric 🗌 Gamma Ray 🗍 Density 🗌 Sonic Vater Well 📄 Geotechnical/Geological Investigation Seismic Survey 📄 Other (describe) Nated to water well construction, skip the remain	Ground Source Heat Pump
Method of dosing and volume of Chlorine Logs run (check all applicable): A No log Name of organization running log(s): Purpose of borehole (check one): A N <i>If drilling is not rel</i> Purpose of Well <i>(check all applicable)</i> :	e used in drilling and development: 50 PPM g run 🗌 Electric 🗌 Gamma Ray 🗍 Density 🗌 Sonic Vater Well 📄 Geotechnical/Geological Investigation Seismic Survey 📄 Other (<i>describe</i>)	Ground Source Heat Pump
Method of dosing and volume of Chlorine Logs run (check all applicable):	e used in drilling and development: 50 PPM g run 🗌 Electric 🗌 Gamma Ray 🗌 Density 🗌 Sonic Vater Well 🔹 Geotechnical/Geological Investigation Seismic Survey 📄 Other (describe) Lated to water well construction, skip the remain Home 🗌 Industrial 🗋 Public Supply 🖾 Irrigation 🗋 F	a Ground Source Heat Pump ander of this block Fish Culture
Method of dosing and volume of Chlorine Logs run (check all applicable):	e used in drilling and development: 50 PPM g run 🗍 Electric 🗌 Gamma Ray 🗍 Density 🗌 Sonic Vater Well 📄 Geotechnical/Geological Investigation Seismic Survey 📄 Other (describe) Nated to water well construction, skip the remain	a Ground Source Heat Pump ander of this block Fish Culture
Method of dosing and volume of Chlorine Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ W □ \$ <i>If drilling is not rel</i> Purpose of Well (<i>check all applicable</i>): □ □ Other (<i>describe</i>): If a flowing well, method of flow regulatio	e used in drilling and development: 50 PPM g run Electric Gamma Ray Density Sonic Vater Well Geotechnical/Geological Investigation Seismic Survey Other (describe) Lated to water well construction, skip the remain Home Industrial Public Supply Irrigation F n: Valve Other (describe) feet [above or below] land surface Date me	a Ground Source Heat Pump ander of this block Fish Culture
Method of dosing and volume of Chlorine Logs run (check all applicable): ☑ No log Name of organization running log(s): Purpose of borehole (check one): ☑ W □ s <i>If drilling is not rel</i> Purpose of Well (check all applicable): □ □ Other (describe): If a flowing well, method of flow regulatio Static Water Level: _31'f	e used in drilling and development: 50 PPM g run 🗌 Electric 🗌 Gamma Ray 🗍 Density 🗋 Sonic Vater Well 📄 Geotechnical/Geological Investigation Seismic Survey 📄 Other (describe) lated to water well construction, skip the remain Home 🗋 Industrial 🗋 Public Supply 🖾 Irrigation 🗔 F n: Valve Other (describe) feet [above or 🖾 below] land surface Date me (check one)	a Ground Source Heat Pump ander of this block Fish Culture easured: 07/14/2015
Method of dosing and volume of Chlorine Logs run (check all applicable): ☑ No log Name of organization running log(s): Purpose of borehole (check one): ☑ W □ s <i>If drilling is not rel</i> Purpose of Well (check all applicable): □ □ Other (describe): If a flowing well, method of flow regulatio Static Water Level: _31'f	e used in drilling and development: 50 PPM g run Electric Gamma Ray Density Sonic Vater Well Geotechnical/Geological Investigation Seismic Survey Other (describe) Lated to water well construction, skip the remain Home Industrial Public Supply Irrigation F n: Valve Other (describe) feet [above or below] land surface Date me	a Ground Source Heat Pump ander of this block Fish Culture easured: 07/14/2015
Method of dosing and volume of Chlorine Logs run (check all applicable): ☑ No log Name of organization running log(s): Purpose of borehole (check one): ☑ W □ S If drilling is not rel Purpose of Well (check all applicable): □ □ Other (describe): If a flowing well, method of flow regulatio Static Water Level: 31' Method of Measurement (check one) ☑	e used in drilling and development: 50 PPM g run 🗌 Electric 🗌 Gamma Ray 🗍 Density 🗋 Sonic Vater Well 📄 Geotechnical/Geological Investigation Seismic Survey 📄 Other (describe) lated to water well construction, skip the remain Home 🗋 Industrial 🗋 Public Supply 🖾 Irrigation 🗔 F n: Valve Other (describe) feet [above or 🖾 below] land surface Date me (check one)	a Ground Source Heat Pump ander of this block Fish Culture easured: 07/14/2015 ribe)
Method of dosing and volume of Chlorine Logs run (check all applicable): ☑ No log Name of organization running log(s): Purpose of borehole (check one): ☑ W □ \$ If drilling is not rel Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 31' Method of Measurement (check one) ☑ Well depth: 126' Well depth: 126'	e used in drilling and development: 50 PPM g run Electric Gamma Ray Density Sonic Vater Well Geotechnical/Geological Investigation Seismic Survey Other (describe) Lated to water well construction, skip the remain Home Industrial Public Supply Irrigation F n: Valve Other (describe) feet [above or S below] land surface Date me (check one) Steel tape Electric tape Air line Other: (describe)	a Ground Source Heat Pump ander of this block Fish Culture easured: 07/14/2015 ribe) Deat Cement I Bentonite D Mix
Method of dosing and volume of Chlorine Logs run (check all applicable): ☑ No log Name of organization running log(s): Purpose of borehole (check one): ☑ W □ \$ If drilling is not rel Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 31' Method of Measurement (check one) ☑ Well depth: 126'	e used in drilling and development: 50 PPM g run Electric Gamma Ray Density Sonic Vater Well Geotechnical/Geological Investigation Seismic Survey Other (describe) Lated to water well construction, skip the remain Home Industrial Public Supply Irrigation F n: Valve Other (describe) feet [above or below] land surface Date me (check one) Steel tape Electric tape Air line Other: (descri depth of: 10' feet Type of grout (check one): Casing diameter: 10" inches Type	a Ground Source Heat Pump ander of this block Fish Culture easured: 07/14/2015 ribe) Deat Cement I Bentonite D Mix
Method of dosing and volume of Chlorine Logs run (check all applicable): ☑ No log Name of organization running log(s): Purpose of borehole (check one): ☑ W □ S If drilling is not rel Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 31' Method of Measurement (check one) ☑ Well depth: 126' Well grouted to a Casing length: 86' feet Screen length: 40' feet	e used in drilling and development: 50 PPM g run Electric Gamma Ray Density Sonic Vater Well Geotechnical/Geological Investigation Seismic Survey Other (describe) Lated to water well construction, skip the remain Home Industrial Public Supply Irrigation F n: Valve Other (describe) feet [above or below] land surface Date me (check one) Steel tape Electric tape Air line Other: (descri depth of: 10' feet Type of grout (check one): Casing diameter: 10" inches Type Screen diameter: 10" inches Type	a ☐ Ground Source Heat Pump ander of this block Fish Culture easured: 07/14/2015 ribe) □ Neat Cement ⊠ Bentonite □ Mix of casing: PVC
Method of dosing and volume of Chlorine Logs run (check all applicable): ☑ No log Name of organization running log(s): Purpose of borehole (check one): ☑ W □ \$\$ If drilling is not rel Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 31' Method of Measurement (check one) ☑ Well depth: 126' Well grouted to a Casing length: 86' feet Screen length: 40' feet Screen slot size: .050 j	e used in drilling and development: 50 PPM g run Electric Gamma Ray Density Sonic Vater Well Geotechnical/Geological Investigation Seismic Survey Other (describe) Lated to water well construction, skip the remain Home Industrial Public Supply Irrigation F n: Valve Other (describe) feet [above or below] land surface Date me (check one) Steel tape Electric tape Air line Other: (describe) Steel tape Electric tape Air line Other: (describe) Casing diameter: 10" inches Type Screen diameter: 10" inches Type nches Setting depth: From Other Other	a ☐ Ground Source Heat Pump ader of this block Fish Culture easured: 07/14/2015 Tibe) □ Neat Cement ⊠ Bentonite □ Mix of casing: PVC of screen: PVC feet to 126' feet
Method of dosing and volume of Chlorine Logs run (check all applicable): ☑ No log Name of organization running log(s): Purpose of borehole (check one): ☑ W □ \$ If drilling is not rel Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 31' Method of Measurement (check one) ☑ Well depth: 126' Screen length: 40' feet Screen slot size: .050 □ 10	e used in drilling and development: 50 PPM g run Electric Gamma Ray Density Sonic Vater Well Geotechnical/Geological Investigation Seismic Survey Other (describe) Lated to water well construction, skip the remain Attend to water well construction, skip the remain Home Industrial Public Supply Irrigation F n: Valve Other (describe) feet [above or below] land surface Date me (check one) Steel tape Electric tape Air line Other: (descri depth of: 10' feet Type of grout (check one): Casing diameter: 10'' inches Type Screen diameter: 10'' inches Type nches Setting depth: From 67-54	a ☐ Ground Source Heat Pump ader of this block Fish Culture easured: 07/14/2015 Tibe) □ Neat Cement ⊠ Bentonite □ Mix of casing: PVC of screen: PVC feet to 126' feet
Method of dosing and volume of Chlorine Logs run (check all applicable): ☑ No log Name of organization running log(s): Purpose of borehole (check one): ☑ W □ \$ <i>If drilling is not rel</i> Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 31' Method of Measurement (check one) ☑ Well depth: 126' Screen length: 40' feet Screen slot size: .050 □ 050	e used in drilling and development: 50 PPM g run Electric Gamma Ray Density Sonic Vater Well Geotechnical/Geological Investigation Seismic Survey Other (describe) Lated to water well construction, skip the remain atted to water well construction, skip the remain Home Industrial Public Supply Irrigation F n: Valve Other (describe) feet [above or below] land surface Date me (check one) Steel tape Electric tape Air line Other: (describe) Casing diameter: 10" inches Type Screen diameter: 10" inches Type nches Setting depth: From 67-SU	a ☐ Ground Source Heat Pump ader of this block Fish Culture easured: 07/14/2015 Tibe) □ Neat Cement ⊠ Bentonite □ Mix of casing: PVC of screen: PVC feet to 126' feet

-

• •

2. 1 . .

County: Tallahatchie		Well #: 5	122	
Permit #: GW-48901				
Permit #:				
		· · · · · · · · · · · · · · · · · · ·	h a muanidad fan a	
The sketch below only required for water wells	and boreholes.	formations encountered mus unless specifically exempted	by regulations	<u>u weus</u>
If well telescopes, show depths on sketch.	Description of	Formations Encountered	From (depth)	To (dept
Ground level	Clay	Tornations Encountered	Ground level	22
£	Fine Sand		23	32
	Fine Sand	8 Gravel	33	61
		and & Gravel	62	124
		allu & Glavel		
	Clay	· · · · · · · · · · · · · · · · · · ·	125	126
			<u> </u>	ļ
				L
				ļ
			ļ	I
				1
		,,,,,,,	1	
			1	
		· · · · · · · · · · · · · · · · · · ·	<u>+</u>	<u>-</u>
				<u> </u>
			+	ł
l If more than one screen, show location of ea	sh on akitah			L
I more than one screen, show rocality of ca	II OI SECCH			
Sketch the property layout and include t	e following:			
Sketch the property layout and include to 1) the well location 2) any permanent structures on the 3) any roads, power lines, or other 4) a north arrow	property that may aid in locating the	ne well roperty and the well		
 the well location any permanent structures on the any roads, power lines, or other 	property that may aid in locating the	e well roperty and the well		
 the well location any permanent structures on the any roads, power lines, or other 	property that may aid in locating the	ne well roperty and the well		
 the well location any permanent structures on the any roads, power lines, or other 	property that may aid in locating the	ne well roperty and the well		
 the well location any permanent structures on the any roads, power lines, or other 	property that may aid in locating the	ne well roperty and the well		
 the well location any permanent structures on the any roads, power lines, or other 	property that may aid in locating the	ne well roperty and the well		
 the well location any permanent structures on the any roads, power lines, or other 	property that may aid in locating the	ne well roperty and the well		
 the well location any permanent structures on the any roads, power lines, or other 	property that may aid in locating the	ne well roperty and the well		
 the well location any permanent structures on the any roads, power lines, or other 	property that may aid in locating the	ne well roperty and the well		
 the well location any permanent structures on the any roads, power lines, or other 	property that may aid in locating the	ne well roperty and the well		
 the well location any permanent structures on the any roads, power lines, or other a north arrow 	property that may aid in locating the p tems that may aid in locating the p	ne well roperty and the well		
 the well location any permanent structures on the any roads, power lines, or other 	property that may aid in locating the p tems that may aid in locating the p	ne well roperty and the well		
 the well location any permanent structures on the any roads, power lines, or other a north arrow 	property that may aid in locating the p tems that may aid in locating the p	ne well roperty and the well		
1) the well location 2) any permanent structures on the 3) any roads, power lines, or other 4) a north arrow George Hou I HEREBY CERTIFY that the well/borehe	property that may aid in locating the parts that ma	roperty and the well	Form: OLM/R-S	3 39 8
1) the well location 2) any permanent structures on the 3) any roads, power lines, or other 4) a north arrow George Hou I HEREBY CERTIFY that the well/boreher requirements of the Mississippi Departm	property that may aid in locating the parts that ma	roperty and the well	all applicated as	3 39 8
 the well location any permanent structures on the 	property that may aid in locating the permission that may aid in locating that ma	roperty and the well	all applica ble f Health regulation	CEIN
1) the well location 2) any permanent structures on the 3) any roads, power lines, or other 4) a north arrow Eandowner Name: George Hou I HEREBY CERTIFY that the well/boreher requirements of the Mississippi Departm	property that may aid in locating the tems that may aid in locating the p ston le was drilled, constructed, and co ent of Environmental Quality and th 08/01/2015	mpleted in accordance with Mississippi Department of	all applica ble f Health regulation	3 39 8

Parma maasilidad bu Parma On & Diale 044 040 0400 ParmaOn ADiale aan

· · · ·

۰.

Tallabatabio	STATE WELL REPORT Part 2	For Office Use Only: Well #: 5122
County: Tallahatchie Permit #: GW-48901	Pump Installer's Completion Report	
Driller: Irrigation Equipment Inc.	Mississippi Department of Environmental Quality Office of Land and Water Resources	Aquifer:
Date drilling completed: 07/13/2015	P.O. Box 2309	
Copy information from block on Part 1	Jackson, MS 39225-2309 (601) 961-5210	
	(601) 360-0535 (fax)	
This part of the report must be comple	ted by a licensed water well contractor or a licensed pump	o installer. A copy of Part 1
of the report must be attached and both Well Owner Inform	h parts filed with the Department at the above address wit	hin 30 days of well completion. Il Location
Owner Name: George Houston	Latitude: 33 57' 51.0 N	Longitude: 90 19'00.9W
Mailing Address: P.O. Box 321	Method of Lat/Long (check o	ne): Conventional Survey,
	🔲 USGS quad, 🖾 Hand-he	ld GPS, 🔲 Survey-grade GPS
Sumner Ms	38957 SE ½ NE ½	Sec 8 T 24 N R 1 W
	ate Zip code	
Telephone No. () -		neast of Webb
· · · · · · · · · · · · · · · · · · ·	(Distance) (Dire	ction) (Nearest Town)
	Pump Type (check one)	
🖸 Submersible 🛛 Turbine 🗌 Air Lift 🗌] Centrifugal 🔲 Flowing Well 🔲 Jet 🔲 Piston 🔲 Rotary [Other (describe):
	Rated Pump Capacity: 550+/-	
Is This Pump (check one): 🛛 New 🔲 I	Repaired Replacement	
	Power Type (check one)	
⊠ Electric □ Diesel □ Gasoline □ Na	tural Gas 🔲 Tractor PTO 🔲 Windmill 🔲 Other (describe):
Horse Power Rating of Motor: 15		
Horse Power Rating of Motor: 15	Setting Depth: 70' feet N Pump Test Data for Non Flowing Well	Jumber of Stages: 1
Horse Power Rating of Motor:	Setting Depth: 70' feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mini	Number of Stages: 1
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A):	Setting Depth: 70' feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mining Feet Below Land Surface Pumping Water Level (B):	Number of Stages: mum 4 hours): Hour Feet Below Land Surface
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]:	Setting Depth: _70' feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mining Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate:	Number of Stages: mum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]:	Setting Depth: 70' feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mining Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describution)	Number of Stages: mum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one): [Setting Depth: 70' feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mining Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape [] Electric tape [] Air line [] Other (describe Pump Test Data for Flowing Well	Number of Stages: mum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]:	Setting Depth: 70' feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mining Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape [] Electric tape [] Air line [] Other (describe Pump Test Data for Flowing Well	Number of Stages: mum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu
Horse Power Rating of Motor: 15 Date Well Tested:	Setting Depth: 70' feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mining Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape [] Electric tape [] Air line [] Other (describe Pump Test Data for Flowing Well	Number of Stages: 1 mum 4 hours): Feet Below Land Surfac Gallons Per Minu be):
Horse Power Rating of Motor: 15 Date Well Tested:	Setting Depth: 70' feet M Pump Test Data for Non Flowing Well Duration of Pump Test (minit Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describ Pump Test Data for Flowing Well Feet h a drawdown of feet after	Number of Stages: 1 mum 4 hours): Feet Below Land Surfac Gallons Per Minu be):
Horse Power Rating of Motor: 15 Date Well Tested:	Setting Depth: 70' feet M Pump Test Data for Non Flowing Well Duration of Pump Test (minin Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describe) Pump Test Data for Flowing Well Feet h a drawdown of feet after Meter Installation	Jumber of Stages: 1 mum 4 hours): Feet Below Land Surface Gallons Per Minutoe): hours of pumping
Horse Power Rating of Motor: 15 Date Well Tested:	Setting Depth: 70' feet M Pump Test Data for Non Flowing Well Duration of Pump Test (minin Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape E Electric tape Air line Other (describe Pump Test Data for Flowing Well Feet h a drawdown of feet after Meter Installation Meter Serial Number:	Jumber of Stages: 1 mum 4 hours): Feet Below Land Surface Gallons Per Minu be): hours of pumping
Horse Power Rating of Motor: 15 Date Well Tested:	Setting Depth: 70' feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mining Feet Below Land Surface Pumping Water Level (B):	Jumber of Stages: 1 mum 4 hours): Feet Below Land Surface Gallons Per Minu be): hours of pumping
Horse Power Rating of Motor: 15 Date Well Tested:	Setting Depth: 70' feet N Pump Test Data for Non Flowing Well Duration of Pump Test (mining Feet Below Land Surface Pumping Water Level (B):	Jumber of Stages: 1 mum 4 hours): Feet Below Land Surface Gallons Per Minu be): hours of pumping
Horse Power Rating of Motor: 15 Date Well Tested:	Setting Depth: 70' feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mining Feet Below Land Surface Pumping Water Level (B):	Jumber of Stages: 1 mum 4 hours): Feet Below Land Surface Gallons Per Minu be): hours of pumping
Horse Power Rating of Motor: 15 Date Well Tested:	Setting Depth: 70' feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mining Feet Below Land Surface Pumping Water Level (B):	Jumber of Stages: 1 mum 4 hours): Feet Below Land Surface Gallons Per Minu be): hours of pumping
Horse Power Rating of Motor: 15 Date Well Tested:	Setting Depth: 70' feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mining Feet Below Land Surface Pumping Water Level (B):	Jumber of Stages: 1 mum 4 hours):
Horse Power Rating of Motor: 15 Date Well Tested:	Setting Depth: 70' feet N Pump Test Data for Non Flowing Well Duration of Pump Test (mining Feet Below Land Surface Pumping Water Level (B):	Jumber of Stages: 1 mum 4 hours):
Horse Power Rating of Motor: 15 Date Well Tested:	Setting Depth: 70' feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mining Feet Below Land Surface Pumping Water Level (B):	Jumber of Stages: 1 mum 4 hours):
Horse Power Rating of Motor: 15 Date Well Tested:	Setting Depth: 70' feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mining Feet Below Land Surface Pumping Water Level (B):	Jumber of Stages: 1 mum 4 hours):

. . .