	ATE WELL REPORT	For Office Use Only:
County: Tallahatchie	Part 1	Well#: _K123
Permit #: <u>GW-47836 /</u> Mississing	Driller's Log i Department of Environmental Quality	Aquifer:
	ce of Land and Water Resources	E-Log #:
Date drilling completed: 02/01/2014	P.O. Box 2309 Jackson, MS 39225-2309	
	(601) 961-5210 (601) 360-0535 (fax)	
State Law requires that this report be prepared Department at the above address within 30 day		
Well Owner Information (Landowner if borehole is not for a water well		prehole Location
Owner Name: Carolyn Murphey	Latitude: 33 56' 10.5 N	Longitude: 90 11' 24.3 W
Mailing Address: P.O. Box 100		ne): Conventional Survey,
		d GPS, Survey-grade GPS
TippoMs389CityStateZip of	162 <u>SE</u> ¼ <u>NÉ</u> ¼, S code	Sec <u>21</u> T <u>24 Ň</u> R <u>1 Ě</u>
Telephone No. () -	(Distance) (Direc	
	Well / Borehole Data	
Date drilling started: 02/01/2014 Date drilling co	mpleted: 02/01/2014 Hole depth: 12	1' Hole diameter: 24"
Location of the source of any surface water used for dr	rilling: Surface Water	
Method of dosing and volume of Chlorine used in drillir	ng and development: 50 PPM	
Logs run (check all applicable): 🛛 No log run 🗌 Electi	ric 🗌 Gamma Ray 🗌 Density 🛄 Sonic 🗌] Neutron 🗌 Other:
Name of organization running log(s):		
		_
Purpose of borehole (check one): 🛛 Water Well	Geotechnical/Geological Investigation	Ground Source Heat Pump
Purpose of borehole (check one): 🛛 Water Well	_	Ground Source Heat Pump
Seismic Surve	_	
Seismic Surver If drilling is not related to wate	y Other (describe)	der of this block
Seismic Surver If drilling is not related to water Purpose of Well (check all applicable): Home Ind	y Other (describe) r well construction, skip the remaine Iustrial D Public Supply D Irrigation D Fis	<i>der of this block</i> sh Cuiture
Seismic Surver If drilling is not related to water Purpose of Well (check all applicable): Home Ind Other (describe):	y Other (describe) r well construction, skip the remaine Iustrial D Public Supply Ø Irrigation D Fis	<i>der of this block</i> sh Culture
Seismic Surver If drilling is not related to water Purpose of Well (check all applicable): Home Ind Other (describe): If a flowing well, method of flow regulation: Valve Static Water Level: 12' feet [] above	y Other (<i>describe</i>) <i>r well construction, skip the remaine</i> lustrial D Public Supply Irrigation D Fis Other (describe)	<i>der of this block</i> sh Culture
Seismic Surver If drilling is not related to water Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation: Valve Static Water Level: 12' feet [above (che	y ☐ Other (<i>describe</i>) <i>r well construction, skip the remaine</i> lustrial ☐ Public Supply ⊠ Irrigation ☐ Fis Other (describe) e or ⊠ below] land surface Date mean tock one)	der of this block sh Culture asured: 03/21/2014
Seismic Surver If drilling is not related to water Purpose of Well (check all applicable): Home Ind Other (describe): If a flowing well, method of flow regulation: Valve Static Water Level: 12' feet [above (che Method of Measurement (check one) Steel tape	y ☐ Other (<i>describe</i>) <i>r well construction, skip the remaine</i> lustrial ☐ Public Supply ⊠ Irrigation ☐ Fis Other (describe) e or ⊠ below] land surface Date mean book one) Electric tape ☐ Air line ☐ Other: (describ	der of this block sh Culture asured: 03/21/2014 be)
Seismic Surver If drilling is not related to water Purpose of Well (check all applicable): Home Ind Other (describe): If a flowing well, method of flow regulation: Valve Static Water Level: 12' feet [above (che Method of Measurement (check one) Steel tape Well depth: 121' Well grouted to a depth of: 10	y ☐ Other (<i>describe</i>) <i>r well construction, skip the remaine</i> lustrial ☐ Public Supply ⊠ Irrigation ☐ Fis Other (describe) e or ⊠ below] land surface Date mean book one) Electric tape ☐ Air line ☐ Other: (describ	der of this block sh Culture ssured: 03/21/2014 pe)
Seismic Surver If drilling is not related to water Purpose of Well (check all applicable): Home Ind Other (describe): If a flowing well, method of flow regulation: Valve Static Water Level: <u>12'</u> feet [] above (che Method of Measurement (check one) Steel tape] Well depth: <u>121'</u> Well grouted to a depth of: <u>10</u> Casing length: <u>81'</u> feet Casing diam	y ☐ Other (<i>describe</i>) <i>r well construction, skip the remaine</i> lustrial ☐ Public Supply ⊠ Irrigation ☐ Fis Other (describe) e or ⊠ below] land surface Date mean book one) Electric tape ☐ Air line ☐ Other: (describ 'feet Type of grout (check one): ☐	der of this block sh Culture isured: 03/21/2014 be)
□ Seismic Survey If drilling is not related to water Purpose of Well (check all applicable): □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation: Valve Static Water Level: 12' feet [□ above (che Method of Measurement (check one) Steel tape □ Well depth: 121' Well grouted to a depth of: 10 Casing length: 81' Screen length: 40'	y ☐ Other (<i>describe</i>) <i>r well construction, skip the remaine</i> lustrial ☐ Public Supply ⊠ Irrigation ☐ Fis Other (describe) e or ⊠ below] land surface Date mean teck one) Electric tape ☐ Air line ☐ Other: (describe) feet Type of grout (check one): ☐ heter: 16" inches Type of meter: 16" inches Type of	der of this block sh Culture isured: 03/21/2014 isured:
□ Seismic Surver If drilling is not related to water Purpose of Well (check all applicable): □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation: Valve Static Water Level: 12' feet [□ above (che Method of Measurement (check one) Steel tape □ Well depth: 121' Well grouted to a depth of: 10 Casing length: 81' Screen length: 40' Screen slot size: .050	y ☐ Other (<i>describe</i>) <i>r well construction, skip the remaine</i> Iustrial ☐ Public Supply ⊠ Irrigation ☐ Fis Other (describe) e or ⊠ below] land surface Date mean the or ⊠ below] land surface Date mean below = Date mean the or ⊠ below] land surface Date mean the or [0 + 0 + 0 + 0 + 0 + 0 + 0 + 0 + 0 + 0	der of this block sh Culture asured: 03/21/2014 asured:
□ Seismic Surver If drilling is not related to water Purpose of Well (check all applicable): □ Home □ Ind □ Other (describe):	y ☐ Other (<i>describe</i>) <i>r well construction, skip the remaine</i> Iustrial ☐ Public Supply ⊠ Irrigation ☐ Fis Other (describe) e or ⊠ below] land surface Date mean the or ⊠ below] land surface Date mean below = Date mean the or ⊠ below] land surface Date mean the or [0 + 0 + 0 + 0 + 0 + 0 + 0 + 0 + 0 + 0	der of this block sh Culture asured: 03/21/2014 be)
□ Seismic Surver If drilling is not related to water Purpose of Well (check all applicable): □ Home □ Ind □ Other (describe):	y ☐ Other (describe) r well construction, skip the remained lustrial ☐ Public Supply ⊠ Irrigation ☐ Fis Other (describe) e or ⊠ below] land surface Date mean the or ⊠ below] land surface Date mean below] land surface Date mean ck one) Electric tape ☐ Air line ☐ Other: (describe) feet Type of grout (check one): ☐ heter: 16" inches Type of heter: 16" inches Type of the of the of th	der of this block sh Culture asured: 03/21/2014 be)

• 1

	I# K123	
· · ·		
		ll wells
		To (dep 44
		49
		61
		118
		121
		+
		+
		+
		+
		<u> </u>
		1
		1
		1
· · · · ·		+
L	L.,	<u> </u>
may aid in locating the well		
y aid in locating the property and the well		
	and boreholes, unless specifically ex	Fine Sand & Gravel 50 Medium Sand & Gravel 62 Clay 119

1

۱

Landowner Name:	Carolyn Murphey			
requirements of the N if applicable, and stat Patrick Chism	e laws. 0695	ental Quality and the Miss 04/23/2014	sippi Department of Health regulation	
Print Name of Respo	onsible Licensee and License No.	Date	Signature of Licensee Form: OLWR-SV	THE HAMPS
				APR 2 9 2014
				BY CILWP

	STATE WELL REPORT	For Office Use Only:
County: Tallahatchie	Part 2	Well#:K123
Permit #: GW-47836	Pump Installer's Completion Repor Mississippi Department of Environmental Qual	t lity
Driller: Irrigation Equipment	Office of Land and Water Resources P.O. Box 2309	Aquifer:
Date drilling completed: 02/01/2014	Jackson, MS 39225-2309	
<u>Copy information from block on Part 1</u>	_ (601) 961-5210 (601) 360-0535 (fax)	
This next of the second word he complete	ed by a licensed water well contractor or a licensed p	ump installer A copy of Part 1
of the report must be attached and both	parts filed with the Department at the above address	within 30 days of well completion.
Well Owner Informa	ition	Well Location
Owner Name: Carolyn Murphey	Latitude: 33 56' 10.5 N	Longitude: 90 11' 24.3 W
Mailing Address: P.O. Box 100	Method of Lat/Long (chec	ck one): 🔲 Conventional Survey,
	USGS quad, 🛛 Hand	-held GPS, 🔲 Survey-grade GPS
Tippo Ms City Stat		¼, Sec <u>21</u> T <u>24 N</u> R <u>1 E</u>
Telephone No. () -		Direction) of Tippo
	Pump Type (check one)	
🗆 Submersible 🛛 Turbine 🗆 Air Lift 🗔 (Centrifugal 🔲 Flowing Well 🗌 Jet 🔲 Piston 🔲 Rota	ry 🔲 Other (describe):
Date Pump Installed 03/21/2014	Rated Pump Capacity: 250	0+/- Gallons Per Minute
ls This Pump (check one): 🔯 New 🗌 Re	epaired Replacement Power Type (check one)	
	Iral Gas □ Tractor PTO □ Windmill □ Other (descr Setting Depth: 70 feet	·
Horse Power Rating of Motor: 60	Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (m	Number of Stages: <u>1</u>
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe	Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (m Duration of Pump Test (m Duration of Pump Test (m test Below Land Surface Pumping Water Level (B)	Number of Stages: 1
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]:	Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (m eet Below Land Surface Pumping Water Level (B) Feet Below Land Surface Test Pumping Rate:	Number of Stages: <u>1</u> inimum 4 hours): Hours : Feet Below Land Surface Gallons Per Minute
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]:	Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (m eet Below Land Surface Pumping Water Level (B) Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (desc	Number of Stages: <u>1</u> inimum 4 hours): Hours : Feet Below Land Surface Gallons Per Minute
Horse Power Rating of Motor: 60	Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (m eet Below Land Surface Pumping Water Level (B) Feet Below Land Surface Test Pumping Rate:	Number of Stages: <u>1</u> inimum 4 hours): Hours : Feet Below Land Surface Gallons Per Minute
Horse Power Rating of Motor: Date Well Tested: Fe Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> Measured shut in head:	Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (m eet Below Land Surface Pumping Water Level (B) Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (desc Pump Test Data for Flowing Well	Number of Stages: 1
Horse Power Rating of Motor: Date Well Tested: Fe Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> Measured shut in head:	Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (m eet Below Land Surface Pumping Water Level (B) Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (desc Pump Test Data for Flowing Well Feet Feet	Number of Stages: 1
Horse Power Rating of Motor: Date Well Tested: Fe Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): Metasured shut in head: Well yielded GPM with a	Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (m eet Below Land Surface Pumping Water Level (B) Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (desc Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation	Number of Stages: 1 ninimum 4 hours):
Horse Power Rating of Motor: 60	Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (m beet Below Land Surface Pumping Water Level (B) Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (desc Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation	Number of Stages: 1 ninimum 4 hours):
Horse Power Rating of Motor: 60	Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (m bet Below Land Surface Pumping Water Level (B) Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (desc Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number:	Number of Stages: 1 ninimum 4 hours):
Horse Power Rating of Motor: 60	Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (m eet Below Land Surface Pumping Water Level (B) Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (desc Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number: Type of Meter:	Number of Stages: 1 ninimum 4 hours):
Horse Power Rating of Motor: 60	Setting Depth: 70	Number of Stages: 1 ninimum 4 hours):
Horse Power Rating of Motor: 60	Setting Depth: 70	Number of Stages: 1 inimum 4 hours):
Horse Power Rating of Motor: 60 Date Well Tested:	Setting Depth: 70	Number of Stages: 1 inimum 4 hours):
Horse Power Rating of Motor: 60 Date Well Tested:	Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (m Duration of Pump Test (m Duration of Pump Test (m Seet Below Land Surface Pumping Water Level (B) Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Steel tape Electric tape Air line Other (desc Pump Test Data for Flowing Well Feet Feet a drawdown of	Number of Stages: 1 inimum 4 hours):
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): □ Method of measurement (check one): □ Measured shut in head: Meter Manufacturer: GPM with a generative of the second s	Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (m Duration of Pump Test (m Duration of Pump Test (m Seet Below Land Surface Pumping Water Level (B) Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Steel tape Electric tape Air line Other (desc Pump Test Data for Flowing Well Feet Feet a drawdown of	Number of Stages: 1 inimum 4 hours):

л (

BYOLIA