	State W	ell Report		
county: Tallahatchie	Part 1 - I	Priller's Log	For Office Use Only:	
Permit#: 6W-444891	Mississippi Departmen	t of Environmental Quality	Aquifer: N /OO	
Irrigation Equipment		nd Water Resources Box 2309	Well #:	
	Jackson, MS 39225			
Date drilling completed: 5-6-11	(601)961-5210		L. S. Elevation:	
<i>3</i>	(601)961	1- 5228 (fax)	E-log#:	
State Law requires that this report	be prepared by the lic	ense holder responsible for t	the work and filed with the	
Department at the above aggress	viinin 30 days of come	detion of drilling of the well	or borehole.	
information on Well Owner		Well or Bo	rehole Location	
(Landowner if borehole is not for a water well) Owner Name Michael Wagner		Latitude: 33 · 50 · 13.3 " Longitude: 90 · 23 · 54.5		
Wailing Address: $P.D.B0 \times 456$		Method of Lat/Long (circle or	ne): Conventional Survey,	
Andrews Andrew		USGS quad, Hand-held	GPS, Survey-grade GPS	
	200-	NW 1/ NW 1/ San 27	7 Twn 23 N Rng 2 W	
Sumner M3 City State	<u>. 38957</u>			
City State	Zip Code	Distance Direction	Nearest Town of	
Telephone No. ()	•	O_MilesU	of <u>Criendorg</u>	
		·		
_ ·	Well / Bore			
Date drilling started: 5-6-1/ Date drilling completed: 5-6-1/ Hole depth: 126 Hole diameter: 24"				
Location of the source of any surface water	used for drilling:	Surface Water	ł	
Method of dosing and volume of Chlorine	used in drilling and deve	lopment: 50 PPM		
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:				
,		,		
Purpose of borehole (check one): Water We	ell Geotechnical/Geol	logical Investigation Ground	d Source Heat Pump	
Seismic Survey Other (describe)				
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): HomeIndustrialPublic SupplyIrrigation_Fish CultureOther: Keplacement				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 43 feet above of below (circle one) land surface Date measured: 5-9-1/				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 126 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 86 feet Casing diameter: 16 inches Type of casing: PVC				
Screen length: 40 feet Scree	n diameter:	inches Type of screen:	PVC	
Screen slot size: inches	Setting depth: From _	87 feet to	126feet	
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:	feet. If te	lescoped or more than one scre	een, describe on next page	

Old Well 16" Steel 15' NW

RECEIVED
MAY 2 J 2011
BY: OHWR

Form: OLWR-SWR-1A (04/08)

NIOC	
------	--

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground Level.

<u>Description of formations encountered must be provided for all</u> wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clan	Ground Level	129
Fine Sand.	30	34
Fine Sand & Gravel	55	60.
Medium Sand + Gravel	61	126
	_ ,	

If more than one screen, show location of each on sketch

ssissippi Department of Environmental (vs. Patrick M. Chism	Quality and th	e Mississippi Do	partment of Health	regulations, if appli	cable, and state
ertify that the well/borehole was drilled,			, ,		
				Form: OLWF	R-SWR-1A (04/08
andowner Name: Michael	Wagn	er			
y - 1					
•					
	,	-			
4) a north arrow.			ı		

$D \cap D \cap A \cap $	ntractor or a licensed pump installer. A copy of Part 1 of the he above address within 30 days of well completion. Well Location Latitude: Longitude:
Sumner Ms. 38957 City State Zip Code	Method of Lat/Long (check one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS
Bucket Piston Turbine E Centrifugal Rotary Flowing Well V Other (specify): Flowing Well S Date Pump Installed: 5-9-1/	Power Type Circle one
Static Water Level (A):Feet Below Land Surface Pumping Water Level (B):Feet Below Land Surface Drawdown [(B) - (A)]:Feet Below Land Surface Feet Below Land Surface Feet Below Land Surface	Method of Measuring Water Level Circle one Air Line Electric Measuring Line Steel Tape Other (specify): For flowing well, measured shut in head: GPM with a drawdown of feet afterhours of pumping

I HEREBY CERTIFY that the above statements are true to the best of my known

Print Name of Pump Installer and License No. (if applicable)

0695

Patrick M. Chism

MAY 2 3 2011 BY NIME

Signature of Pump Installer
Form: OLWR-SWR-10