•	STATE	WELL REPORT	
County: Tallahatchie	SIAIE	Part 1	For Office Use Only:
Permit #: M5-C1U-4639C		riller's Log	Well #: N119
Driller: Temmy Peaceck ST	Mississippi Depart	ment of Environmental Quality and and Water Resources	Aquifer:
Date drilling completed: 9-17-15	1	P.O. Box 2309	E-Log #:
State divining completed.		on, MS 39225-2309 (601)961-5210	
	(60	1)360-0535 (fax)	
State Law requires that this report Department at the above address w	be prepared by the ithin 30 days of co	license holder responsible for th mpletion of drilling of the well o	ne work and filed with the or borehole.
Well Owner Informati (Landowner if borehole is not for	ion		hole Location
Owner Name: Edward P Cong	1	Latitude: <u>N 33 ° 50 ° 08</u> Lon	gitude: 190° 31'58
	>	Method of Lat/Long (check one)	: Conventional Survey .
Mailing Address: 30 Del ta to	ve	USGS quad, Hand-held Gi	
$\left \frac{1}{C_{1}} \right _{L_{1}} = \frac{1}{L_{1}}$	201.0		i
Clarks dale MS City State	38614 71250do		26 T23W R C2W
Telephone No. (612) 627 - 96		Miles W of	
retephone No. (VF) COT TO	77/	(Distance) (Direction)	(Nearest Town)
Date drilling started: 9-17-15 Date Location of the source of any surface w Method of dosing and volume of Chlorin	drilling completed: rater used for drillin	ng: ditch nearby	
Logs run (circle all applicable). No log ru			,
Name of organization running log(s):			
Purpose of borehole (circle one): Water			iround Source Heat Pump) CT 03
	,	describe)	of this block
Purpose of Well (circle all applicable): 1			
Other (describe):	Home Industrial	Public Supply (Irrigation) F	ish Culture
If a flowing well, method of flow regula	ition: Valve	Other (describe)	
Static Water Level: 24 feet			9-17-15
Method of measurement (circle one): §1	eel tape Electric t	ape Air line Other (describe);	
Well depth: 115 Well grouted to a	depth of: 10 fe	eet Type of grout (circle one):	Neat Cement Bentonite Mix
	sing diameter:	inches Type of ca	
Screen length: 40 feet Sc	reen diameter:	// inches Type of s	creen: PUC

Setting depth: From _

Underreamed

If toloraned or more than one cross describe an next nane

Open hole

Natural Development

Screen slot size 32 1-50 inches

Top of lap pipe or reduction in casing: _

Other (describe):

Type of completion (circle all applicable) Gravel packed

Permit #: MS-G-W-44390	Fo	or Office Use	Only:
The sketch below only required for water wells	Description of formations encountered and boreholes, unless specifically exem	must be provide	d for all well:
If well telescopes, show depths on sketch. Ground Level	Description of Formations Encountered	From (depth) Ground level	To (depth)
15' 16" casing	topso, I tolay	C 15	15
20' ['' ''	Coarse sand	55 95	95 115
201 11	9		
201 11 11			
20' 32 slot screen			
20' so sht screen			
If more than one screen, show location of each on sketch		L	

Sketch the property la	ayout and	include	the	following:

the well location
 any permanent structures on the property that may aid in locating the well
 any roads, power lines, or other items that may aid in locating the property and the well
 north arrow

OCT 68 2016

Landowner Name: Edward P Coun	nell Ir	
I HEREBY CERTIFY that the well/borehole was drilled, requirements of the Mississippi Department of Enviror if applicable, and state laws.	constructed, and com nmental Quality and th	npleted in accordance with all applicable ne Mississippi Department of Health regulations,
Temmy Practicles #3419 Print Name of Responsible Licensee and License No.	10-5-15	Tommy Leavech Is
Print Name of Responsible Licensee and License No.	Date	Signature of Licensee

STATE WELL REPORT

TALLAHATCHIS Prace Pump Installer's Completion Report Prace Prace Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources Date completed:

Part 2

P.O. Box 2309 Jackson, MS 39225-2309

For Office Use Only:	
Well #:	
Aquifer:	

Copy Information from block on Part 1) 260 0535 (fpv)
· ·) 360-0535 (fax)
This part of the report must be completed by a licensed water of the report must be attached and both parts filed with the L	well contractor or a licensed pump installer. A copy of Part 1 epartment at the above address within 30 days of well completion.
Well Owner Information	Well Location
Owner Name: Quiter Piker LLC	Latitude: 33.50.09. Longitude: 90.21.58.
Mailing Address: 7398 MeVAV 20	Method of Lat/Long (check one): Conventional Survey,
	USGS quad, Hand-held GPS, Survey-grade GPS
CREMANTOWN TN 38138 City State Zip Code	NE 1/4 NE 1/4, Sec 26 T Z3N R OZW
City State Zip Code	4.1 Miles W of GENOORA (Direction) (Nearest Town)
Telephone No.	(Distance) (Direction) (Nearest Town)
Pump Ty	pe (circle one)
Submersible Turbine Air Lift Centrifugal Flowing Well	Jet Piston Rotary Other (describe):
Date Pump Installed: 9-18-15	Rated Pump Capacity: <u>3000</u> Gallons Per Minute
Is This Pump (circle one): (New Repaired Replacemen	
	pe (circle one)
Lectric Diesel Gasoline Natural Gas Tractor PTO Win	
Horse Power Rating of Motor: Setting Dept	h: 70feet Number of Stages:/
Pump Test Data	for Non Flowing Well
S. W.D. T. J.	
Date Well Tested:	Duration of Pump Test (minimum 4 hours):hours
_	Pumping Water Level (B): Feet Below Land Surface
Static Water Level (A): Feet Below Land Surface	
Static Water Level (A): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Method of measurement (circle one): Steel tape Electric to	Pumping Water Level (B): Feet Below Land Surface face Test Pumping Rate: Gallons Per Minute ape Air line Other (describe):
Static Water Level (A): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Method of measurement (circle one): Steel tape Electric tape Pump Test Da	Pumping Water Level (B): Feet Below Land Surface face Test Pumping Rate: Gallons Per Minute
Static Water Level (A): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Method of measurement (circle one): Steel tape Electric to Pump Test Da Measured shut in head: feet.	Pumping Water Level (B): Feet Below Land Surface face Test Pumping Rate: Gallons Per Minute ape Air line Other (describe): ta for Flowing Well
Static Water Level (A): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Method of measurement (circle one): Steel tape Electric tape Pump Test Da	Pumping Water Level (B): Feet Below Land Surface face Test Pumping Rate: Gallons Per Minute ape Air line Other (describe): ta for Flowing Well
Static Water Level (A): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Method of measurement (circle one): Steel tape Electric to Pump Test Da Measured shut in head: feet. Well yielded GPM with a drawdown of	Pumping Water Level (B): Feet Below Land Surface face Test Pumping Rate: Gallons Per Minute ape Air line Other (describe): ta for Flowing Well
Static Water Level (A): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Method of measurement (circle one): Steel tape Electric to Pump Test Da Measured shut in head: feet. Well yielded GPM with a drawdown of	Pumping Water Level (B): Feet Below Land Surface face Test Pumping Rate: Gallons Per Minute ape Air line Other (describe): ta for Flowing Well feet after hours of pumping Installation
Static Water Level (A): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Method of measurement (circle one): Steel tape Electric to Pump Test Da Measured shut in head: feet. Well yielded GPM with a drawdown of Meter	Pumping Water Level (B): Feet Below Land Surface Face Test Pumping Rate: Gallons Per Minute Pape Air line Other (describe): Ta for Flowing Well Feet after hours of pumping Installation Meter Serial Number:
Static Water Level (A): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Method of measurement (circle one): Steel tape Electric to Pump Test Da Measured shut in head: feet. Well yielded GPM with a drawdown of Meter Manufacturer: Meter Model Number/Name:	Pumping Water Level (B): Feet Below Land Surface Face Test Pumping Rate: Gallons Per Minute Pape Air line Other (describe): Ta for Flowing Well Feet after hours of pumping Installation Meter Serial Number:
Static Water Level (A): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Method of measurement (circle one): Steel tape Electric to Pump Test Da Measured shut in head: feet. Well yielded GPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, galler)	Pumping Water Level (B): Feet Below Land Surface face Test Pumping Rate: Gallons Per Minute ape Air line Other (describe): ta for Flowing Well feet after hours of pumping Installation Meter Serial Number: Type of Meter: Type of Meter:
Static Water Level (A): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Method of measurement (circle one): Steel tape Electric to Pump Test Da Measured shut in head: feet. Well yielded GPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, galler)	Pumping Water Level (B): Feet Below Land Surface face Test Pumping Rate: Gallons Per Minute ape Air line Other (describe): ta for Flowing Well feet after hours of pumping Installation Meter Serial Number: Type of Meter: tx 1000, etc):
Static Water Level (A): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Method of measurement (circle one): Steel tape Electric to Pump Test Da Measured shut in head: feet. Well yielded GPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal Installation Date: Meter installed by: Is This Meter (circle one): New Repaired Replacementary Suspension 1 on the content of the showe information you are content.	Pumping Water Level (B): Feet Below Land Surface face Test Pumping Rate: Gallons Per Minute ape Air line Other (describe): ta for Flowing Well feet after hours of pumping Installation Meter Serial Number: Type of Meter: Type of Meter: Ax 1000, etc):

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Print Name of Pump Installer and License No. (if applicable)

Date

Signature of Pump Installer

Form: OLWR-SWR-1B (4/13)