County: Tallahat	tchie	State Well Report Part 1 – Driller's Log		For Office Use Only:
Permit #: GW-46			of Environmental Quality	well #: 0134
Driller: Irrigatio	n Equipment		nd Water Resources lox 2309	L.S. Elevation:
Date drilling completed	03/26/2012	Jackson,	MS 39225	
			961-5210 -5228 (fax)	
S	tato I am poquipos t		y the license holder responsible	e for the work and filed with th
			of completion of drilling of the	
(I andou	Information on V		Well or E	Sorehole Location
(Lanuo) Owner Name	Due West	not for a water well)	Latitude: 33 ° 52 ' 04	" Longitude: 90 ° 19 '
Mailing Address:			Method of Lat/Long (check one)	
maning Autross.	1.0.104.200			nd-held GPS, Survey-grade
	Glendora	Ms 38928		$\frac{18}{2} \text{Twn } \frac{23N}{8} \text{Rng } \frac{1}{2}$
	City	State Zip code		
			Distance Direction	Nearest Town
Telephone No.	<u>() </u>	·	Miles	of Glendora
Name of organizat	ion running log(s): le (check one):	- 	• • • —	Neutron U Other:
		•	onstruction, skip the remainder	of this block
Purpose of Well (c	heck one) 🔲 Home	e 🔲 Industrial 🔲 Public Su	pply 🛛 Irrigation 📋 Fish Cult	ure 🗍 Other:
			sscribe)	
TI HOWING, INCUIOU	or now regulation:		əctive)	
		 .		04/14/0010
Static Water Level			nd 🛛 surface Date measured:	
Static Water Level			nd 🛛 surface Date measured:	
Static Water Level Method of Measur	ement (check one)	Steel tape 🔲 electric tape		
Static Water Level Method of Measur Well depth: <u>125</u>	ement (check one)	Solution steel stape \Box electric stape to a depth of <u>10</u> feet	air line inther:	Neat Cement 🖾 Bentonite 🗔 N
Static Water Level Method of Measur Well depth: <u>125</u> Casing length: <u>4</u>	ement (check one)	S steel tape ☐ electric tape to a depth of <u>10</u> feet Casing diameter: <u>10</u>	☐ air line ☐ other: Type of grout (check one): ☐	Neat Cement 🖾 Bentonite 🗔 N
Static Water Level Method of Measur Well depth: <u>125</u> Casing length: <u>4</u> Screen length: <u>4</u>	ement (check one) [Well grouted 35 feet 40 feet	Steel tape ☐ electric tape to a depth of <u>10</u> feet Casing diameter: <u>10</u> Screen diameter: <u>10</u>	□ air line □ other: Type of grout (check one): □ inches Type of car	Neat Cement 🖾 Bentonite 🗔 N sing: <u>PVC</u> reen: <u>PVC</u>
Static Water Level Method of Measur Well depth: <u>125</u> Casing length: <u>4</u> Screen length: <u>4</u> Screen slot size:	ement (check one) [Well grouted 35 feet 40 feet .050	S steel tape ☐ electric tape to a depth of <u>10</u> feet Casing diameter: <u>10</u> Screen diameter: <u>10</u> inches Setting depth: From	□ air line □ other: Type of grout (check one): □ inches Type of case inches Type of scr	Neat Cement 🖾 Bentonite 🗍 N sing: <u>PVC</u> reen: <u>PVC</u> 5 feet

MAY 1 5 2012

BY: OLWR

.

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground level

Description of Formations Encountered	From (depth)	To (depth)
Clay	Ground level	35
Fine Sand	36	75
Medium Sand	76	85
Medium Sand & Gravel	86	125
		· · · · · ·
51-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-		
		ļ

If more than one screen, show location of each on sketch

aid ir	ayout and include the followin a locating the well; 3) any road north arrow.			
Landowner Name:	Due West			
Form: OLWR-SWR-1A (04/08) I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.				
Patrick Chism 0	695	05/08/2012	1 cbs	
Print Name of Responsible Li	censee and License No.	Date	Signature of Licensee	- HEUEIVED
				MAY 1 5 2012

BY: OLWR

STATE WELL REPORT

County:	Tallahatc	hie	
Permit #:	GW-46105		
Driller:	Irrigation	Equipment	
Date drilling completed: 03/26/2012			
Copy information from block on Part 1			

Part 2 Pump Installer's Completion Report

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601) 961-5210 (601) 961-5228 (fax)

For Office Use Only:		
Aquifer:	·····	
Well #:	0134	
Elevation:		

BY: OLMA

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.

Well Owner Information			Well Location
Owner Name: Due West			Latitude: 33 52' 04 N Longitude: 90 19' 47 W
Mailing Address:	P.O. Box 230		Method of Lat/Long (check one): Conventional Survey,
			USGS quad, 🛛 Hand-held GPS, 🔲 Survey-grade GPS
	Glendora	Ms 38928	NE 1/4 NE 1/4 Sec 18 T 23N R 1W
-	City	State Zip code	Distance Direction Nearest Town
Telephone No	(Miles of <u>Glendora</u>
	Pump Type Check one		Power Type Check one
🗖 Air Lift	🔲 Jet	Submersible	Diesel Engine Gasoline Engine Natural Gas
Bucket	Piston	Turbine	Electric Motor Hand Tractor PTO
Centrifugal	Rotary	Flowing Well	Windmill Other (specify):
Other (specify):			Horse Power Rating of Motor: 15
Date Pump Installe	d: 04/11/2012		Setting Depth: 70 feet
Rated Pump Capac	sity _ 550+/-	Gallons Per Minute	Number of Stages:
	Pump Test Da	ta	Method of Measuring Water Level Check one
Date Well Tested:			Air Line Electric Measuring Line Steel Tape
		Feet Below Land Surface	Other (specify):
Pumping Water Le	vel (B):	Feet Below Land Surface	
Drawdown [(B) - ((A)]:	_ Feet Below Land Surface	For flowing well, measured shut in head: feet
Test Pumping Rate	:	Gallons Per Minute	Well yielded GPM with a drawdown of
Duration of Pump	Test (minimum 4 hours):	hours	feet after hours of pumping
This is for (cl	heck one): Ne	w Well Replacer	nent of Existing Pump Repair of Existing Pump
I HEREBY CERT Patrick Chism		nents are true to the best of m 0695	RECEIVED
Print Name of Pump Installer and License No. (if applicable)			Signature of Pump Installer
			Form: OLWR-SWR-1C (112)