Tallahatakia	STATE WELL REPORT	For Office Use Only: Well #: 우익C
County: Tallahatchie	Part 1 Driller's Log	
Permit #: GW-47104 M	Ississippi Department of Environmental Qu	Aquifer:
Driller: Irrigation Equipment	Office of Land and Water Resources	E-Log #:
Date drilling completed: 08/22/2014	P.O. Box 2309 Jackson, MS 39225-2309	
	(601) 961-5210	
	(601) 360-0535 (fax)	
	prepared by the license holder responsib	
	in 30 days of completion of drilling of th	
Well Owner Information (Landowner if borehole is not for a v		or Borehole Location
,	Latitude: 33 50' 06.4	N Longitude: 90 12' 21.6 W
Owner Name: Hardy Farms		
Mailing Address: P.O. Box 96	Method of Lat/Long (cho	eck one): 🛛 🔲 Conventional Survey,
		id-held GPS, 🔲 Survey-grade GPS
_TippoMs	38962 <u>NW</u> ½ <u>N</u>	<u>W</u> ¼, Sec <u>28</u> T <u>23 N</u> R <u>1 E</u>
City State	Zip code	
Telephone No. () -	5Miles	North of Philipp
	(Distance)	(Direction) (Nearest Town)
	Well / Borehole Data	an a
Location of the source of any surface water us	sed for drilling: Surface Water	
-		
Method of dosing and volume of Chlorine use	ed in drilling and development: 50 PPM	
Logs run (check all applicable): 🛛 No log run	🛛 🖸 Electric 🗋 Gamma Ray 🗋 Density 🗍 So	nic 🔲 Neutron 🔲 Other:
	,,	
Name of organization running log(s):		·····
Purpose of borehole (check one): 🛛 Water	Well Geotechnical/Geological Investiga	ation 🔲 Ground Source Heat Pump
	_	
	nic Survey Other (<i>describe</i>)	
If drilling is not related	to water well construction, skip the ren	nainder of this block
Purnose of Well (check all applicable): 🗖 Hon	me 🗖 Industrial 🗖 Public Supply 🕅 Irrigation	
	me 🔲 Industrial 🗋 Public Supply 🛛 Irrigation	
Other (describe):		
a nowing weat, method of now regulation: Va	alve Other (describe)	
Static Water Level: 24' feet [☐ above or ⊠ below] land surface Date (check one)	e measured: 08/25/2014
Method of Measurement (check one) 🛛 Steel	I tape 🔲 Electric tape 🗌 Air line 🔲 Other: (de	escribe)
	, _ , _ ,	
Well depth: <u>120'</u> Well grouted to a depti	h of: 10' feet Type of grout (check on	
	h of: <u>10'</u> feet Type of grout <i>(check on</i>	
Casing length: 80' feet Cas	h of: <u>10'</u> feet Type of grout <i>(check on</i> sing diameter: <u>16"</u> inches Tr	ee): 🗋 Neat Cement 🖾 Bentonite 📋 Mix
Casing length: 80' feet Cas Screen length: 40' feet Scr	h of: <u>10'</u> feet Type of grout <i>(check on</i> sing diameter: <u>16"</u> inches Tr reen diameter: <u>16"</u> inches Tr	ee): ☐ Neat Cement ⊠ Bentonite ☐ Mix ype of casing:
Casing length: <u>80'</u> feet Cas Screen length: <u>40'</u> feet Scr Screen slot size: <u>.050</u> inches	h of: <u>10'</u> feet Type of grout <i>(check on</i> sing diameter: <u>16"</u> inches Tr reen diameter: <u>16"</u> inches Tr	ee): ☐ Neat Cement ⊠ Bentonite ☐ Mix ype of casing: <u>PVC</u> ype of screen: <u>PVC</u> feet to <u>120'</u> feet
Casing length: 80' feet Cas Screen length: 40' feet Scr Screen slot size: .050 inches Type of completion (check all applicable): X (h of: <u>10'</u> feet Type of grout <i>(check on</i> sing diameter: <u>16"</u> inches Tr reen diameter: <u>16"</u> inches Tr s Setting depth: From <u>81'</u>	ee): □ Neat Cement ⊠ Bentonite □ Mix ype of casing: <u>PVC</u> ype of screen: <u>PVC</u> feet to <u>120'</u> feet Natural Development
Casing length: <u>80'</u> feet Cas Screen length: <u>40'</u> feet Scr Screen slot size: <u>.050</u> inches Type of completion (check all applicable): 🛛 (] Other <i>(describe)</i> :	h of: <u>10'</u> feet Type of grout <i>(check on</i> sing diameter: <u>16"</u> inches Tr reen diameter: <u>16"</u> inches Tr s Setting depth: From <u>81'</u> Gravel packed [] Underreamed [] Open hole	ee): ☐ Neat Cement ⊠ Bentonite ☐ Mix ype of casing: <u>PVC</u> ype of screen: <u>PVC</u> feet to <u>120'</u> feet
Casing length: 80' feet Cas Screen length: 40' feet Scr Screen slot size: .050 inches Type of completion (check all applicable): X (Cop of lap pipe or reduction in casing:	h of: <u>10'</u> feet Type of grout <i>(check on</i> sing diameter: <u>16"</u> inches Tr reen diameter: <u>16"</u> inches Tr s Setting depth: From <u>81'</u> Gravel packed 🗌 Underreamed 🗌 Open hole	we): □ Neat Cement ⊠ Bentonite □ Mix ype of casing: PVC ype of screen: PVC feet to 120' feet e □ Natural Development AUG 2 8 20

Form: OLWR-SWR-1A (4/13)

' • •

County: Tallahatchie Permit #: GW-47104	F Well #:	For Office Use P90	Only:
The sketch below only required for water wells If well telescopes, show depths on sketch.	Description of formations encountered m and boreholes, unless specifically exempt	ed by regulations	
Ground level	Description of Formations Encountered	From (depth)	To (depth)
	Clay	Ground level	14
	Fine Sand	15	34
	Fine Sand & Gravel	35	45
	Medium Sand & Gravel	46 118	117 120
			<u> </u>
			<u> </u>
			
If more than one screen, show location of each on sketch	L		L
Sketch the property layout and include the following: 1) the well location 2) any permanent structures on the property that 3) any roads, power lines, or other items that may 4) a north arrow	may aid in locating the well aid in locating the property and the well		
		- A CARACTER AND A	

3) any roads, po 4) a north arrow	wer lines, or other items that may aid	I in locating the property a	and the well
			ار این از اور دهنی از منابع بخین
			AUG 2 8 2014
Landowner Name:	Hardy Farms		
I HEREBY CERTIFY	that the well/borehole was drilled, co lississippi Department of Environmer	nstructed, and completed ntal Quality and the Missis	Form: OLWR-SWR-1A (04/0 in accordance with all applicable ssinpi Department of Health regulations,
if applicable, and state Patrick Chism	0695	08/25/2014	acc

•

	STATE WELL REPORT	For Office Use Only:
County: Tallahatchie	Part 2	Well #: P90
Permit #: GW-47104	Pump Installer's Completion Report	
Driller: Irrigation Equipment	Mississippi Department of Environmental Quality Office of Land and Water Resources	Aquifer:
Date drilling completed: 08/22/2014	P.O. Box 2309	
Copy information from block on Part 1	Jackson, MS 39225-2309 (601) 961-5210	
	(601) 360-0535 (fax)	
	ed by a licensed water well contractor or a licensed pum	
of the report must be attached and both Well Owner Informa	parts filed with the Department at the above address with ation We	ell Location
Owner Name: Hardy Farms	Latitude: 33 50' 06.4 N	Longitude: 90 12' 21.6 W
Mailing Address: P.O. Box 96		one): Conventional Survey,
		ld GPS, 🔲 Survey-grade GPS
Tinne Me		
Tippo Ms City Stat		i, Sec <u>28</u> ⊺ <u>23 N</u> R <u>1 E</u>
Telephone No. () -		rth of Philipp ction) (Nearest Town)
	Pump Type (check one)	
□ Submersible ⊠ Turbine □ Air tift □ (Centrifugal 🔲 Flowing Well 🗆 Jet 🗋 Piston 💭 Rotary [Other (describe)
Date Pump Installed 08/25/20104	Rated Pump Capacity: 2500+	
Is This Pump (check one): New 🗌 Re		
	Power Type (check one)	
Electric Ø Diesel 🗍 Gasoline 🗍 Natu)) .
	Iral Gas 🔲 Tractor PTO 🗌 Windmill 🔲 Other (describe	
	Iral Gas 🔲 Tractor PTO 🗍 Windmill 🗋 Other (describe Setting Depth: 70' feet N	
	Iral Gas	lumber of Stages: <u>1</u>
Horse Power Rating of Motor:	Iral Gas I Tractor PTO Windmill Other (describe Setting Depth: 70' feet N Pump Test Data for Non Flowing Well Duration of Pump Test (minin	Jumber of Stages: 1 mum 4 hours):
Horse Power Rating of Motor: 60	ural Gas Tractor PTO Windmill Other (describe) Setting Depth: 70' feet N Pump Test Data for Non Flowing Well Duration of Pump Test (mining) Duration of Pump Test (mining) Event Below Land Surface Pumping Water Level (B):	Iumber of Stages: <u>1</u> mum 4 hours): Ho Feet Below Land Surfa
Horse Power Rating of Motor: 60	Iral Gas I Tractor PTO Windmill Other (describe Setting Depth: 70' feet N Pump Test Data for Non Flowing Well Duration of Pump Test (minin	lumber of Stages: <u>1</u> mum 4 hours): Ho Feet Below Land Surfa
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]:	Iral Gas Tractor PTO Windmill Other (describe) Setting Depth: 70' feet N Pump Test Data for Non Flowing Well Duration of Pump Test (mining) Duration of Pump Test (mining) Example Duration of Pump Test (mining) Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate:	lumber of Stages: <u>1</u> mum 4 hours): Ho Feet Below Land Surfa
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]:	Irral Gas Tractor PTO Windmill Other (describe Setting Depth: 70' feet N Pump Test Data for Non Flowing Well Duration of Pump Test (mining Duration of Pump Test (mining Duration of Pump Test (mining Set Below Land Surface Pumping Water Level (B):	lumber of Stages: <u>1</u> mum 4 hours): Ho Feet Below Land Surfa
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> Measured shut in head:	Irral Gas Tractor PTO Windmill Other (describe Setting Depth: 70' feet N Pump Test Data for Non Flowing Well Duration of Pump Test (mining Duration of Pump Test (mining Duration of Pump Test (mining Set Below Land Surface Pumping Water Level (B):	lumber of Stages: <u>1</u> mum 4 hours): Ho Feet Below Land Surfa Gallons Per Min re):
Horse Power Rating of Motor: 60	Irral Gas Tractor PTO Windmill Other (describe Setting Depth: 70' feet N Pump Test Data for Non Flowing Well Duration of Pump Test (mining Duration of Pump Test (mining Duration of Pump Test (mining Set Below Land Surface Pumping Water Level (B):	lumber of Stages: <u>1</u> mum 4 hours): Ho Feet Below Land Surfa Gallons Per Min re):
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with a Meter Manufacturer:	Irral Gas Tractor PTO Windmill Other (describe) Setting Depth: 70' feet N Pump Test Data for Non Flowing Well Duration of Pump Test (mining) Duration of Pump Test (mining) Duration of Pump Test (mining) Set Below Land Surface Pumping Water Level (B):	Jumber of Stages: 1 mum 4 hours): Ho Feet Below Land Surfa Gallons Per Min Gallons Per Min hours of pumping
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> Measured shut in head: Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name:	Irral Gas Tractor PTO Windmill Other (describe) Setting Depth: 70' feet N Pump Test Data for Non Flowing Well Duration of Pump Test (mining) Duration of Pump Test (mining) Duration of Pump Test (mining) Set Below Land Surface Pumping Water Level (B):	Jumber of Stages: 1 mum 4 hours):
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement <i>(check one)</i> : Metasured shut in head: Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fact	Irral Gas Tractor PTO Windmill Other (describe) Setting Depth: 70' feet N Pump Test Data for Non Flowing Well Duration of Pump Test (mining) Duration of Pump Test (Mining) Duration of Pump Test (mining) Set Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describ) Pump Test Data for Flowing Well Feet a drawdown of	Jumber of Stages: 1 mum 4 hours): Ho Feet Below Land Surfa Gallons Per Min Gallons Per Min hours of pumping
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): Metasured shut in head: Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fact	Irral Gas Tractor PTO Windmill Other (describe) Setting Depth: 70' feet N Pump Test Data for Non Flowing Well Duration of Pump Test (mining) Duration of Pump Test (mining) Duration of Pump Test (mining) Set Below Land Surface Pumping Water Level (B):	Jumber of Stages: 1 mum 4 hours): Ho Feet Below Land Surfa Gallons Per Min Gallons Per Min hours of pumping
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement <i>(check one)</i> : Metasured shut in head: Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fact	Irral Gas Tractor PTO Windmill Other (describe) Setting Depth: 70' feet N Pump Test Data for Non Flowing Well Duration of Pump Test (mining) Duration of Pump Test (mining) Duration of Pump Test (mining) Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describe) Other (describe) Pump Test Data for Flowing Well Feet a drawdown of	Jumber of Stages: 1 mum 4 hours): Ho Feet Below Land Surfa Gallons Per Min Gallons Per Min hours of pumping
Horse Power Rating of Motor: 60 Date Well Tested:	Iral Gas Tractor PTO Windmill Other (describe) Setting Depth: 70' feet N Pump Test Data for Non Flowing Well Duration of Pump Test (mining) bet Below Land Surface Pump Test Data for Flowing Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describ) Pump Test Data for Flowing Well Feet a drawdown of feet Installation Meter Installation Type of Meter: Type of Meter: tor (AF x .001, gal x 1000, etc): Meter installed by: paired Replacement information you are certifying that this meter was installed	Jumber of Stages: 1 mum 4 hours):
Horse Power Rating of Motor: 60 Date Well Tested:	Iral Gas Tractor PTO Windmill Other (describe) Setting Depth: 70' feet N Pump Test Data for Non Flowing Well Duration of Pump Test (mining) bet Below Land Surface Pump Test Data for Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describ) Pump Test Data for Flowing Well Feet a drawdown of feet Installation Meter Installation Type of Meter: tor (AF x .001, gal x 1000, etc): meter installed by: paired Replacement information you are certifying that this meter was installation wells, a list of approved meters is on the MDEQ well	Jumber of Stages: 1 mum 4 hours):
Horse Power Rating of Motor: 60 Date Well Tested:	Iral Gas Tractor PTO Windmill Other (describe) Setting Depth: 70' feet N Pump Test Data for Non Flowing Well Duration of Pump Test (mining) bet Below Land Surface Pump Test Data for Flowing Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describ) Pump Test Data for Flowing Well Feet a drawdown of feet Installation Meter Installation Type of Meter: Type of Meter: tor (AF x .001, gal x 1000, etc): Meter installed by: paired Replacement information you are certifying that this meter was installed	Jumber of Stages: 1 mum 4 hours):
Horse Power Rating of Motor: 60 Date Well Tested:	Irractor PTO Windmill Other (describe) Setting Depth: 70' feet N Pump Test Data for Non Flowing Well Duration of Pump Test (mining) Duration of Pump Test (mining) Duration of Pump Test (mining) Set Below Land Surface Pumping Water Level (B):	Jumber of Stages: 1 mum 4 hours):

##