County:	Tallahatchie	
Permit #:	GW-48559	
Driller:	Irrigation Eq	uipment
Date drill	ing completed:	11/03/2014

STATE WELL REPORT

Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309

Jackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)

For	Office Use Only:
Vell #:	Y 195
Aquifer:	
E-Log #:	

State Law requires that this report be prepared by the license holder responsible for the work and filed with the

	npletion of drilling of the well or borehole.
Well Owner Information (Landowner if borehole is not for a water well)	Well or Borehole Location
Owner Name: M and W Partnership	Latitude: 33 49' 03.1 N Longitude: 90 10' 40.2 W
Mailing Address: 219 Mudline Road	Method of Lat/Long (check one): Conventional Survey,
	☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS
Oakland Ms 38948	SW 14 NE 14, Sec 34 T 23 N R 1 E
City State Zip code	
Telephone No. () -	6 Miles South of Tippo (Distance) (Direction) (Nearest Town)
Well / Bo	orehole Data
Date drilling started:	11/03/2014 Hole depth: 101' Hole diameter: 18"
Location of the source of any surface water used for drilling:	Surface Water
Method of dosing and volume of Chlorine used in drilling and de-	velopment: 50 PPM
Logs run (check all applicable): ☑ No log run ☐ Electric ☐ Gar	mma Ray 🗌 Density 🗎 Sonic 🗎 Neutron 🔲 Other:
•	Other (describe)
If drilling is not related to water well co	nstruction, skip the remainder of this block
Purpose of Well <i>(check all applicable)</i> : ☐ Home ☐ Industrial ☐	Public Supply ☑ Irrigation ☐ Fish Culture
Other (describe):	
Other (describe): If a flowing well, method of flow regulation: Valve	Other (describe)
☐ Other (describe): If a flowing well, method of flow regulation: Valve Static Water Level: 21' feet [☐ above or ☒ bel (check one)	4410.4100.4.4
If a flowing well, method of flow regulation: Valve Static Water Level: 21' feet [□ above or ☒ bel	low] land surface Date measured: 11/04/2014
If a flowing well, method of flow regulation: Valve Static Water Level: 21' feet [above or bel (check one) Method of Measurement (check one) Steel tape Electric ta	low] land surface Date measured: 11/04/2014
If a flowing well, method of flow regulation: Valve Static Water Level: 21' feet [above or bel (check one) Method of Measurement (check one) Steel tape Electric ta	ow] land surface Date measured:
If a flowing well, method of flow regulation: Valve Static Water Level: 21' feet [□ above or ☒ bel (check one) Method of Measurement (check one) ☒ Steel tape □ Electric ta Well depth: 101' Well grouted to a depth of: 10' fee	ow] land surface Date measured:
If a flowing well, method of flow regulation: Valve Static Water Level: 21' feet [□ above or ⋈ bell (check one)] Method of Measurement (check one) ⋈ Steel tape □ Electric ta Well depth: 101' Well grouted to a depth of: 10' feet Casing length: 61" feet Casing diameter: 10	ow] land surface Date measured: 11/04/2014 ape ☐ Air line ☐ Other: (describe) et Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix inches Type of casing: PVC inches Type of screen: PVC
If a flowing well, method of flow regulation: Valve Static Water Level: 21' feet [above or belocheck one) Method of Measurement (check one) Steel tape Electric ta Well depth: 101' Well grouted to a depth of: 10' feet Casing length: 61" feet Casing diameter: 10 Screen length: 40' feet Screen diameter: 10 Screen slot size: .050 inches Setting depth	ow] land surface Date measured: 11/04/2014 ape ☐ Air line ☐ Other: (describe) et Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix inches Type of casing: PVC inches Type of screen: PVC h: From 622
If a flowing well, method of flow regulation: Valve Static Water Level: 21' feet [□ above or ⋈ bell (check one)] Method of Measurement (check one) ⋈ Steel tape □ Electric ta Well depth: 101' Well grouted to a depth of: 10' feet Casing length: 61" feet Casing diameter: 10 Screen length: 40' feet Screen diameter: 10	ow] land surface Date measured: 11/04/2014 ape ☐ Air line ☐ Other: (describe) et Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix inches Type of casing: PVC inches Type of screen: PVC h: From 622
If a flowing well, method of flow regulation: Valve Static Water Level: 21' feet [□ above or ⋈ belincheck one) Method of Measurement (check one) ⋈ Steel tape □ Electric ta Well depth: 101' Well grouted to a depth of: 10' feet Casing length: 61" feet Casing diameter: 10 Screen length: 40' feet Screen diameter: 10 Screen slot size: .050 inches Setting depth Type of completion (check all applicable): ⋈ Gravel packed □ to	ow] land surface Date measured: 11/04/2014 ape ☐ Air line ☐ Other: (describe) et Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix inches Type of casing: PVC inches Type of screen: PVC h: From 622

County: Tallahatchie Permit #: GW-48559		For Office Use Well #: 91999	Only:
The sketch below only required for water wells	Description of formations enc	countered must be provided for a	ill wells
If well telescopes, show depths on sketch.	and boreholes, unless specific	ally exempted by regulations	
	Description of Formations E	ncountered From (depth)	To (depth)_
Ground level	Clay	Ground level	23
	Fine Sand	24	33
	Fine Sand & Gravel	34	47
	Medium Sand & Grav		97
•	Clay	98	101
			1
			1
			+
			
			-
If more than one screen, show location of each on sketch			
Sketch the property layout and include the following: 1) the well location 2) any permanent structures on the property that r 3) any roads, power lines, or other items that may 4) a north arrow	nay aid in locating the well aid in locating the property and th	ne well	
Landowner Name: M and W Partnership			SWR-1A (04/08)
I HEREBY CERTIFY that the well/borehole was drilled, requirements of the Mississippi Department of Environi if applicable, and state laws.	constructed, and completed in acmental Quality and the Massissipp	ccordance with all applicable i Department of Health regular	tions,
Patrick Chism 0695	11/25/2014		22
Print Name of Responsible Licensee and License No.	Date	Signature of Licensee	KECEN

DEC 04 2014

Signature of Licensee Form: OLWR-SWR-1A (4/13)



County: Tallahatchie GW-48559 Permit #: **Driller:** Irrigation Equipment Date drilling completed: 11/03/2014

STATE WELL REPORT Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309 Jackson, MS 39225-2309 (601) 961-5210

For	Office Use Only:
Well #:	PPH 915
Aquifer:	

Copy information from block on Part 1 (601) 360-0535 (fax)

Well Owner Information	ts filed with the Department at the above address within 30 days of well completion. Well Location
Owner Name: M and W Partnership	Latitude: 33 49' 03.1 N Longitude: 90 10' 40.2 W
Mailing Address: 219 Mudline Road	Method of Lat/Long (check one): Conventional Survey,
	☐ USGS quad, ☒ Hand-held GPS, ☐ Survey-grade GPS
Oakland Ms	38948 SW 1/4 NE 1/4, Sec 34 T 23 N R 1 E
City State	Zip code
Telephone No. () -	6 Miles South of Tippo (Distance) (Direction) (Nearest Town)
	Pump Type (check one)
☑ Submersible ☐ Turbine ☐ Air Lift ☐ Centr	trifugal Flowing Well Jet Piston Rotary Other (describe):
	Rated Pump Capacity: 550+/- Gallons Per Minut
Is This Pump (check one): New 🗌 Repaire	
	Power Type (check one)
	Gas 🗆 Tractor PTO 🗀 Windmill 🗀 Other (describe):
Horse Power Rating of Motor: 15	Setting Depth: 70' feet Number of Stages: 1
	Pump Test Data for Non Flowing Well
Date Well Tested:	· · · · · · · · · · · · · · · · · · ·
DULC TTOIL I COLCU.	Datation of Lamp Coc (Illimination Thouse). 1100
Static Water Level (A): Feet Bo	Below Land Surface Pumping Water Level (B): Feet Below Land Surfa
Static Water Level (A): Feet Both Drawdown [(B) - (A)]: Feet Both	Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Gallons Per Minu
Static Water Level (A): Feet Both Drawdown [(B) - (A)]: Feet Both	Below Land Surface Pumping Water Level (B): Feet Below Land Surface tet Below Land Surface Test Pumping Rate: Gallons Per Minutel tape
Static Water Level (A): Feet Bo Drawdown [(B) - (A)]: Feet	Below Land Surface Pumping Water Level (B): Feet Below Land Surfacet Below Land Surface Test Pumping Rate: Gallons Per Minutel tape
Static Water Level (A): Feet Both Both Both Both Both Both Both Bot	Below Land Surface Pumping Water Level (B): Feet Below Land Surfacet Below Land Surface Test Pumping Rate: Gallons Per Minutel tape
Static Water Level (A): Feet Both Both Both Both Both Both Both Bot	Below Land Surface Pumping Water Level (B): Feet Below Land Surface tet Below Land Surface Test Pumping Rate: Gallons Per Minurel tape
Static Water Level (A): Feet Both Drawdown [(B) - (A)]: Feet Method of measurement (check one): □ Steet Measured shut in head: Feet Measured shut in head: Feet Both Drawdown [(B) - (A)]:	Below Land Surface Pumping Water Level (B): Feet Below Land Surface tet Below Land Surface Test Pumping Rate: Gallons Per Minusel tape _ Electric tape _ Air line _ Other (describe): Pump Test Data for Flowing Well eet hours of pumping
Static Water Level (A): Feet Both Drawdown [(B) - (A)]: Feet Method of measurement (check one): _ Steet Measured shut in head: Fe Well yielded GPM with a drawdeter Manufacturer:	Below Land Surface Pumping Water Level (B): Feet Below Land Surface tet Below Land Surface Test Pumping Rate: Gallons Per Minurel tape _ Electric tape _ Air line _ Other (describe): Pump Test Data for Flowing Well eet hours of pumping Meter Installation
Static Water Level (A): Feet Both Drawdown [(B) - (A)]: Feet Method of measurement (check one): _ Steet Measured shut in head: Few Well yielded GPM with a drawdeter Manufacturer:	Below Land Surface Pumping Water Level (B): Feet Below Land Surface tet Below Land Surface Test Pumping Rate: Gallons Per Minusel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well eet hours of pumping Meter Installation Meter Serial Number: Type of Meter: Type of Meter: Type of Meter: Type of Meter Serial Number: Type of Meter: Type of Meter: Type of Meter Serial Number: Type of Meter: Type of Meter: Type of Meter: Type of Meter Serial Number: Type of Meter:
Static Water Level (A): Feet Both Drawdown [(B) - (A)]: Feet Method of measurement (check one): _ Steet Measured shut in head: Fe Well yielded GPM with a drawdeter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (A)	Below Land Surface Pumping Water Level (B): Feet Below Land Surface tet Below Land Surface Test Pumping Rate: Gallons Per Minusel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well eet hours of pumping Meter Installation Meter Serial Number: Type of Meter: Type of Meter: Type of Meter: Type of Meter Serial Number: Type of Meter: Type of Meter: Type of Meter Serial Number: Type of Meter: Type of Meter: Type of Meter: Type of Meter Serial Number: Type of Meter:
Static Water Level (A): Feet Both Drawdown [(B) - (A)]: Feet Method of measurement (check one): □ Steet Measured shut in head: Feet Measured shut in head: Feet Meter Manufacturer: Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (All Installation Date: Meter Meter Meter Meter Model Number/Name: Meter Meter Meter Model Number/Name: Meter Meter Meter Meter Multiplier Factor (All Installation Date: Meter Meter Meter Meter Meter Meter Multiplier Factor (All Installation Date: Meter Meter Meter Meter Meter Meter Meter Multiplier Factor (All Installation Date: Meter Me	Below Land Surface Pumping Water Level (B): Feet Below Land Surface tet Below Land Surface Test Pumping Rate: Gallons Per Minutel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well eet hours of pumping Meter Installation Meter Serial Number: Type of Meter: Type of Meter: tetr installed by: tetr installed by: tetr installed by: tetr installed feet after tetr installed tetr installed feet after tetr installed tetr installed feet after tetr installed feet after tetr installed feet after
Static Water Level (A): Feet Both Drawdown [(B) - (A)]: Feet Both Method of measurement (check one): _ Steet Method of measurement (check one): _ Steet Measured shut in head: Feet Me	Below Land Surface Pumping Water Level (B): Feet Below Land Surface tet Below Land Surface Test Pumping Rate: Gallons Per Minutel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well eet hours of pumping Meter Installation Meter Serial Number: Type of Meter: Type of Meter: tetr installed by: tetr installed by: tetr installed by: tetr installed feet after tetr installed tetr installed feet after tetr installed tetr installed feet after tetr installed feet after tetr installed feet after
Static Water Level (A): Feet Both Drawdown [(B) - (A)]: Feet Method of measurement (check one): _ Steet Measured shut in head: Fe Well yielded GPM with a drawdeter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (All Installation Date: Meter Meter (check one): _ New _ Repaired Important: By submitting the above informaticultural for agricultural for agricultural content of the state of the	Below Land Surface Pumping Water Level (B): Feet Below Land Surface tell Below Land Surface Test Pumping Rate: Gallons Per Minuted tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well eet hours of pumping Meter Installation Meter Serial Number: Type of Meter: Type of Meter: (AF x .001, gal x 1000, etc): ter installed by: ter installed by: ter installed by: term term Replacement formation you are certifying that this meter was installed to manufacturer standards. all wells, a list of approved meters is on the MDEQ website.
Static Water Level (A): Feet Both Drawdown [(B) - (A)]: Feet Both Method of measurement (check one): _ Steet Method of measurement (check one): _ Steet Measured shut in head: Feet Method of measurement (check one): _ Steet Measured shut in head: Feet Both Measured shut in hea	Below Land Surface Pumping Water Level (B): Feet Below Land Surface tell Below Land Surface Test Pumping Rate: Gallons Per Minuted tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well eet hours of pumping Meter Installation Meter Serial Number: Type of Meter: Type of Meter: (AF x .001, gal x 1000, etc): ter installed by: ter installed by: ter installed by: term term Replacement formation you are certifying that this meter was installed to manufacturer standards. all wells, a list of approved meters is on the MDEQ website.

DEC 0 4 2014