State Well Report			
County: Jallahatchie Pa	art 1 – Driller's Log	For Office Use Only:	
Permit #: 6-W-44063 Mississippi D	epartment of Environmental Quality	Aquifer: 39	
Irrigation Equipment	of Land and Water Resources P.O. Box 2309	Well #:	
	Jackson, MS 39225	<u> </u>	
Date drilling completed: 4-15-10	(601)961-5210 (601)961-5228 (fax)	L. S. Elevation:	
	(601)961- 5228 (fax)	E-log #:	
State Law requires that this report be prepared by	by the license holder responsible for	the work and filed with the	
Department at the above address within 30 days Information on Well Owner	s of completion of drilling of the well	or borehole.	
(Landowner if borehole is not for a water well)		orehole Location	
Owner Name John Roberson Sr.			
Mailing Address: 1198 Tippo Roa	Method of Lat/Long (circle or		
, ,	USGS quad, Hand-held	GPS Survey-grade GPS	
Philipp Ms. 38950 NW 1/NE 1/ Sec 30		Twn 23W Rng 2 E	
,	de Distance DirectionMiles	Nearest Town	
Telephone No. ()		·	
	ell / Borehole Data		
Date drilling started: 47540 Date drilling completed:	<u>4-15-10</u> Hole depth: <u>88</u>	Hole diameter: 24"	
Location of the source of any surface water used for drilling Method of dosing and volume of Chlorine used in drilling	g: Surface Water and development: 50 PPM		
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):			
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump			
Seismic Survey Other (describe)			
If drilling is not related to water well construction, skip the remainder of this block			
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:			
If a flowing well, method of flow regulation: Valye Other (describe)			
Static Water Level: 10' feet above of below (circle one) land surface Date measured: 4-16-10			
Method of Measurement (circle one) steel tape electric tape air line other:			
Well depth: 88 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix			
Casing length: 48 feet Casing diameter: 16 inches Type of casing: PVC			
Screen length: 40 feet Screen diameter: 16 inches Type of screen: PVC			
Screen slot size: <u>. 050</u> inches Setting depth: From <u>. 49</u> feet to <u>. 88</u> feet			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):			

Top of lap pipe or reduction in casing: ____

Form: OLWR-SWR-1A (04/08)

feet. If telescoped or more than one screen, describe on next page

The sketch	helaw anh	required for	water walls
A INC SMELLIS	DELUM UILLV	reuuireu ior	water wells

	Q39
Description of formations encountere	\
wells and boreholes, unless specifical	

lf well telescopes, show depths on sketch.	
Ground Level	Description of Formations Encountered From (depth) To (depth
	Clay Ground Level 19
	Fine Sand + Grave 20 38
	Medium Sand + Grave 39 69
	Medium Sand 70 78
	Medium Sand + Gravel 79 86
	Clay 87 88
·	
· •	

·
i

711111	STATE WELL REPORT		7 07 5 0	
county: Tallahatchie	Part 2		For Office Use Only:	
Permit#: <u>GW-44063</u> Irrigation Equipment	Pump Installer	's Completion Report	Aquifer: \bigcirc 3 9	
Irrigation Equipment	Mississippi Departme	nt of Environmental Quality	$ \times$ $^{\prime}$ $^{\prime}$	
Driller:		and Water Resources	Well#:	
Date completed: 4-15-10		. Box 2309 n, MS 39225		
1		n, MS 39223)961-5210	Elevation:	
Corr information from block on Part 1		61-5228 (fax)	'	
This part of the report must be completed	hv a licensed water water	continuotos en alta t		
report must be attached and both parts fil	ed with the Department	contractor or a licensed pump in	staller. A copy of Part 1 of the	
Well Owner Information	tion		Location	
I		VY GD	Location	
Owner Name: John Rober:	son dr.	Latitude:	Longitude:	
Mailing Address: 1198 Tipp	a R = 1			
Maining Address: 11 10 1100	Negd	Method of Lat/Long (check on	e): Conventional Survey,	
		USGS mad Hand but	USGS quad, Hand-held GPS, Survey-grade GPS	
$\Omega(M)$ M_{Λ}	20000	1		
City State	Ms. 38950 NW 4 NE 4		30 t23Nr 2E	
i e		Distance Direction	Nearest Town	
Telephone No. ()		Distance Direction Miles of	TIDDO	
Pump Type				
Circle one			ver Type	
Air Lift Jet	Submersible	Y =	rcle one Engine Natural Gas	
Durchest my			Traiting Gas	
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO	
Centrifugal Rotary	Flowing Well	Windmill Other (s	specify):	
Other (specify):	Horse Power Rating of Motor: 60		60	
Date Pump Installed: 4-16-				
•	1000			
Rated Pump Capacity: 2300 ±	Rated Pump Capacity: 2300 ± Gallons Per Minute Number of Stages:		7	
Pump Test Data Date Well Tested:	``\	Method of Mea	suring Water Level	
Date Well Tested:	.,		cle one	
Static Water Level (A):Feet	Below Land Surface	All Line Electric Meas	uring Line Steel Tape	
		Other (specify):		
Pumping Water Level (B):Feet I	Below Land Surface	1 2 2		
Drawdown [(B) – (A)]:Feet	Below Land Surface	For flowing well, measured shu	t in head:feet	
Test Pumping Rate:	Gallons Per Minute	Well yielded		
Duration of Pump Test (minimum 4 hours):				
The state of the s	nours	teet after	hours of pumping	
		L.,		
·				
This is for (circle one): New Well Replacement of Existing Pump Repair of Existing Pump				
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.				
	Patrick M. Chism 0695			
Print Name of Pump Installer and License N	No. (if applicable) Signature of Pump Installer			
Form: OLWR-SWR-1C (07-09)				
, Sini. Serati-State (01-03)				