1	\	For Office Use Only		For Office Use Only:	
	County: Tate	Part 1 – Driller's Log		•	
	Permit #:	Mississippi Department of Environmental Quality Office of Land and Water Resources		Aquifer:	
	Driller: Janes W. Moson		lox 10631	Well #: B 186	
		Jackson, M	S 39289-0631	L. S. Elevation:	
	Date drilling completed: 8-33-07		961-5210		
Ì		[(601)354	1-6938 (fax)	E-log #:	
	State Law requires that this repor	rt be prepared by the lice	ense holder responsible for t	he work and filed with the	
	Department at the above address	within 30 days of comp			
l	Information on Well (Well or Bo	rehole Location	
ļ	(Landowner if borehole is not fo	·	Latitude: 34 . 41 . 185	" Longitude: 89° 56', 534"	
	Owner Name Brent Barto	22	11	32	
	Mailing Address: Lot 5		Method of Lat/Long (circle on	_ .	
	allowhend	trace Sub	USGS quad Hand-held GPS, Survey-grade GPS		
	arrowhend trace Sub		NE 1/2 Sw 1/4 Sec 33 Twn 45 Rng 7w		
	Caldwoter ~ City Sta	te Zip Code	Distance Direction	Nearest Town	
l	Telephone No. (901) 461- 548	2	4 Miles Sw	Nearest Town of Antioch	
L	Telephone No. (181) 161- 340				
		Well / Borel			
	Date drilling started: 8-33-67 Date dr	illing completed: 8-93-	0) Hole depth: 165'	Hole diameter: 63/4	
	Location of the source of any surface water	er used for drilling: NA			
Method of dosing and volume of Chlorine used in drilling and development: A					
	Logs run (circle all applicable): No log ru	Electric Gamma Ray	Density Sonic Neutron	Other:	
	Name of organization running log(s):	M			
	Purpose of borehole (check one): Water W	ell Geotechnical/Geolo	gical Investigation Ground	Source Heat Pump	
	Seismic S	Survey Other (describe)		RECEIV	
	If drilling is not related	to water well construction	, skip the remainder of this blo	ock CE-VE	
	Purpose of Well (check one): Home 🗸 I	ndustrial Public Supply	Irrigation Fish Culture	Other: BY: Other	
				BY	
The flowing went, medical of now regulation: ValveOther (describe)					
Method of Measurement (circle one) steel tape electric tape air line other: String luneignt					
Well depth: 165 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix					
Casing length: 147 feet Casing diameter: 4 inches Type of casing: 000					
Screen length: 30 feet Screen diameter: 4 inches Type of screen: puc					
	Screen slot size: 010 inches Setting depth: From 145 feet to 165 feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development					
Other (describe):					
	Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page				
ı					

State Well Report Part 1 – Driller's Log

Form: OLWR-SWR-1A

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Gro	ound Level.	K	

<u>Description of formations encountered must be provided for all</u> wells and boreholes, unless specifically exempted by regulations

From (depth)	To (depth)
Ground Level	30
36	60
60	08
80	100
100	130
130	165
	Ground Level 30 60 80 100

If more than one screen, show location of each on sketch

aid in locating the well; 3) any roads, power	he well location; 2) any permanent structures on the property that may lines, or other items that may aid in locating the property and the well;
4) a north arrow.	© RECEIL
	RECEIVED SEP 2 4 2007 BY: OLWA
	By: 01 2007
house	OLWA
	9
3	
9	
3	1
Landowner Name: Brent Barton	

Form: OLWR-SWR-1A I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.

Jones W. Moson	0-630	9-20-07.	Jose W. Man-
Print Name of Responsible Licensee and License No.		Date	Signature of Licensee

STATE WELL REPORT Part 2 Tate County: For Office Use Only: **Pump Installer's Completion Report** Mississippi Department of Environmental Quality Permit # Aquifer: Office of Land and Water Resources Driller: Jones w Moson P.O. Box 10631 Well #: Jackson, MS 39289-0631 Date completed: 8-34-07 (601)961-5210 Elevation: (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Latitude: 34.41.195 Longitude: 89.56.534 Owner Name: Break Borton Mailing Address: Method of Lat/Long (check one): Conventional Survey USGS quad , Hand-held GPS —, Survey-grade GPS____ NE 1/5W 1/8ec 33 T & R 7W Distance Direction Nearest Town Telephone No. (901) 461 - 5483 4 Miles SW of Anticch Pump Type Power Type Circle one Circle one Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Electric Motor Hand Tractor PTO RECEIVED SEP 2 4 2007 OLWA Centrifugal Rotary Flowing Well Windmill Other (specify): Other (specify): Horse Power Rating of Motor: A-24-07 Date Pump Installed: Setting Depth: 90 Rated Pump Capacity: Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: 8-24-07 Air Line Electric Measuring Line Steel Tape Static Water Level (A): 57 Feet Below Land Surface Other (specify): String | weight Pumping Water Level (B): NA Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface For flowing well, measured shut in head: 06 90 Test Pumping Rate: GPM with a drawdown of Gallons Per Minute Well yielded Duration of Pump Test (minimum 4 hours): $\partial \mathcal{A}$ ∂4 hours of pumping feet after

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

lones w. Moson

Print Name of Pump Installer and License No. (if applicable)

0-620

Form: OLWR-SWR-1B

٠٠٠ - ٨٧٠

Signature of Pump Installer