State W	Vell Report
County: 7cte Part 1 - I	Priller's Log For Office Use Only:
Mississippi Departmen	t of Environmental Quality   Aquifer:
I I	and Water Resources  Well #: C-250
Driller: James W. 14 lasan	30x 10031
·	1S 39289-0631   L. S. Elevation:
,	4-6938 (fax) E-log #:
State Law requires that this report be prepared by the lic Department at the above address within 30 days of comp	ense holder responsible for the work and filed with the pletion of drilling of the well or borehole.
Information on Well Owner	Well or Borehole Location
(Landowner if borehole is not for a water well)	Latitude 34 . 41 , 724 " Langitude: 89 . 48 , 282 "
Owner Name Hardy Schran	Lantide: Ungride: 07 10 000 12
Mailing Address: 471 mt Zoin 18	Latitude: 34 ° 41 ', 774" Longitude: 89 ° 48 282"  Method of Lat/Long (circle one): Conventional Survey,
	USGS quad, Mand-held GPS Survey-grade GPS
T	Sw 1/2 NE 1/2 Sec 35 Twn 45 Rng low
Independence MS 38638 City State Zip Code	Distance Direction Nearest Town
•	314 Miles SE of independence
Telephone No. (99) 603-5617	
Well / Bore	hole Data
Date drilling started: 11-22-60 Date drilling completed:	i e e e e e e e e e e e e e e e e e e e
Location of the source of any surface water used for drilling:	
Logs run (circle all applicable): log run Electric Gamma Ray Name of organization running log(s):	Density Sonic Neutron Other:
Purpose of borehole (check one): Water WellGeotechnical/Geol	ogical Investigation Ground Source Heat Pump
Seismic SurveyOther (describe	
If drilling is not related to water well construction	n, skip the remainder of this block
Purpose of Well (check one): HomeIndustrial Public Supply	Irrigation Fish Culture Other:DEC1 1 2006
If a flowing well, method of flow regulation: Valve $\sim 7$	other (describe)
Static Water Level: 7 4 feet above to below circle one)	land surface Date measured: 13-4-06 OLWA
Method of Measurement (circle one) steel tape electric tape	air line other: String I weight
Well depth: 170 Well grouted to a depth of 10 feet Type	of grout (circle one): Neat Cement Bentonite Mix
Casing length: 160 feet Casing diameter: 4	
Screen length: 10 feet Screen diameter: 4	inches Type of screen:
Screen slot size:inches	160 feet to 170 feet
Type of completion (circle all applicable): Gravel packed Under	reamed Telescoped Open hole Natural Development
Other (describe):	MA
Top of lap pipe or reduction in casing:feet. If te	lescoped or more than one screen, describe on next page

## The sketch below only required for water wells

## If well telescopes, show depths on sketch. Ground Level

<u>Description of forma</u>	<u>itions encountered</u>	must be pro	<u>vided for all</u>
wells and boreholes,	unless specifically	exempted b	by regulations

Description of Formations Encountered	From (depth)	To (depth)
clay dirt	Ground Level	10
(Cd Soud	10	38
while clay	98	35
white soud	35	70
white clay	70	74
ushife soud.	74	170
		1
	+	
		+
	+	1
	+	
L		

If more than one screen, show location of each on sketch

Sketch the property layout and inclusion in locating the well 4) a north arrow.	ade the following: 1) 1; 3) any roads, pow	er lines, or other items	ny permanent that may aid i	structures on the property that may in locating the property and the well;  RECEIVED  DEC 1 1 2006  BY: OLWR
Landowner Name: Hordy	Schron	8	_3	Form: OLWR-SWR-1A

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No. Date

Signature of Licensee

	STATE WEL	L REPORT	
County: Tate	Par	t 2	For Office Use Only:
	Pump Installer's C	ompletion Report	For Office Ose Only:
Permit #:	Mississippi Department of Environmental Quality		Aquifer:
Driller: Janes w. Maser	Office of Land and		
	P.O. Box		Well #: <b>C</b> - 250
Date completed: 12-4-06	Jackson, MS		Well #
	(601)96 (601)354-6		Elevation:
Copy information from block on Part 1	(001)334-0	1930 (lax)	
This part of the report must be completed by report must be attached and both parts file.	by a licensed water well con d with the Department at th	stractor or a licensed pump i he above address within 30 d	installer. A copy of Part 1 of the lays of well completion.
Well Owner Informati			ll Location
Owner Name: Hardy Schron		Latitude: 34.41.774	Longitude: 89 · 48 · 383
Mailing Address: 471 mt Zoic	<u>~ rd</u> _ N	Method of Lat/Long (check o	ne): Conventional Survey,
		USGS quad, Hand-held	GPS , Survey-grade GPS
Tudependence M. State	38638	<u>5W 1/4 NE 1/4 Sec 35</u>	5 T 4s R 6ω
City State	I		Nearest Town
Telephone No. (961) 603-501	<u> </u>	3/4 Miles SE o	of independence
Pump Type Circle one			ower Type Circle one
Air Lift Jet			ne Engine Natural Gas
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO
Centrifugal Rotary	Flowing Well	Windmill Other	(specify):
Other (specify):	I	Horse Power Rating of Motor	ECEI
Date Pump Installed:	-06 S	Setting Depth:	feet DEC 112
Rated Pump Capacity: 1 3	Gallons Per Minute	Number of Stages:	(specify):
Pump Test Data		Method of M	easuring Water Level
Date Well Tested: 12-4-06			
tatic Water Level (A): 74 Feet	Below Land Surface		asuring Line Steel Tape
Pumping Water Level (B): Feet F	Below Land Surface	Other (specify): _ String	) (weight
Orawdown [(B) – (A)]:Feet 1	Below Land Surface	For flowing well, measured s	thut in head:feet
Test Pumping Rate:	Gallons Per Minute	Well yielded 12	GPM with a drawdown of
Duration of Pump Test (minimum 4 hours):	<u>ay</u> hours	feet after_	hours of pumping
I HEREBY CERTIFY that the above statem  Jones w. Masaw  Print Name of Pump Installer and License N	0-620	ny knowledge. Signature of Pump I	nstaller

Form: OLWR-SWR-1B