County: Tate		Priller's Log	For Office Use Only:			
	Mississippi Department of Environmental Quality		Aquifer:			
Permit #:	Office of Land and Water Resources P.O. Box 10631		Well#: <u> </u>			
Driller: Jones W. Mason	Jackson, M	L. S. Elevation:				
Date drilling completed: 2-23-07	(601)	L. S. Elevation:				
	(601)354	54-6938 (fax) E-log #:				
State I am neguines that this nemer	ut ha muamanad hu tha lia	, ua a haldan nagnangihla fan 4	havenband filed with the			
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.						
Information on Well (			rehole Location			
(Landowner if borehole is not fe	or a water well)	Taking 34 0 45-160	09			
Owner Name Bort Scruggs		Latitude: 34 ° 45 -, 160 "Longitude 89 ° 49 , 603 "  Method of Lat/Long (circle one): Conventional Survey, 36				
Mailing Address: 169 Embry						
		USGS quad, Hand-held	GPS. Survey-grade GPS			
	0.00	SE 4 HW 4 Sec 10	Twn 45 Rng 6w			
City Sta	38618					
City Sta	te Zip Code	Distance Direction  Number 112				
Telephone No. (663) 560 - 808.	3	S IN INTICS	51 <u>1-5- 6-67 &amp; 6-5-</u>			
	117 W / P		,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
	Well / Bore					
Date drilling started: 3-33-07 Date dr	illing completed: 3-33-	Hole depth: 155'	Hole diameter: 63/4			
Location of the source of any surface water used for drilling:   Method of dosing and volume of Chlorine used in drilling and development:						
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:  Name of organization running log(s):						
Purpose of borehole (check one): Water W	ellGeotechnical/Geolo	ogical Investigation Ground	Source Heat Pump			
Seismic Survey Other (describe)						
,						
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:						
If a flowing well, method of flow regulation: Valve _ MA _ Other (describe)						
Static Water Level: 58 feet above of below (circle one) land surface Date measured: 3-36-07						
Method of Measurement (circle one) steel tape electric tape air line other: String lucigut						
Well depth: 155 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix						
Casing length: 135 feet Casing diameter:inches Type of casing:						
Screen length: <u>JO</u> feet Scre						
Screen slot size: _, O 10inches Setting depth: From 135feet to 155feet						
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development						
	Other (describe):	4				

Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page

**State Well Report** 

Form: OLWR-SWR-1A

The	sketch	below	only	required	for	water	wells

ľ	f well	tei	escopes,	show	depti	hs o	n si	<u>ketch</u>
	Gro	our	id Level		 7			

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
clay dirt.	Ground Level	15
arouel	15	30
white clay	30	60
white soud	60	155
L	<del></del>	i

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) aid in locating the well; 3) any roads, power 4) a north arrow.	the well location; 2) any permanent structures on the property ver lines, or other items that may aid in locating the property.	erty that may y and the well;
2 house	Gerose drive way	2
Landowner Name: Bort Scruggs	<u> </u>	

Form: OLWR-SWR-1A

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee RECEIVED

MAR 2 2 2007

BY: OLWR

## STATE WELL REPORT Part 2 County: Tate For Office Use Only: **Pump Installer's Completion Report** Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources Driller: Janes W. Maron P.O. Box 10631 Well #: Jackson, MS 39289-0631 Date completed: 3 - 26-07 (601)961-5210 Elevation: (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Owner Name: Bort Scruggs Latitude: 34. 45-160 Longitude: 89-49-603 Mailing Address: 169 Embry lave Method of Lat/Long (check one): Conventional Survey USGS quad\_\_\_\_\_, Hand-held GPS\_\_\_\_, Survey-grade GPS\_\_\_\_ SE 1/4 NW 1/2 Sec 100 T 45 RGW Distance Direction Nearest Town 212 Miles NW of New Gorden Telephone No. (663) 560 - 80 83 Pump Type Power Type Circle one Circle one Air Lift (Submersible Diesel Engine Gasoline Engine Natural Gas Jet Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Other (specify): \_ Rotary Flowing Well Windmill Horse Power Rating of Motor: Other (specify): 80 Date Pump Installed: 2-26-07 Setting Depth: 90 Rated Pump Capacity: Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: 2 - 36 - 07 Air Line Electric Measuring Line Steel Tape Static Water Level (A): 58 Feet Below Land Surface Other (specify): String lueight Pumping Water Level (B): NA Feet Below Land Surface Drawdown [(B) – (A)]: YA Feet Below Land Surface For flowing well, measured shut in head: NA feet 90 Test Pumping Rate: Gallons Per Minute GPM with a drawdown of Well vielded feet after Duration of Pump Test (minimum 4 hours): hours of pumping I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

ons w. Men

Signature of Pump Installer

Jones W. Mason 0-620

Print Name of Pump Installer and License No. (if applicable)

Form: PECEIVED

MAR 2 2 2007

BY: OLWR