	<b>State Well Report</b>	
TI		For Office Use Only:
County: /ate	Part 1 – Driller's Log	
	Mississippi Department of Environmental Quality	Aquifer:
Permit #:	Office of Land and Water Resources	well # C-263
Driller: James w. Mason	P.O. Box 10631	Well #: <u> </u>
	Jackson, MS 39289-0631	L. S. Elevation:
Date drilling completed: 7-21-07	(601)961-5210	
	(601)354-6938 (fax)	E-log #:

٦,

۰.,

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

Information on Well Owner	Well or Borehole Location				
(Landowner if borehole is not for a water well)	3.1				
Owner Name Johnother Shippley	Latitude: $34 \circ 44$ , $553$ Longitude: $89 \circ 48$ , $310$ Method of Lat/Long (circle one): Conventional Survey,				
Mailing Address: 324 wokefeild rd.	USGS quad, Hand-held GPS, Survey-grade GPS				
	NE 1/2 NW 1/4 Sec 14 Twn 45 Rng 6W				
City State Zin Code					
City State Zip Code	Distance Direction Nearest Town				
Telephone No. (662) 233 - 47 64	-10/4 Milles 01 000 vereita				
Well / Borehole Data					
Date drilling started: <u>7-21-07</u> Date drilling completed: <u>7-24-0</u>	Hole depth: $155^{\prime}$ Hole diameter: $6^{3/4}$				
Location of the source of any surface water used for drilling:					
Location of the source of any surface water used for drilling:					
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:					
Purpose of borehole (check one): Water Well 🟒 Geotechnical/Geological Investigation Ground Source Heat Pump					
Seismic SurveyOther ( <i>describe</i> )					
If drilling is not related to water well construction, skip the remainder of this block					
Purpose of Well (check one): Home 🗹 Industrial Public Supply Irrigation Fish Culture Other:					
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level: <u>36</u> feet above or felow (circle one) land surface Date measured: <u>7-34-07</u>					
Method of Measurement (circle one) steel tape electric tape air line other: String / weight					
Well depth: 155 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix					
Casing length: 145 feet Casing diameter: 4 inches Type of casing: puc					
Screen length: <u>10</u> feet Screen diameter: <u>4</u> inches Type of screen: <u>pvc</u>					
Screen slot size: .010 inches Setting depth: From 145 feet to 155 feet					
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development					
Other (describe):					
Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page					
L	Form: OLWR-SWR-1/				

AUG 2 0 2007 BY: OLVVR

C-263

## The sketch below only required for water wells


If well telescopes, show depths on sketch. Ground Level

• 1

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth) Ground Level	
clay dirt.		15
whete clay	15	3
white sand	35	15
· · · · · · · · · · · · · · · · · · ·	-	
		<u> </u>
		<u> </u>
······		
		1
	_	<u> </u>
	-	1
	·	+

If more than one screen, show location of each on sketch



I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Date

laws. َک . Mason 0-670 8-13-07

Print Name of Responsible Licensee and License No.

Signature of Licensee

AUG 2 0 2007 BY: OLWR

STATE WELL REPORT				
County:       Tate       Paraller's         Permit #:	For Office Use Only: Aquifer: Aquifer: Aquifer: Well #: <u>C-263</u> Well #: <u>C-263</u> Elevation: Elevation: Contractor or a licensed pump installer. A copy of Part 1 of the			
Caldwoler ny <u>38418</u> City State Zip Code Telephone No. (662) 233- 4764	USGS quad, Hand-held GPS_, Survey-grade GPS NE_ 4NW 4 Sec 14 T 4s R 6W Distance Direction Nearest Town 13/4 Miles W of Wokefeild.			
Pump Type Circle one         Air Lift       Jet         Bucket       Piston         Centrifugal       Rotary         Flowing Well         Other (specify):	Power Type Circle one         Diesel Engine       Gasoline Engine       Natural Gas         Electric Motor       Hand       Tractor PTO         Windmill       Other (specify):			
Date Pump Installed: フーライーの Rated Pump Capacity: しみ Gallons Per Minute	Setting Depth: &			
Pump Test DataDate Well Tested: $7 - \partial - 4 - o 7$ Static Water Level (A): $3 \zeta$ Feet Below Land SurfacePumping Water Level (B): $NA$ Feet Below Land SurfaceDrawdown [(B) - (A)]: $NA$ Feet Below Land SurfaceTest Pumping Rate:(a)Gallons Per MinuteDuration of Pump Test (minimum 4 hours): $\partial - 4$	Method of Measuring Water Level Circle one         Air Line       Electric Measuring Line       Steel Tape         Other (specify):       String [weight]       Steel Tape         For flowing well, measured shut in head:			

**.** .

- + x

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

 Jack
 Jack

AUG 2 0 2007 BY: OLWR