	State Well Re	port	
PAT:	Part 1		For Office Use Only:
County: TNTL	Mississippi Department of Envir	conmental Quality	Aquifer:
Permit #:	Office of Land and Water		
	P.O. Box 10631		Well #: D - 118
viller: 12 LANgfan L	Jackson, MS 39289-0631		
	(601)961-5210		L. S. Elevation:
Date drilling completed: 10-6-05	(601)901-5210 (601)354-6938 (fax)		E-log #:
		ax)	L-10g #.
State Law requires that this rep 30 days of completion of drilling	ort be prepared by the driller in of the well	detail and filed w	ith the Department within
Well Owner Information		Well Location	
wner Name RAY Freem	Latitude:	,	" Longitude:'
ailing Address: BLTT R		of Lat/Long (circle or	ne): Conventional Survey,
		USGS quad, Hand-held GPS, Survey-grade GPS	
City State Zip Code		4 Sec 7 a	Twn 4 S Rng 5 4
City St	Distance	Direction	Nearest Town
elephone No. ()	<u></u>	Miles 15-	of BeTT form
	Well Data		
\bigcirc		Eich Culture	Other
urpose of Well (circle one) Home Ind			
ate well drilling started:	05 Date well drillin	g completed: 10	-6-05
flowing, method of flow regulation: Va	lve Other (describe) _		
tatic Water Level:feet a	bove or below (circle one) land surface	e Date measured:_	10-6-05
lethod of Measurement (circle one) s	teel tape electric tape air li	ine other:	2
lole depth: 190 Well de			
ype of grout (circle one): Cement	$\langle \rangle$		
			0.10
asing length: <u>20</u> feet Case			
creen length: <u>10</u> feet Scr			
creen slot size: <u>.013</u> inches	Setting depth: From	feet to	feet
ype of completion (circle all applicable)	Gravel packed Underreamed	Telescoped Open	hole Natural Development
	Other (describe):		
op of lap pipe or reduction in casing:	feet. If telescoped of	or more than one scr	een, describe on back of page
ogs run (circle all applicable): No log r	an Electric Gamma Ray Density	Sonic Neutron	Other:
ame of organization running log(s):			
certify that the well was drilled, const	ructed, and completed in accordance	e with all applicable	requirements of the Mississipp
epartment of Environmental Quality			
eparament of Environmental Quanty	and a me transmippi separatione (0
6 1	0.4	1- 1	Langborer
EBARK LANgford	0-622	Flan	- Dango ver

RECEIVED OCT 14 2005 BY: OLWR If well telescopes please sketch below and show depths.



Description of Formations Encountered	From
DIDT	0
RISANE CARVEI + SANE MIK MO Mikelay SANE	10
Cravel + SANO Mix	20
10 min clay	130
SANC	140
	1
	-
	-

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well;
4) indicate direction.

Owen Haven BETT RO Landowner Name: RAY Ereeman

Jan

Signature of Water Well Contractor

OCT 1 4 2005 BY: OLWR

County:	STATE WELL REPORT Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Qualit Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)	Well #: D-118 Elevation:	
This report should be prepared by the installation of pump.	pump installer in detail and filed with the Depa	rtment within 30 days of the	
Well Owner Informatio	on	Well Location	
Owner Name: RRY ELECN	Latitude:	Longitude:	
Mailing Address: <u>BeTT</u> <u>R</u> <u>cold WATER</u> City State	USGS quad, USGS quad, <u>14</u> Zip Code Distance USGS quad, <u>14</u> USGS quad,	tion Nearest Town	
Pump Type Circle one		Power Type Circle one	
Air Lift Jet (Submersible Diesel Engine G	Gasoline Engine Natural Gas	
Bucket Piston	Turbine Electric Motor H	Hand Tractor PTO	
Centrifugal Rotary	Flowing Well Windmill O	Other (specify):	
Other (specify):	Horse Power Rating of M	Motor: 34	
Date Pump Installed: 10-6-0	S Setting Depth:	14 Ofeet	
Rated Pump Capacity: 12 +			
Pump Test Data Date Well Tested:	Method	Method of Measuring Water Level Circle one Air Line Electric Measuring Line Steel Tape Other (specify):	
Static Water Level (A):Feet B	Below Land Surface Other (specify):		
Pumping Water Level (R): \$9 Fast R.			
		red shut in head: feet	
Pumping Water Level (B): <u>85</u> Feet Be Drawdown [(B) – (A)]: <u>65</u> Feet B Test Pumping Rate: <u>15</u>	Below Land Surface For flowing well, measu	red shut in head:feet	

Frink to knop fond 0-622 Print Name of Pump Installer and License No. (if applicable) Flant Kargo Signature of Pump Installer

OCT 1 4 2005

RECEIVED