Tto	Part 1 – Driller's Log  For Office Use Only:			
County: Tote	Mississippi Department of Environmental Quality Aquifer:			
Permit #:		Office of Land and Water Resources		
Driller: Jones w. Moson	P.O. Box 10631 Well #:		Well #: <b>D</b> - /2(	
	-	IS 39289-0631	L. S. Elevation:	
Date drilling completed: 9-4-06		961-5210	<b></b> "	
	j (601)35 <sub>4</sub>	4-6938 (fax)	E-log #:	
State Law requires that this repo				
Department at the above address				
Information on Well			rehole Location	
(Landowner if borehole is not f		Latitude: 34 . 43 ,022	L. Longitude: 89 . 46 , 0 34,	
Owner Name Mark Mcdon	oold.	Latitude: 34 . 43 .002" Longitude: 89 . 46 . 004"		
Mailing Address: 57 - wo	11 hill rd.	Method of Lat/Long (circle one): Conventional Survey,		
			GPS, Survey-grade GPS	
	-04 10	NE 1/ SW' Sec 19	_ <sub>Twn_</sub> 45 Rng 5w	
( <u>olduster M</u> City Sta	s 38618			
City Sta	te Zip Code	Distance Direction	Nearest Town	
Telephone No. (662) 33- 20	90	TOTA Miles JE	of New garden	
	Well / Bore	hole Data		
Date drilling started: 9-4-06 Date dr	rilling completed: 9-4-0	Hole depth: 140	Hole diameter: 63/4	
Location of the source of any surface wat	er used for drilling: -A			
Method of dosing and volume of Chlorin		opment: ~~		
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:				
Purpose of borehole (check one): Water W	/ellGeotechnical/Geol	ogical Investigation Ground	1 Source Heat Pump	
Seismic	SurveyOther (describe	)		
If drilling is not related	l to water well constructio	n, skip the remainder of this bl	ock	
Purpose of Well (check one): Home / Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation	on: Valve ~A O	ther (describe)		
Static Water Level: 48 feet above of below circle one) land surface Date measured: 9-6-06				
Method of Measurement (circle one) steel tape electric tape air line other: 5tring   weight				
Well depth: 140 Well grouted to a depth of 19 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 130 feet Casing diameter: inches Type of casing:				
Screen length: 10 feet Screen diameter: 4 inches Type of screen:				
Screen slot size: . Olo inches Setting depth: From 130 feet to 140 feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page				

State Well Report Part 1 – Driller's Log

For Office Use Only:

OCT 0 9 2006

BY: OLWR

## The sketch below only required for water wells

<u>If well telescopes, </u>	<u>show</u>	<u>depths</u>	on	<u>sketcl</u>
Ground Lavel				

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
clay dirt	Ground Level	25
red Soud	75	30
write soud	30	40
white clay	40	45
white soud.	45	140

If more than one screen, show location of each on sketch

	t and include the following: 1) the well location; 2) any permanent sing the well; 3) any roads, power lines, or other items that may aid in row.	
ري	well & born	E
	3	
Landowner Name: <u></u>	set Medanold.	Form: OLWR-SWR-

Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

				or anomal control of the particle of the control
Jones	W. Moson	0-620	9-29-06	Jane W. Morra FILE
Print Name of F	tesponsible Licensee a	nd License No.	Date	Signature of Licensee RECEIVE
				2000 A 2000

OCT 0 9 2006

## STATE WELL REPORT Part 2 County: For Office Use Only: **Pump Installer's Completion Report** Mississippi Department of Environmental Quality Permit #: Aquifer: Office of Land and Water Resources Driller: Jones W. Mason P.O. Box 10631 Well #: Jackson, MS 39289-0631 Date completed: 9-6-06 (601)961-5210 Elevation: (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. **Well Location Well Owner Information** Latitude: 34.43.022 Longitude: 89.46.024 Owner Name: Mork Mcdonold Mailing Address: 527 woll hill of Method of Lat/Long (check one): Conventional Survey USGS quad , Hand-held GPS , Survey-grade GPS NE 1/SW 1/Sec 19 T 45 R Distance Direction Nearest Town 13/4 Miles SE of New garden Telephone No. (662) 33- 3090 Pump Type **Power Type** Circle one Circle one Submersible Gasoline Engine Air Lift Diesel Engine Natural Gas Electric Motor **Tractor PTO** Bucket Piston **Turbine** Hand Other (specify): Centrifugal Rotary Flowing Well Windmill Other (specify): Horse Power Rating of Motor: 60 Setting Depth: 12 Rated Pump Capacity: Number of Stages: Gallons Per Minute Pump Test Data Method of Measuring Water Level Circle one 9-6-06 Date Well Tested: Electric Measuring Line Air Line Steel Tape 48 Static Water Level (A): Pumping Water Level (B): Peet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface For flowing well, measured shut in head: 12 Gallons Per Minute Well yielded GPM with a drawdown of Test Pumping Rate: Duration of Pump Test (minimum 4 hours): feet after hours of pumping

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

0-620 W. Mason Print Name of Pump Installer and License No. (if applicable)

gens w. A Signature of Pump Installer

OCT 0 9 2006

BY: OLWF