	State W	ell Report	For Office Use Only:	
County: Tote	Part 1 – Driller's Log			
	Mississippi Department of Environmental Quality		Aquifer:	
Permit #:	Office of Land and Water Resources P.O. Box 10631		Well #: D - 145	
Driller: Jones w. Mc50N Date drilling completed: 3-1-08		S 39289-0631	L. S. Elevation:	
Date drilling completed: 3-1-08		961-5210	P 1 #	
	(601)354	1-6938 (fax)	E-log #:	
State Law requires that this report	rt be prepared by the lice within 30 days of comp	letion of drilling of the well	or porenoie.	
Department at the above address within 30 days of completion of drilling of the well or borehole. Information on Well Owner Well or Borehole Location			orehole Location	
(Landowner if borehole is not for	or a water well)	Latitude: 34 . 43 .353	" Longitude: 89 • 44 ,363 "	
Owner Name Home Galley		Method of Lat/Long (circle o	" Longitude: 89 • 44 ,363 " ne): Conventional Survey,	
Mailing Address: 5089 Mon	- Land SANG PROSE		eld GPS Survey-grade GPS	
(.11) 1 - 001	381018	Sw 4 NW 4 Sec 3	Twn 45 Rng 5w	
Coldwater MS City Sta	te Zip Code	Distance Direction	Nearest Town of Wokefeild.	
Telephone No. (662) 869 - 585	4			
	Well / Boro			
Date drilling started: 3-1-08 Date d	rilling completed: $\frac{3-1-0}{2}$	8 Hole depth: 155'	Hole diameter: 63/4	
Location of the source of any surface water used for drilling: NA Method of dosing and volume of Chlorine used in drilling and development:				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):				
Purpose of borehole (check one): Water \	Well V Geotechnical/Geo	logical Investigation Groun	nd Source Heat Pump	
Seismic	SurveyOther (describ	e)		
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 99 feet above of below feircle one) land surface Date measured: 3-1-08				
Method of Measurement (circle one) steel tape electric tape air line other: 5tring weight.				
Well depth: 155 Well grouted to a depth of 15 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 45 feet Casing diameter: 4 inches Type of casing: 000				
i	Screen length: 15 feet Screen diameter: 4 inches Type of screen: 000			
Screen slot size:				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe): Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page				
Top of lap pipe or reduction in casing: _	feet. If	telescoped or more than one sc	reen, describe on next page	

RECEIVED

Form: OLWR-SWR-1A

APR 0 2 2008

BY: OLWR

The sketc	h below	only	required	for	water	wells

If well telescopes,	show	depths	on	sketch.
Ground Level		-,		

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
clay dist	Ground Level	15
red soud	15	40
white soud	YO	90
white class	90	95
white soud	95	155

If more than one screen, show location of each on sketch

		well location; 2) any permanent stru nes, or other items that may aid in lo	
	<i>\U</i>		
2	house	J well	✓
Landowner Name: Hone	Golley.	Mark Market	
			Form: OLWR-SWR-1A

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

RECEIVED

APR 0 2 2008

BY: OLWR

STATE WELL REPORT

Part 2 Pump Installer's Completion Report

County: Take

Driller: Joses W. Mason

Permit #:

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631

For Office Use Only:		
Aquifer:		
well #: 		

1 Date completed: () TV CC	MS 39289-0631 Well #:		
Copy information from block on Part 1 (601)3	54-6938 (fax) Elevation:		
This part of the report must be completed by a licensed water well report must be attached and both parts filed with the Department	l contractor or a licensed pump installer. A copy of Part 1 of the at the above address within 30 days of well completion.		
Well Owner Information	Well Location		
Owner Name: Hove Golley	Latitude: 34. 43, 353 Longitude: 89. 44. 363		
Mailing Address: 5089 Mayse 12	Method of Lat/Long (check one): Conventional Survey,		
	USGS quad, Hand-held GPS, Survey-grade GPS		
City State Zip Code	Sw 1/2 NW 1/2 Sec 21 T 45 R 5W		
·	Distance Direction Nearest Town		
Telephone No. (662) 869 - 5854	11/2 Miles 5 of wokefeild.		
Pump Type	Power Type		
Circle one	Circle one		
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas		
Bucket Piston Turbine	Electric Motor Hand Tractor PTO		
Centrifugal Rotary Flowing Well	Windmill Other (specify):		
Other (specify):	Horse Power Rating of Motor: 3/4		
Date Pump Installed: 3-1-08	Setting Depth:feet		
Rated Pump Capacity: Gallons Per Minute	Number of Stages:		
Pump Test Data Date Well Tested: 3 - 1 - 0 8	Method of Measuring Water Level Circle one		
	Air Line Electric Measuring Line Steel Tape		
Static Water Level (A): 9 7 Feet Below Land Surface	Other (specify): String (weight		
Pumping Water Level (B): Feet Below Land Surface Drawdown I(B) = (A)! Feet Below Land Surface			
Diamachi [(b) (ii)].	For flowing well, measured shut in head:feet		
Test Pumping Rate: (Well yielded GPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping		
I HEREBY CERTIFY that the above statements are true to the best of my knowledge. Tones w. Mason 0-620 June w. Mar			
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer Form: CLARS TRANS		

APR 0 2 2008

BY: OLWR