State W	/ell Report		
	State Well Report Part 1 – Driller's Log		
	Mississippi Department of Environmental Quality Aguifer:		
	and Water Resources	Well #: 17 - 196	
Driller In and Serie W. W. Strand	Box 10631		
Jackson, N	AS 39289-0631	L. S. Elevation:	
	961-5210 4-6938 (fax)	E-log #:	
(001)33	1 0550 (IUA)	2 105	
State Law requires that this report be prepared by the lic			
Department at the above address within 30 days of comp			
Information on Well Owner (Landowner if borehole is not for a water well)		rehole Location	
	Latitude: 34 · 42 , 937	" Longitude: 89 • 44 , 235"	
Owner Name Ken Goolsby	56	" Longitude: <u>&9 ° 44 'A35"</u> e): Conventional Survey,	
Mailing Address: 2199 wall will rd.	Method of Lat/Long (circle or	e): Conventional Survey,	
Maining Address.	USGS quad, Hand-held	GPS, Survey-grade GPS	
	NE 1/5 W 1/4 Sec 21		
Coldinator ms 38618	4 Sec 31	Twn Rng	
Coldwater Ms 38618 City State Zip Code	Distance Direction	Nearest Town	
mil 1 462 422 222	Distance Direction Miles NE	of <u>Bett </u>	
Telephone No. (662) 473-0997			
Well / Bore	hole Data		
Date drilling started: 4-6-00 Date drilling completed: 4-6-0	Hole depth: 155	Hole diameter: 6314	
Location of the source of any surface water used for drilling:	lopment: WA		
Logs run (circle all applicable). No log run Electric Gamma Ray Name of organization running log(s):	Density Sonic Neutron	Other:	
Purpose of borehole (check one): Water Well Geotechnical/Geol	ogical Investigation Ground	Source Heat Pump	
Seismic Survey Other (describe Other (describe		ock	
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:			
If a flowing well, method of flow regulation: Valve Other (describe)			
Static Water Level: 93 feet above or below (circle one) land surface Date measured: 4-7-08			
Method of Measurement (circle one) steel tape electric tape air line other: String line is the string line other.			
Well depth: 155 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix			
Casing length: 145 feet Casing diameter: 4 inches Type of casing: 500 C			
Screen length: 10 feet Screen diameter: 4 inches Type of screen:			
Screen slot size:			
Tura of completion (circle all applicable) Gravel marked Lindon	manmad Talagaanad Onan	hala Matural Davalanment	

Other (describe):

Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A

RECEIVED

MAY 1 2 2008

BY: OLWR

The sketch	below	only	reauired	for	water	wells

1	f n	ell	teles	copes	show	depths	on	sketch
		Gro	ound	Level		7		

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
clay dirt	Ground Level	10
gravel	01	35
white clay	3r	60
white soul	60	90
white clay	90	95
white soul	95	(55-
		1
		<u> </u>
	į.	1

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent str aid in locating the well; 3) any roads, power lines, or other items that may aid in I 4) a north arrow.	ocating the property and the well;
✓	
house wet	~
Landowner Name: Ken Goolsby	

Form: OLWR-SWR-1A

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

Date

RECEIVED

MAY 12 2008

BY: OLWR

STATE WELL REPORT

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 10631

For Office Use Only:			
Aquifer:			
Well #: D - 146			
Elevation:			

Date completed: 4-7-08		IS 39289-0631 961-5210	Well#:
Copy information from block on Part 1	(601)354	4-6938 (fax)	Elevation:
This part of the report must be completed report must be attached and both parts file	by a licensed water well c	ontractor or a licensed pump in	staller. A copy of Part 1 of the
Well Owner Informati			Location
Owner Name: ton Goolsby		Latitude: 34.42, 937	Longitude: 89.44.235
Mailing Address: <u>Ə199 wəll</u>	hill rd	Method of Lat/Long (check one	e): Conventional Survey,
		USGS quad, Hand-held	GPS, Survey-grade GPS
City State	38618	NE 1/2 500 1/4 Sec 21	T 42 R 5W
City State	Zip Code	Distance Direction	Nearest Town
Telephone No. (66) 473 - 099	2	112 Miles NE of	Bett
Pump Type		Pou	ver Type
Circle one			rcle one
Air Lift Jet	Submersible	Diesel Engine Gasoline	e Engine Natural Gas
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO
Centrifugal Rotary	Flowing Well	Windmill Other (s	specify):
Other (specify):		Horse Power Rating of Motor:	314
Date Pump Installed: $4-7-08$		Setting Depth:	<u>feet</u>
Rated Pump Capacity: \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Gallons Per Minute	Number of Stages:	
Pump Test Data		Method of Mea	suring Water Level
Date Well Tested: 4-7-08			cle one
_		Air Line Electric Meas	uring Line Steel Tape
Static Water Level (A):Feet Below Land Surface Pumping Water Level (B):Feet Below Land Surface		Other (specify): String	liveight
In	Below Land Surface	For flowing well, measured shu	- · · · · · · · · · · · · · · · · · · ·
Test Pumping Rate:	Gallons Per Minute	Well yielded	_GPM with a drawdown of
Duration of Pump Test (minimum 4 hours):	A 4_hours	feet after	hours of pumping
I HEREBY CERTIFY that the above statemen	ents are true to the best of	my knowledge.	
		()	

I HEREBY	CERTIFY that the	e above statements are true to the	e best of my knowledge.
		A (a -	Jan 100 A

Print Name of Pump Installer and License No. (if applicable)

County: Tate

Signature of Pump Installer

MAY 1 2 2008

BY: OLWR