State Well Report				
County: Tate	Part 1 – Driller's Log		For Office Use Only:	
	Mississippi Department of Environmental Quality		Aquifer:	
Permit #:	Office of Land and Water Resources P.O. Box 2309		Well #: D - 149	
Driller: Joses w. Mason	Jackson, MS 39225		L. S. Elevation:	
Date drilling completed: 6-3-08	(601)961- 5210 (601)961- 5228 (fax)		L. S. Elevation:	
	(601)90	1- 3226 (lax)	E-log #:	
State Law requires that this repor				
Department at the above address			or borehole.	
Information on Well C (Landowner if borehole is not fo				
a v Fallen	·	Latitude: 34 ° 92, 183	Longituder 9 .42 , 764"	
	Fred Kelly		Latitude: 34 · 42 · 983" Longitude: 97 · 42 · 964" Method of Lat/Long (circle one): Conventional Survey,	
Mailing Address: 1963 woll hi	lress: 1963 woll hill rd.		_	
			GPS Survey-grade GPS	
	7 57 / 15	NW 1/2 SE 1/4 Sec 31		
City State	15 <u>38618</u>	Distance Direction	Nearest Town	
•	•	13/4 Miles SE	of wokefeild	
Telephone No. (662) 33-05	<u> </u>			
	Well / Bore	hole Data		
Date drilling started: 6-3-06 Date dri	lling completed: 6-3-	OP Hole depth: 170	Hole diameter: 63/4	
Location of the source of any surface wate	r used for drilling:)A.		
Method of dosing and volume of Chlorine	used in drilling and devel	opment:A .		
Logs run (circle all applicable). No log rur Name of organization running log(s):	Electric Gamma Ray	Density Sonic Neutron	Other:	
Purpose of borehole (check one): Water We	ell Geotechnical/Geolo	ogical Investigation Ground	Source Heat Pump	
Seismic Survey Other (describe) If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 78 feet above of below (circle one) land surface Date measured: 6-4-08				
Method of Measurement (circle one) steel tape electric tape air line other: Strong (weight				
Well depth: 170 Well grouted to a depth of 50 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 160 feet Casing diameter: 4 inches Type of casing: DUC				
Screen length: 19 feet Screen diameter: Inches Type of screen:				
Screen slot size: _, O(Oinches	Setting depth: From	160 feet to	170 feet	
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page				

Form: OLWR-SWR-1A (04/08)

RECEIVED

JUN 3 0 2008

BY: OLWR

The sketch below	only	required.	for	water wells	,

If well telescopes, show depths on sketch.

Ground Level___

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
clay dist.	Ground Level	30
white soud Clay white soud	30	45
Clay	45	90
white soud	90	170
	<u> </u>	
		<u></u>

If more than one screen, show location of each on sketch

ketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well;
4) a north arrow.
Shed
Jan
Cive Contraction of the Contract
$\int d^{r}$
5
Fine Kalle
andowner Name: Fred Kelly

Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Jones w. Majon 0-620	6-26-08-	Gow. Mos.	RECEIVED
Print Name of Responsible Licensee and License No	Date	/ Signature of Licensee	JUN 3 0 2008

BY: OLWR

STATE WELL REPORT

Permit #: Driller: Jones W-Mason Date completed: 6-4-08 Convinformation from block on Part I

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225
(601)961-5210

For Office Use Only:		
Aquifer:		
Well #:	D-149	

Copy information from	ı block on Part 1	(601)961-5228 (fax)		Elevation.	
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.					
Well Owner Information		Well Location			
Owner Name: Fred Kelly		Latitude: 34.42.364			
Mailing Address: 1963 wall hill rd		Method of Lat/Lon	Method of Lat/Long (check one): Conventional Survey,		
			USGS quad,	Hand-held GPS/S	urvey-grade GPS
Coldwoter Ms 35618 City State Zip Code		Nw 1/ SE 1/4 Sec 21 T 45 R 5W			
Cit	y State	Zip Code	Distance I	Direction Nearest	t Town
Telephone No. (しんシ) 233- ひかう		13/4 Miles 5	13/4 Miles SE of watefeild		
Pump Type Circle one		Power Type Circle one			
				• •	
Air Lift		Submersible	Diesel Engine	• •	Natural Gas
Air Lift Bucket	Circle one	Submersible Turbine	Diesel Engine	Circle one	Natural Gas Tractor PTO
	Circle one			Circle one Gasoline Engine	Tractor PTO
Bucket	Circle one Jet Piston Rotary	Turbine Flowing Well	Electric Motor Windmill	Circle one Gasoline Engine Hand	Tractor PTO
Bucket Centrifugal	Circle one Jet Piston Rotary	Turbine Flowing Well	Windmill Horse Power Rating	Circle one Gasoline Engine Hand Other (specify):	Tractor PTO
Bucket Centrifugal Other (specify):	Circle one Jet Piston Rotary	Turbine Flowing Well	Windmill Horse Power Rating Setting Depth:	Circle one Gasoline Engine Hand Other (specify): g of Motor:	Tractor PTO
Bucket Centrifugal Other (specify): Date Pump Installed:	Circle one Jet Piston Rotary	Turbine Flowing Well	Windmill Horse Power Rating Setting Depth: Number of Stages:	Circle one Gasoline Engine Hand Other (specify): g of Motor:	Tractor PTO

Pump Test Data	Method of Measuring Water Level		
Date Well Tested: 6-4-08 Static Water Level (A): Feet Below Land Surface	Circle one Air Line Electric Measuring Line Steel Tape Other (specify): 5 tring [Line L]		
Pumping Water Level (B):Feet Below Land Surface	Other (specify): 3 fill was fuely L. P.		
Drawdown [(B) – (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet		
Test Pumping Rate: Gallons Per Minute	Well yieldedGPM_with a drawdown of		
Duration of Pump Test (minimum 4 hours):hours	feet after 24 hours of pumping		

I HEREBY CERTIFY that the above statements are true to the best of	of my knowledge.	
Joses W. Mosa. 0-620	Grow. Mu	RECEIVED
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	HECEIVED
	Earm: (71 M/D CM/D 4D /04/00\

Form: OLWR-SWR-1B (04/08)
JUN 3 0 2008

BY: OLWP