<u></u>	State W	ell Report			
County: Tate	Part 1 – I	Oriller's Log	For Office Use Only:		
county. 1912		t of Environmental Quality	Aquifer:		
Permit #:	Office of Land and Water Resources		Well #: H- 158		
Driller: Jones w. Mason	P.O. I	Box 10631	Well #:		
	Jackson, M	1S 39289-0631	L. S. Elevation:		
Date drilling completed: 3-26-08		961-5210			
	(601)35	4-6938 (fax)	E-log #:		
State Law requires that this report Department at the above address		oletion of drilling of the well	or borehole.		
Information on Well (Well or Bo	rehole Location		
(Landowner if borehole is not fo	or a water well)	134 . 40 . AR3	" 1in-d-, 89 ° 47 , 527"		
Owner Name william Porke	٠,٣	Latitude: 17	" Longitude: 89 ° 47 ' 537"		
Mailing Address: 1434 sowel		Method of Lat/Long (circle on	ne): Conventional Survey,		
			GPS Survey-grade GPS		
(aldustes one		Nw 1/4 Sw 1/4 Sec 1			
City Stat	e Zip Code	Distance Direction	Nearest Town		
		11/2 Miles 500	Nearest Town of independence		
Telephone No. (662) 233 - 158	<u> </u>		•		
	Well / Bore	hale Data			
2 0			. 24		
Date drilling started: $\frac{3-36-08}{}$ Date dri	Iling completed: 3-36-0	Hole depth:	Hole diameter: 6 514		
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development:					
Logs run (circle all applicable) No log run Name of organization running log(s):	Electric Gamma Ray	Density Sonic Neutron (Other:		
Purpose of borehole (check one): Water WellGeotechnical/Geological Investigation Ground Source Heat Pump					
· · · · · · · · · · · · · · · · · · ·					
If drilling is not related	to water_well construction) n. skip the remainder of this blo	ock.		
Seismic Survey Other (describe)					
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level:feet above of below scircle one) land surface Date measured:3-26-08					
Method of Measurement (circle one) steel tape electric tape air line other: String I weight.					
Well depth: 145 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix					
Casing length: 135 feet Casing diameter: 4 inches Type of casing: DUC					
Screen length: (O feet Screen diameter:					
Screen slot size:, Oloinches Setting depth: From (37feet tofeet					
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development					

Other (describe):

Top of lap pipe or reduction in casing: ______ feet. If telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A

RECEIVED

APR 2 9 2008

BY: OLWR

TL.	akatak	halam	aulu	<u>required</u>	for	water	walle
ı ne	skeich	Delow	only	<u> гециигеи</u>	<u> 101 </u>	water	wells

If well telescopes, show depths on sketch.

4		
	0 17 1	
	Ground Level	
	Ground Devel—————	
	K	
	—	
_		

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clay dirt.	Ground Level	30
grael	30	45
white clay	45	08
white soul	93	145

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.
S S
house
Landowner Name: William Porker

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

RECEIVEL

APR 2 9 2008

BY: OLWA

STATE WELL REPORT

Date completed: 3-26-08 Copy information from block on Part 1

Telephone No. (662) 233-1587

Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631

(601)961-5210 (601)354-6938 (fax)

For Office Use Only:	
Aquifer:	
Well #: #-158 Elevation:	- -

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Location Well Owner Information Latitude: 34-40.283 Longitude: 89,47, 527 Method of Lat/Long (check one): Conventional Survey____, USGS quad , Hand-held GPS , Survey-grade GPS NW 1/5W 1/ Sec 1 T 55 R 6W Zip Code Nearest Town

Distance

Direction

1 1/2 Miles Sw of interendence

Pump Type Power Type Circle one Circle one Natural Gas Diesel Engine Gasoline Engine Air Lift Jet Submersible Turbine Electric Motor Hand **Tractor PTO** Bucket Piston Other (specify): Windmill Centrifugal Rotary Flowing Well 3/4 Horse Power Rating of Motor: Other (specify): 3-26-08 Setting Depth: ___ (20 feet Date Pump Installed: (0 Gallons Per Minute Number of Stages: ___ Rated Pump Capacity:

Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: 3-76-08 Air Line Electric Measuring Line Steel Tape Static Water Level (A): 95 Feet Below Land Surface Other (specify): String Losign Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) – (A)]: Feet Below Land Surface For flowing well, measured shut in head: ______feet Test Pumping Rate: _____ GPM with a drawdown of Gallons Per Minute Well vielded Duration of Pump Test (minimum 4 hours): 34 hours 64 feet after 34 hours of pumping

I HEREBY CERTIFY that the above statements are true to the best of	of my knowledge.	
Jack W. Moson 0-620	Gars MM	
Print Name of Pump Installer and License No. (if applicable)	≸ignature of Pump Installer	
		Form: O