	State W	ell Report				
County: Tote		Oriller's Log	For Office Use Only:			
		t of Environmental Quality	Aquifer:			
Permit #:		and Water Resources	Aquifer:			
Driller Ines w. Mosan		Box 10631	weil#:			
		1S 39289-0631	L. S. Elevation:			
Date drilling completed: 3-18-08		961-5210	F.1. "			
	(601)33	4-6938 (fax)	E-log #:			
State Law requires that this report Department at the above address						
Information on Well (rehole Location			
(Landowner if borehole is not for a water well)		1 34 · 38 · 738 · 1				
Owner Name Brod Mcdono	Owner Name Brod Mcdmold		Latitude: 34 ° 38 ° 738" Longitude: 89 ° 41 ° 572" Method of Lat/Long (circle one): Conventional Survey,			
Mailing Address: 263 Joson Potrick rd		Method of Lat/Long (circle one): Conventional Survey,				
Mailing Address: 365 Joson Fottick 10		USGS quad, (Hand-held GPS, Survey-grade GPS				
11		NE 1/4 Ses 1/4 Sec 14	Twn 55 Rng 5 W			
Holly Springs Ms. 38635 City D State Zip Code		NW SE Distance Direction Nearest Town 12 Miles NW of WYCHE				
City / O Stat	e Zip Code	Distance Direction	Nearest Town			
Telephone No. (662) 288 - 93	88	Ta wiles No	n whatte			
	Well / Bore	hole Data				
Date drilling started: 3-18-08 Date drilling completed: 3-18-08 Hole depth: 190 Hole diameter: 63/4						
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development:						
Logs run (circle all applicable). No log rur Name of organization running log(\$):		Density Sonic Neutron (Other:			
Purpose of borehole (check one): Water W	ell <u> </u>	ogical Investigation Ground	Source Heat Pump			
Seismic Survey Other (describe)						
If drilling is not related to water well construction, skip the remainder of this block						
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:						
If a flowing well, method of flow regulation	n: Valve _ NA O	ther (describe)				
Static Water Level: 103 feet above on below (circle one) land surface Date measured: 3-34-06						
Method of Measurement (circle one) steel tape electric tape air line other:						
Well depth: 190 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cemen Bentonite Mix						
Casing length: 170 feet Casing diameter: 4 inches Type of casing: Put						
Screen length: <u>JU</u> feet Scree						
Screen slot size:, C(Oinches Setting depth: From						
Type of completion (circle all applicable)	Gravel packed Under	reamed Telescoped Open I	nole Natural Development			
	Other (describe):	4				
Top of lap pipe or reduction in casing:	feet. If teld	escoped or more than one scree	n, describe on next page			

Form: OLWR-SWR-1A

APR 2 1 2008

BY: OLWR

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

	clay dict.	Ground Level 1	5
	led soud		<u>٥</u>
	while soud	30 (90
			
		_	
ch the property layout and include the following: 1) the valid in locating the well; 3) any roads, power line 4) a north arrow.	well location; 2) any permanent structures o	n the property that may ne property and the well;	
4) a north arrow. Shed h	well location; 2) any permanent structures o	n the property that may ne property and the well;	
ch the property layout and include the following: 1) the vaid in locating the well; 3) any roads, power line 4) a north arrow.	well location; 2) any permanent structures o es, or other items that may aid in locating the	n the property that may ne property and the well;	
th the property layout and include the following: 1) the vaid in locating the well; 3) any roads, power line 4) a north arrow. Shed	well location; 2) any permanent structures o es, or other items that may aid in locating the	n the property that may ne property and the well;	

The sketch below only required for water wells

Print Name of Responsible Licensee and License No.

APR 2 | 2008

RECEIVED

BY: OLWR

STATE WELL REPORT

Part 2 For Office Use Only: **Pump Installer's Completion Report** Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources Driller: Joses Wosan P.O. Box 10631 Jackson, MS 39289-0631 Well #: Date completed: 3-24-08 (601)961-5210 Elevation: (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Owner Name: Brod Madawold Latitude: 34-38-738 Longitude: 89-41-572 Mailing Address: 263 Josep Patrick Method of Lat/Long (check one): Conventional Survey, USGS quad , Hand-held GPS , Survey-grade GPS Hally Spiring Ms 38635 City State Zip Code NE 1/2 SW1/4 Sec 14 T 55 R 5W Distance Direction Telephone No. (662) 288-9388 1) Miles NV of Wyotte **Power Type** Pump Type Circle one Circle one Diesel Engine Gasoline Engine Natural Gas Air Lift (Submersible **Jet** Hand Tractor PTO Bucket Piston Turbine Electric Motor Other (specify): Windmill Centrifugal Rotary Flowing Well Horse Power Rating of Motor: Other (specify): ___ Date Pump Installed: 3-34-08 Setting Depth: (40 feet Rated Pump Capacity: Gallons Per Minute Number of Stages: ___ Method of Measuring Water Level **Pump Test Data** Circle one Date Well Tested: 3-24-08 Air Line Electric Measuring Line Static Water Level (A): 103 Feet Below Land Surface Other (specify): String Lineigh Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) – (A)]: Feet Below Land Surface For flowing well, measured shut in head: _____feet Test Pumping Rate: ____(\(\sqrt{S} \) Gallons Per Minute (C) GPM with a drawdown of Well yielded feet after A hours of pumping Duration of Pump Test (minimum 4 hours): 04 I HEREBY CERTIFY that the above statements are true to the best of my knowledge. Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer

APR 2 1 2008

BY: OLWR