State Well Report				
County: 10te	Part 1 – Driller's Log		For Office Use Only:	
Permit #:	Mississippi Department of Environmental Quality		Aquifer: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
	Office of Land and Water Resources P.O. Box 2309		Well #:	
Driller: Jones Mason		n, MS 39225	L. S. Elevation:	
Date drilling completed: 3-4-13		961- 5210 1- 5228 (fax)		
	 		E-log#:	
State Law requires that this report Department at the above address				
Information on Well C		Well or Bo	orehole Location	
(Landowner if borehole is not for	•	Latitude: 34 . 33 ,50.8	Longitude: 89 . 53 , 10.09	
Owner Name Dong Moth	•	Method of Lat/Long (circle or	ne): Conventional Survey,	
Mailing Address: 3818 591in	sticial ral		GPS) Survey-grade GPS	
Senatobia M City Sta	7 38868	NW " Sec 1	Nearest Town of Springfield	
City Star	te Zip Code	Distance Direction	of SOUND TIELD	
Telephone No. (901) 310 700(<u> </u>		"	
	Well / Bore	chole Data		
Date drilling started 2-4-13 Date dri	lling completed: <u> </u>	13 Hole depth: 150	Hole diameter: 63/4	
Location of the source of any surface wate Method of dosing and volume of Chloring	er used for drilling: e used in drilling and deve	lopment: UA		
Logs run (circle all applicable): No log run Name of organization running log(s):		Density Sonic Neutron	Other:	
Purpose of borehole (check one): Water W	ell <u> Geotechnical/Geol</u>	ogical Investigation Ground	Source Heat Pump	
	SurveyOther (describe to water_well construction	e) n, skip the remainder of this blo	ock	
Purpose of Well (check one): HomeI	ndustrial Public Supply	Irrigation Fish Culture	Other:	
If a flowing well, method of flow regulatio	n: Valve O	Other (describe)		
Static Water Level: 58 feet above or below circle one) land surface Date measured: 3-4-13				
Method of Measurement (circle one) steel tape electric tape air line other: 5tring / weight				
Well depth: is O Well grouted to a depth of feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 130 feet Casing diameter: 4 inches Type of casing: poc				
Screen length: 90 feet Screen diameter: 4 inches Type of screen: pvc				
Screen slot size:OTOinches Setting depth: From130feet to150feet				
Type of completion (circle all applicable)	Gravel packed Under	reamed Telescoped Open	hole Natural Development	
Other (describe):				

Top of lap pipe or reduction in casing: _

Form: OLWR-SWIPE OF VED

feet. If telescoped or more than one screen, describe on next page

I	f well	telesco	pes,	show	depths	on	sketch	•
_						_		

well telescopes, Ground Level	snow aep	ins on sko	<u>etch.</u>	

Description of Formations Encountered	From (depth)	To (depth)
cley dist	Ground Level	15
ich soud	15	35
Cosel	35	60
The clay	60	90
white soud	38	150
		1.

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well;				
4) a north arrow. springfield 14	08	McClinton	<u>rJ</u>	
dive may.				
11300	Grad spirss 18			
Landowner Name: Dowa Mothery		OI WD SWD 1A (6	1/00	

Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructe	d, and completed	l in accordance with all applicable requirements of the
Mississippi Department of Environmental Quality and	d the Mississippi	l in accordance with all applicable requirements of the Department of Health regulations, if applicable, and state
		ne velve
Jores W. Majon 0-620	3-1-13	MAR 0 4 2013
Print Name of Responsible Licensee and License No.	Date	Signature of Licensee

BY: OLWR

STATE WELL REPORT					
County: Take		Part 2		For Office Use Only:	
Permit #:		Pump Installer's Completion Report Mississippi Department of Environmental Quality		Aquifer:	
Driller: Joves w.	Moson		and Water Resources Box 2309		
Date completed: L	1-13	Jacksor	n, MS 39225 961-5210	Well #:	
Copy information from bl	ock on Part 1	1 ' '	1-5228 (fax)	Elevation:	
			contractor or a licensed pump in It the above address within 30 da		
	l Owner Informat		Well Location		
Owner Name: Dono			Latitude: 34 · 33 · 52 · 83 Longitude: 89 · 53 · 10 · 09		
Mailing Address:	818 sprin	us field id	Method of Lat/Long (check one	e): Conventional Survey,	
		·	USGS quad, Hand-held (GPS, Survey-grade GPS	
Seno	tobia ms	38668 7in Code	NE 14 NE 14 Sec 13	T 65 R 700	
City	State	Zip Code	Distance Direction	Nearest Town	
Telephone No. (90) 210 - 7006		1/16 Miles SW of spring field			
	B			rin .	
	Pump Type Circle one			ver Type role one	
Air Lift	Jet	Submersible	Diesel Engine Gasoline	e Engine Natural Gas	
Bucket	Piston	Turbine (Electric Motor Hand	Tractor PTO	
Centrifugal	Rotary	Flowing Well		specify):	
Other (specify):	- · · ·		Horse Power Rating of Motor:		
Date Pump Installed:			Setting Depth:	feet	
Rated Pump Capacity: _	35	Gallons Per Minute	Number of Stages:	<u>.</u>	
	Pump Test Data		Method of Mea	suring Water Level	
Date Well Tested:	-			rcle one	
			Air Line Electric Meas	uring Line Steel Tape	
Static Water Level (A): 58 Feet Below Land Surface		Other (specify): Story (weight			
Pumping Water Level (B): Feet Below Land Surface					
Drawdown [(B) – (A)]: Feet Below Land Surface		For flowing well, measured shut in head:feet			
Test Pumping Rate: Gallons Per Minute		Well yielded GPM with a drawdown of			
Duration of Pump Test (minimum 4 hours): _ Ə 'hours			reet after	hours of pumping	