County: Tate	_
Permit#:	_
Driller: FLANG FOR &	_
Date drilling completed: 3-3-00	_

Well Driller Report and Well Log

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

	For Office Use Only:
	fer:
Well	#: N-49
L. S.	Elevation:
E-log	g #:

es that this report be prepared by the driller in detail and filed with the Department within

30 days of completion of drilling of the well.	Well Location
Well Owner Information	
Owner Name KNAEN YOUNT	Latitude:o' Longitude:o'"
Mailing Address: GOU MAIN SUNTEBIN	Method of Lat/Long (circle one): Conventional Survey,
	USGS quad, Hand-held GPS, Survey-grade GPS
SENATOBIA MS	1/41/4 Sec10Twn
City State Zip Code Telephone No. ()	Distance Direction Nearest Town
Well	Data
Purpose of Well (circle one) Home Industrial Public Suppl	y Irrigation Fish Culture Other:
Date well drilling started: 3-3-06 Da	
If flowing, method of flow regulation: Valve Other	r (describe)
Static Water Level: 95 feet above or below (circle or	
	ape air line other:
Hole depth: 170 Well depth:	Well grouted to a depth offeet
Type of grout (circle one): Cement Rentonite N	fix
Casing length: 20 feet Casing diameter: 4/	inches Type of casing: PVe
Screen length: 10 feet Screen diameter:h/_	inches Type of screen: S107ed PVC
Screen slot size: , 0/3 inches Setting depth: From	n 160 feet to 170 feet
Type of completion (circle all applicable): Gravel packed Un	
Other (describe):	
Top of lap pipe or reduction in casing:feet. 1	f telescoped or more than one screen, describe on back of page
Logs run (circle all applicable): No log run Electric Gamma	Ray Density Sonic Neutron Other:
Name of organization running log(s):	with all applicable requirements of the Mississippi Department of
Environmental Quality and/or the Mississippi Department of Health regulat	
	. 0 10
Frank LANGFORD 0-622	Frank Langbor CEVEL
Print Name of Water Well Contractor and License No.	Signature of Water Well Contractor

If well telescopes please sketch below and show depths.

BY: OLWR

O with mile	Description of Formations Encountered		То
Ground Level	DIKT	0	10
	RIGAND	10	20
	SANC	20	50
-	WICLAY	50	20
	Miss & SANG/Clay	70	1
	Mixed SAND/Clay	120	
	<u> </u>		
<u> </u>			
		<u> </u>	ļ
			ļ
		<u> </u>	ļ
`		ļ	ļ
		-	
		 	-
		-	
		 	
		 	
		1	<u> </u>

If more than one screen, show location of each on sketch

A shot may
Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines or other items that may aid in locating the property and the well;
A) indicate direction
Quell
~ 1 × 10 G
20 51
Lyles Rb
1×/05 R
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
The state of the s
- Dury II 4
Landowner Name: KAIZEN YOER T
AMINO MARINE MAR

Signature of Water Well Contractor

RECEIVED

MAR 3 0 2006

BY: OLWR

STATE WELL REPORT

Part 2

Pump Installer's Completion Report

County Permit = Driller F LANGFOX & Date completed 3-3-00

Mississippi Department of Environmental Quality Office of Land and Water Resources

P.O. Box 10631

Jackson, MS 39289-0631

For Office Use Only:

Aguilfer

installation of number A convert Part 1 of this wa	mart must be attached to this renow
installation of pump. A copy of Part 1 of this re Well Owner Information	Well Location
Owner HARRIS VOCALT	
Owner Name: KHREN YOONT	Latitude: Longitude:
Mailing Address. 500 MAIN SENTT	65 in Method of Lat/Long (circle one): Conventional Survey.
	USGS quad. Hand-held GPS. Survey-grade GPS
Seat TobiA MS City State Zip Code	4 Sec 10 Twn 65 Rng 6 W
	de Distance Direction Nearest Town
Eclephone No. ()	1 Miles 5 of LOOKA homA
Pump Type Circle one	Power Type Circle one
Air Lift Jet Submersible	Diesei Engine Gasoline Engine Natural Gas
Bucket Piston Turbine	Electric Motor Hand Tractor PTC
Centrifugal Rotary Flowing Well	Windmill Other (specify):
Other (specify):	Horse Power Rating of Motor: 3
tate Pump Installed: 3-3-06	Scitting Depth: 1WO feet
ated Pump Capacity: 15 4 Gallons Per Mi	nute Number of Stages: 12
Pump Test Data	Method of Measuring Water Level Circle one
ate Well Tested: 3-3-06	Air Line Electric Measuring Line Steel Tape
atic Water Level (A): 95 Feet Below Land Sui	Other (specify):
imping Water Level (B): 95 Feet Below Land Sur	face
rawdown [(B) - (A)]: Feet Below Land Sur	face For flowing well, measured shut in head:feet
est Pumping Rate: 15 + Gallons Per Mir	nute Well yielded 154 GPM with a drawdown of
uration of Pump Test (minimum 4 hours) 4 to ho	ours O feet ofter 42 hours of pumping
HEREBY CERTIFY that the above statements are true to t	he best of my knowledge.
FANH LANGFORD 0-622	

MAR 3 0 2006

BY: OLWR