
	State W	eli Report	Fan Office Hee Only	
County: Tate	Part 1 – Driller's Log		For Office Use Only:	
	Mississippi Department of Environmental Quality		Aquifer:	
Permit #:	Office of Land and Water Resources P.O. Box 2309		well #:O42	
Driller: Janes w. Moson	Jackson	, MS 39225	L. S. Elevation:	
Date drilling completed: 10~ 8つに	\ · / ·	961- 5210 I- 5228 (fax)	- , , , , , , , , , , , , , , , , , , ,	
	, ,	·	E-log #:	
State Law requires that this repor	t be prepared by the lice	ense holder responsible for t	he work and filed with the	
Department at the above address			or borehole. rehole Location	
Information on Well (Landowner if borehole is not fo				
, , ,		Latitude: 34 . 57 - 127	" Longitude: 89 0 702,041 "	
Owner Name Sherry Uon	•	34 03 Method of Lat/Long (circle or	" Longitude: 89 ° 702,047 " 41 46 (e): Conventional Survey,	
Mailing Address: 6404 wy	otte lyrord		GPS, Survey-grade GPS	
		NE 1/ SO 1/ See 14	/ _{Twn} 65 / _{Rng} 5 ώ	
Como my	38619	N N		
City Sta	te Zip Code	Distance Direction	Nearest Town of Tyro	
Telephone No. (662) 301 - 2019	112 Miles _ S		of 1400	
Telephone No. (662)				
	Well / Bore	hole Data		
Date drilling started: 10 - 8-12 Date dr	illing completed: 10-8	Hole depth: 185	Hole diameter: 63/4"	
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development:				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic S	Survey Other (describe) ~~		
If drilling is not related	to water well construction	n, skip the remainder of this blo	ock	
Seismic Survey Other (describe)				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 110 feet above or below (circle one) land surface Date measured: 10-9-12				
Method of Measurement (circle one) steel tape electric tape air line other: String weight-				
Well depth: 185 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: feet Casin			•	
Screen length: 30 feet Screen diameter: 4 inches Type of screen: pvc				
Screen slot size: OID inches Setting depth: From IGT feet to IST feet				
Type of completion (circle all applicable): Gravel packed, Underreamed Telescoped Open hole Natural Development				

Other (describe):

Top of lap pipe or reduction in casing:

feet. If telescoped or more than one screen, describe on next page





The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground Level_

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
cley clirt.	Ground Level	10
led cod	10	15
white food		110
white clay	110	115
white soud	115	140
white clay	140	150
white sad	120	185
	1	
		ļ
	ļ.,	
		<u> </u>
		L

If more than one screen, show location of each on sketch

		poxorano		C. X.	lock hill	<u>· · · · · · · · · · · · · · · · · · · </u>
				Y'x		
				(,)	<u> </u>	
				X	Ö	
					<i> </i> €	
					1	
•					1	F
O W					1	
					1	
		ص ^{ري}	الع			-
		سه	-			
				drive way.	1	
	5			Judy.	- 	
			Ø0.0		i,	
	3		wwe		7	

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Janes W. Moson 0-620	11-5-12	Osus w. Mas	BECENIEL
Print Name of Responsible Licensee and License No.	Date	Signature of Licensee	The state of the s

`.

STATE WELL REPORT

County: Permit #: Driller: Javes Date completed: 10-9-12 Copy information from block on Part 1

Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225

(601)961-5210 (601)961-5228 (fax)

For Office Use Only:				
Aquifer:				
Well #:				
Elevation:	_			

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.

Well Owner Information	Well Location
Owner Name: Sherry UcnHagel Mailing Address: 6404 Wyotte Tyro rd	Latitude: 34. 57. 127 Longitude: 89-20-041 34 03 41 46 Method of Lat/Long (check one): Conventional Survey,
(0.00 NS 38619 City State Zip Code	USGS quad, Hand-held GPS, Survey-grade GPS NE 1/4 Sec 1 4 T (os R 5 w) Distance Direction Nearest Town 1 2 Miles of T \(f \)

Pump Type Circle one			Power Type Circle one		
Air Lift	Jet	Submersible	Diesel Engine	Gasoline Engine	Natural Gas
Bucket	Piston	Turbine	Electric Motor	Hand	Tractor PTO
Centrifugal	Rotary	Flowing Well	Windmill	Other (specify):	
Other (specify):		-	Horse Power Ratin	g of Motor: (hp	
Date Pump Installed:	10-9-	12	Setting Depth:	140	feet
Rated Pump Capacity:	io	Gallons Per Minute	Number of Stages:	(1	

Pump Test Data	Method of Measuring Water Level	
Date Well Tested: 10-9-12	Circle one	
Static Water Level (A):Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify): 5 fring (weight)	
Pumping Water Level (B): Peet Below Land Surface Drawdown [(B) – (A)]: Feet Below Land Surface	For flowing well, measured shut in head:	
Test Pumping Rate: Gallons Per Minute	Well yielded (9 GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours): 94 hours	feet after 34 hours of pumping	

I HEREBY CERTIFY that the above statements are true to the best of	f my knowledge.	
Janes W. Mason 0-620	Gras w. Mann	
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	واع والوحاء الأرتيد والماتين
	Form: Ol	IMP CHARLED IDAMON

