County: Tunica		art 1	Well #:	
Permit #: GW-48824	Mississippi Departmen	er's Log nt of Environmental Qual	Aquifer:	
Driller: Irrigation Equipment Inc.	Office of Land a	nd Water Resources Box 2309	E-Log #:	
Date drilling completed: 06/11/2015	Jackson, N	IS 39225-2309		
		961-5210 60-0535 (fax)		
State Law requires that this report	be prepared by the lice	nse holder responsible	for the work and	filed with the
Department at the above address Well Owner Information			well or borehole. Borehole Location	
(Landowner if borehole is not f		Went	BOIENDIE LOCALION	
Owner Name: Global Ag Properties		Latitude: 34 47' 57.8 N	Longitude: 90) 19' 49.4 W
Mailing Address: P.O. Box 3009		Method of Lat/Long (chec	k one): 🔲 Conven	tional Survey,
		🗍 USGS quad, 🛛 Hand-	held GPS 🔲 Survey	uarade GPS
Chemneine !!		·	-	_
Champaign IL City Sta	61826 Ite Zip code	<u>NE</u> ¼ <u>NE</u> 3	4, Sec <u>26</u> T <u>03 S</u> R <u>1</u>	
Telephone No () -				obinsonville
and the second sec		· · · · ·	irection) (N	earest Town)
	Well / Bore	hole Data		
Date drilling started: 06/11/2015	Date drilling completed:	6/11/2015 Hole depth:	126' Hole dia	ameter: 24*
Location of the source of any surface wa	ater used for drilling:	rface Water		
Method of dosing and volume of Chlorin	e used in drilling and develo	opment: 50 PPM		
Method of dosing and volume of Chlorin	U U	• · · · · · · · · · · · · · · · · · · ·		
Logs run (check all applicable): 🛛 No lo	U U	• · · · · · · · · · · · · · · · · · · ·	c 🗌 Neutron 🗌 Oth	er:
-	U U	• · · · · · · · · · · · · · · · · · · ·	c 🗌 Neutron 🗌 Oth	er:
Logs run (check all applicable): 🛛 No lo	g run [] Electric [] Gamm	• · · · · · · · · · · · · · · · · · · ·	c 🗌 Neutron 🗌 Oth	er:
Logs run (check all applicable): 🛛 No lo Name of organization running log(s): Purpose of borehole (check one): 🖾 W	g run [] Electric [] Gamm Vater Well [] Geotechni	a Ray [] Density [] Soni	c 🗌 Neutron 🗌 Othe	er:
Logs run (check all applicable):	g run [] Electric [] Gamm Vater Well [] Geotechni	a Ray [] Density [] Soni ical/Geological Investigation ther (describe)	c Neutron Othe	er:
Logs run (check all applicable):	og run [] Electric [] Gamm Vater Well [] Geotechni Seismic Survey [] Ot Iated to water well consi	a Ray [] Density [] Soni ical/Geological Investigation ther (describe) truction, skip the remain	c Neutron Oth on Ground Sou <i>inder of this block</i> Fish Culture	rce Heat Pump
Logs run (check all applicable): No lo Name of organization running log(s): Purpose of borehole (check one): N <i>If drilling is not rel</i> Purpose of Well <i>(check all applicable)</i> :	g run [] Electric [] Gamm Vater Well [] Geotechni Seismic Survey [] Ot Iated to water well consi] Home [] Industrial [] Put	a Ray [] Density [] Soni ical/Geological Investigati ther (<i>describe</i>) <i>truction, skip the rema</i>	c Neutron Othe on Ground Sou <i>inder of this block</i> Fish Culture	rce Heat Pump
Logs run (check all applicable): No lo Name of organization running log(s): Purpose of borehole (check one): No <i>If drilling is not rel</i> Purpose of Well (check all applicable): C	og run [] Electric [] Gamm Vater Well [] Geotechni Seismic Survey [] Ot I <i>ated to water well consi</i>] Home [] Industrial [] Put	a Ray [] Density [] Soni ical/Geological Investigation ther (<i>describe</i>) truction, skip the remain blic Supply [2] Irrigation []	on [] Ground Sou <i>inder of this block</i> Fish Culture	rce Heat Pump
Logs run (check all applicable): No lo Name of organization running log(s): Purpose of borehole (check one): N <i>If drilling is not rel</i> Purpose of Well <i>(check all applicable)</i> :	og run [] Electric [] Gamm Vater Well [] Geotechni Seismic Survey [] Ot I <i>ated to water well consi</i>] Home [] Industrial [] Put	a Ray [] Density [] Soni ical/Geological Investigation ther (<i>describe</i>) truction, skip the remain blic Supply [2] Irrigation []	on [] Ground Sou <i>inder of this block</i> Fish Culture	rce Heat Pump
Logs run (check all applicable): No lo Name of organization running log(s): Purpose of borehole (check one): No <i>If drilling is not rel</i> Purpose of Well <i>(check all applicable)</i> : C	og run [] Electric [] Gamm Vater Well [] Geotechni Seismic Survey [] Ot I ated to water well consi] Home [] Industrial [] Put	a Ray [] Density [] Soni ical/Geological Investigation ther (<i>describe</i>)	on	Irce Heat Pump H K BY
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): No <i>If drilling is not rel</i> Purpose of Well (check all applicable): C Other (describe): If a flowing well, method of flow regulation	g run [] Electric [] Gamm Vater Well [] Geotechni Seismic Survey [] Ot Iated to water well consi] Home [] Industrial [] Put on: Valve feet [[] above or [X] below] (check one)	a Ray [] Density [] Soni ical/Geological Investigation ther (<i>describe</i>)	on Ground Sou inder of this block Fish Culture neasured: 06/11/20	Irce Heat Pump By By 115
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ W □ If drilling is not rel Purpose of Well (check all applicable): □ □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 17'	g run 🗌 Electric 🗌 Gamm Vater Well 📄 Geotechni Seismic Survey 📄 Ot Iated to water well consi Home 🗋 Industrial 💭 Put on: Valve feet [] above or 🛛 below] (check one) Steel tape 🗋 Electric tape	a Ray [] Density [] Soni ical/Geological Investigation ther (<i>describe</i>)	on Ground Sou inder of this block Fish Culture neasured: 06/11/20 cribe)	Irce Heat Pump
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ W □ If drilling is not rel Purpose of Well (check all applicable): □ □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 17' Method of Measurement (check one) ⊠	g run 🗌 Electric 🗌 Gamm Vater Well 📄 Geotechni Seismic Survey 📄 Ot Iated to water well consi Home 🗋 Industrial 💭 Put on: Valve feet [] above or 🛛 below] (check one) Steel tape 🗋 Electric tape depth of: 10' feet	a Ray [] Density [] Soni ical/Geological Investigation ther (<i>describe</i>)	on Ground Sou inder of this block Fish Culture neasured: 06/11/20 cribe) : Neat Cement I	I Bentonite \Box Mix
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ W □ If drilling is not rel Purpose of Well (check all applicable): □ □ Other (describe): □ If a flowing well, method of flow regulation Static Water Level: 17' Method of Measurement (check one) ⊠ Well depth: 126'	g run ☐ Electric ☐ Gamm Vater Well ☐ Geotechni Seismic Survey ☐ Ot Iated to water well const Home ☐ Industrial ☐ Put on: Valve feet [☐ above or ⊠ below] (check one) Steel tape ☐ Electric tape depth of: 10' feet Casing diameter: 16"	a Ray [] Density [] Soni ical/Geological Investigation ther (<i>describe</i>)	on Ground Sou inder of this block Fish Culture neasured: 06/11/20 cribe) : I Neat Cement Sou e of casing: PVC	I Bentonite \Box Mix
Logs run (check all applicable):	g run [] Electric [] Gamm Vater Well [] Geotechni Seismic Survey [] Ot Inted to water well const Home [] Industrial [] Put on: Valve	a Ray [] Density [] Soni ical/Geological Investigation ther (<i>describe</i>)	on Ground Sou inder of this block Fish Culture heasured: 06/11/20 cribe) : Neat Cement e of casing: PVC e of screen: PVC	I Bentonite \Box Mix
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ W □ If drilling is not relige Purpose of Well (check all applicable): □ □ Other (describe): □ If a flowing well, method of flow regulation Static Water Level: 17' Method of Measurement (check one) ⊠ Well depth: 126' Well grouted to a Casing length: 86' feet Screen length: 40' feet	g run ☐ Electric ☐ Gamm Vater Well ☐ Geotechni Seismic Survey ☐ Ot Iated to water well consi ☐ Home ☐ Industrial ☐ Put on: Valve	a Ray 🗌 Density 🗌 Soni ical/Geological Investigation ther (<i>describe</i>)	on ☐ Ground Sou inder of this block Fish Culture neasured: 06/11/20 cribe) : ☐ Neat Cement ⊠ e of casing: <u>PVC</u> e of screen: <u>PVC</u> feet to <u>126'</u>	I Bentonite Mix

Form: OLWR-SWR-1A (4/13)

•

	Fo	r Office Use	Onl
county: Tunica	Well#:	A 65	
ermit #:			
The sketch below only required for water wells	Description of formations encountered mus	t be provided for a	<u>ll wa</u>
If well telescopes, show depths on sketch.	and boreholes, unless specifically exempted		_
Ground level	Description of Formations Encountered	From (depth) Ground level	T 2:
K	Clay Fine Sand	24	3
	Fine Sand Fine Sand & Gravel	34	5
		54	1
	Medium Sand & Gravel	04	+
			\bot
			\downarrow
			+
		-	
			+
		1	1
			1
f more than one screen, show location of each on sk	atah		
Sketch the property layout and include the follow			
1) the well location			
2) any permanent structures on the proper 3) any roads, nower lines, or other items th	ty that may aid in locating the well		
4) a north arrow	at may aid in locating the property and the well		
		REC	El
		JUN 1	
		BY: C	V
			1 L

Landowner Name:	Global Ag Properties		
requirements of the N if applicable, and state	lississippi Department of Environn e laws.	ental Quality and the	Form: OLWR-SWR-1A (04/08) inpleted in accordance with all applicable e Missiscippi Department of Health regulations,
Patrick Chism	0695	06/12/2015	600
Print Name of Respo	nsible Licensee and License No.	Date	Signature of Licensee

Form: OLWR-SWR-1A (4/13)

	STATE WELL REPORT	For Office Use Only:
County: Tunica	Part 2	Well #: <u>A 65</u>
Permit #: GW-48824	Pump Installer's Completion Report Mississippi Department of Environmental Quality	,]
Driller: Irrigation Equipment Inc.	Office of Land and Water Resources	Aquifer:
Date drilling completed: 06/11/2015	P.O. Box 2309 Jackson, MS 39225-2309	
Copy information from block on Part 1	(601) 961-5210	
	(601) 360-0535 (fax)	
This part of the report must be completed	d by a licensed water well contractor or a licensed pum parts filed with the Department at the above address wi	p installer. A copy of Part 1
Weil Owner Informat		ell Location
Owner Name: Global AG Properties	Latitude: 34 47' 57.8 N	Longitude: 90 19' 49.4 W
Mailing Address: P.O. Box 3009	Method of Lat/Long (check	one): 🔲 Conventional Survey,
	USGS quad, 🛛 Hand-ho	eld GPS, 🔲 Survey-grade GPS
Champaign IL	61826 <u>NE ¼ NE ¼</u>	Sec 26 T 03 S R 11 W
City State		
Telephone No. () -		hwest of Robinsonville
L	(Distance) (Dire	oction) (Nearest Town)
	Pump Type (check one)	
	Centrifugal 🗋 Flowing Well 🗋 Jet 🗌 Piston 🗋 Rotary	
	Rated Pump Capacity: 2500	Gallons Per Minute
Is This Pump (check one): 🛛 New 🗌 Re	Paired Replacement Power Type (check one)	
Electric Diesel Gasoline Natur	ral Gas 🔲 Tractor PTO 🛄 Windmill 🔲 Other (describe	e):
	ral Gas Tractor PTO Windmill Other (<i>describe</i>	
	Setting Depth: 70' feet	
Horse Power Rating of Motor: 60	Setting Depth: 70' feet	Number of Stages: <u>1</u>
Horse Power Rating of Motor:	Setting Depth: 70' feet 1 Pump Test Data for Non Flowing Well Duration of Pump Test (mini	Number of Stages: 1 imum 4 hours):
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Fe	Setting Depth: 70' feet 1 Pump Test Data for Non Flowing Well Duration of Pump Test (mini tet Below Land Surface Pumping Water Level (B):	Number of Stages: <i>imum 4 hours</i>): Hou Feet Below Land Surfa
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]:	Setting Depth: 70' feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini- Duration of Pump Test (mini- Duration of Pump Test (mini- test Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate:	Number of Stages: <u>1</u> <i>imum 4 hours</i>): Hou Feet Below Land Surfa Gallons Per Minu
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]:	Setting Depth: 70' feet feet feet feet feet feet feet fee	Number of Stages: <u>1</u> <i>imum 4 hours</i>): Hou Feet Below Land Surfa Gallons Per Minu
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): □ 3	Setting Depth: 70' feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini- Duration of Pump Test Data for Non Flowing Well Duration of Pump Test (mini- Steel Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Pump Test Data for Flowing Well	Number of Stages: <u>1</u> <i>imum 4 hours</i>): Hou Feet Below Land Surfa Gallons Per Minu
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]:	Setting Depth: 70' feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini- Duration of Pump Test Data for Non Flowing Water Level (B): Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (descrift Pump Test Data for Flowing Well	Number of Stages: <u>1</u> <i>imum 4 hours</i>): Hou Feet Below Land Surfa Gallons Per Minu
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one):	Setting Depth: 70' feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini- Duration of Pump Test Data for Non Flowing Well Duration of Pump Test (mini- Steel Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Pump Test Data for Flowing Well	Number of Stages: <u>1</u> <i>imum 4 hours</i>): Hou Feet Below Land Surfa Gallons Per Minu be):
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one):	Setting Depth: 70' feet 1 Pump Test Data for Non Flowing Well Duration of Pump Test (mini- bet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (descrift Pump Test Data for Flowing Well Feet a drawdown of feet after	Number of Stages: <u>1</u> <i>imum 4 hours</i>): Hou Feet Below Land Surfa Gallons Per Minu be):
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with a	Setting Depth: 70' feet 1 Pump Test Data for Non Flowing Well Duration of Pump Test (mini- et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (descrift Pump Test Data for Flowing Well Feet a drawdown offeet after Meter Installation	Number of Stages: <u>1</u> <i>imum 4 hours</i>): Hou Feet Below Land Surfa Gallons Per Minu be): hours of pumpine
Horse Power Rating of Motor: 60	Setting Depth: 70' feet feet feet for Non Flowing Well Duration of Pump Test (mini- bet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (descrift Other (descrift Other (descrift) Other (descrift) Other (descrift) Feet Adrawdown of feet after Meter Installation	Number of Stages: 1Hou imum 4 hours):Hou Feet Below Land Surfa Gallons Per Minu be): hours of pumping Content JUN 1
Horse Power Rating of Motor: 60 Date Well Tested:	Setting Depth: 70' feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini- Duration of Pump Test (mini- Duration of Pump Test (mini- set Below Land Surface Pumping Water Level (B):	Number of Stages: 1Hou imum 4 hours): Hou Feet Below Land Surfa Gallons Per Minu be): hours of pumpipe JUN 1
Horse Power Rating of Motor: 60 Date Well Tested:	Setting Depth: 70' feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini- Duration of Pump Test (mini- Duration of Pump Test (mini- test Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (descrift Pump Test Data for Flowing Well Feet a drawdown of	Number of Stages: 1Hou imum 4 hours):Hou Feet Below Land Surfa Gallons Per Minu be): hours of pumping hours of pumping
Horse Power Rating of Motor: 60 Date Well Tested:	Setting Depth: 70' feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini- Duration of Pump Test (mini- Duration of Pump Test (mini- test Below Land Surface Pumping Water Level (B):	Number of Stages: 1Hou imum 4 hours):Hou Feet Below Land Surfa Gallons Per Minu be): hours of pumping hours of pumping
Horse Power Rating of Motor: 60 Date Well Tested:	Setting Depth: 70' feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini- Duration of Pump Test (mini- Duration of Pump Test (mini- test Below Land Surface Pumping Water Level (B):	Number of Stages: 1Hou imum 4 hours):Hou Feet Below Land Surfa Gallons Per Minu be): hours of pumping G
Horse Power Rating of Motor: 60 Date Well Tested:	Setting Depth: 70' feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini- Duration of Pump Test (mini- Duration of Pump Test (mini- test Below Land Surface Pumping Water Level (B):	Number of Stages: 1Hou imum 4 hours):Hou Feet Below Land Surfa Gallons Per Minu be): hours of pumper burs of pumper
Horse Power Rating of Motor: 60 Date Well Tested:	Setting Depth: 70' feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini- Duration of Pump Test (mini- Duration of Pump Test (mini- test Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (descrift Pump Test Data for Flowing Well Feet a drawdown of	Number of Stages: 1Hou imum 4 hours):Hou Feet Below Land Surfa Gallons Per Minu be): hours of pumper burs of pumper
Horse Power Rating of Motor: 60 Date Well Tested:	Setting Depth: 70' feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini- bet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Feet Below Land Surface Test Pumping Rate:	Number of Stages: 1 imum 4 hours):
Horse Power Rating of Motor: 60 Date Well Tested:	Setting Depth: 70' feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini- bet Below Land Surface Pumping Water Level (B):	Number of Stages: 1 imum 4 hours):

۲. ۲