C/I	TATE WELL REPORT	194
County: Tunica	Part 1	For Office Use Only:
Lounty: <u>744764</u> Permit #: <u>GW-50353</u>	Driller's Log	Well #:A 69
MISSISSIP	pi Department of Environmental Quality fice of Land and Water Resources	Aquifer:
Date drilling completed: 3/26/18	P.O. Box 2309	E-Log #:
Date driving completed:	Jackson, MS 39225-2309 (601)961-5210	
	(601)360-0535 (fax)	
State Law requires that this report be prepare Department at the above address within 30 d		
Well Owner Information (Landowner if borehole is not for a water w		hole Location
Owner Name: Global Ag Properties USA	Latitude: 37 79 20 los	ngitude: <u>90 19 14</u>
		e): Conventional Survey,
Mailing Address: 2004 Fox Drive Suite	USGS guad . Hand-held G	PS, Survey-grade GPS
		13 1 T 035 R VIW
<u>Champaign</u> <u>IL</u> <u>610</u> City State Zij	p Code 12 Miles NW o	
Telephone No. (90/) 351-3060		(Nearest Town)
Date drilling started: 3/26/18 Date drilling co	Well / Borehole Data	24 ¹¹
·		
Location of the source of any surface water used		
Method of dosing and volume of Chlorine used in		· · · · · · · · · · · · · · · · · · ·
Logs run (circle all applicable): No log run Electr	ric Gamma Ray Density Sonic Neutro	on Other:
Name of organization running log(s):		
Purpose of borehole (circle one): Water Well	Geotechnical/Geological Investigation	Ground Source Heat Pump
Seismic Survey	Other (describe)	11th
If drilling is not related to wa	ter well construction, skip the remainde	rofthis block REGE
Purpose of Well (circle all applicable): Home	ndustrial Public Supply Irrigation	
Other (describe):		
If a flowing well, method of flow regulation: Va	lve Other (<i>describe</i>)	EY U
Static Water Level: <u>26</u> feet [above (circl	or <u>below]</u> land surface Date measure le one)	d:
Method of measurement (circle one): Steel tape		
Well depth: 115 Well grouted to a depth of:	<u>10</u> feet Type of grout (circle one)	: Neat Cement Bentonite Mix
Casing length: <u>75</u> feet Casing diam	neter: <u>16</u> inches Type of	casing: <u>PVC</u>
Screen length: 40 feet Screen dia	imeter: 16 inches Type of	f screen: <u>PVC</u>
Screen slot size: <u>,05b</u> inches Sett	ing depth: From <u>60</u> feet 1	to <u>90</u> feet
Type of completion (circle all applicable): Grave		Natural Development
Other (describe):		
Top of lap pipe or reduction in casing: If telescoped or n	nore than one screen, describe on next p	age

Form: OLWR-5WR-1A (4/13)

County: Tunica Permit #: 6W-50353

	For	Office	Use	Only:	
Weil	#:	A6	9		

The sketch below only required for water wells

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

If well telescopes, show depths on sketch. **Description of Formations Encountered** From (depth) To (depth) Ground Level Ground level 9 TOP Soil K C 42 ourse San 15' CASing 42 62 Course & Me Sand 62 82 pea GRAVE ma San 20 11 PraGravel & Fravel 82 115 20 * * 11 20 20 Screen t: 20 If more than one screen, show location of each on sketch

Sketch the property layout and include the following:

1) the well location

2) any permanent structures on the property that may aid in locating the well

3) any roads, power lines, or other items that may aid in locating the property and the well

4) north arrow

Ved Wetter UnR-8243 Signature of Licensee Print Name of Responsible Licensee and License No are

Form: OLWR-SWR-18 (4/13)

RECEIVED SEP 21 2018 BY OLVER

STATE W	ELL REPORT	
County: <u>Tunica</u>	Part 2	For Office Use Only:
Mississippi Departm	r's Completion Report ent of Environmental Quality	Well #:A 69
Driller: Chad Mattox Office of Lan	d and Water Resources O. Box 2309	
Jacksor	n, MS 39225-2309	Aquifer:
	01)961-5210 360-0535 (fax)	
This part of the report must be completed by a licensed water of the report must be attached and both parts filed with the Do Well Owner Information	epartment at the above address w Well L	<i>ithin 30 days of well completion.</i> ocation
		gitude: <u>90 19 14</u>
•	Method of Lat/Long (check one)	
	USGS quad, Hand-held GI	PS_X_, Survey-grade GPS
Indianola MS 38751 City State Zip Code		13 4 035 R 11W
Telephone No. (662) 207 - 0269	$\frac{12}{(Distance)}$ Miles $\frac{NW}{(Direction)}$ of	(Nearest Town)
	e (circle one)	
Submersible (Turbing) Air Lift Centrifugal Flowing Well	Jet Piston Rotary Other (de	scribe):
Date Pump Installed: <u>4-2-18</u> R	ated Pump Capacity: <u>3000</u>	GalRsEeGiEuVt
Is This Pump (circle one): (New Repaired Replacemen	t	APR 20 20
Power Typ	oe (circle one)	
Electric Diese Gasoline Natural Gas Tractor PTO Wind	dmill Other (<i>describe</i>):	<u>— вү о</u> ци
Horse Power Rating of Motor: <u>60</u> Setting Depth	h: <u>70</u> feet Number	of Stages:
	for Non Flowing Well	
Date Well Tested:		um 4 hours): hours
Static Water Level (A): <u>2</u> Feet Below Land Surface	Pumping Water Level (B): _	Feet Below Land Surface
Drawdown [(B) - (A)]:Feet Below Land Surfa	ace Test Pumping Rate:	Gallons Per Minute
Method of measurement (circle one): Steel tape Electric ta	ne Airline Other (describe):	1
Pump Test Dat	a for Flowing Well	
Pump Test Dat Measured shut in head:feet.	a for Flowing Well	
Pump Test Dat	a for Flowing Well	
Pump Test Dat Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter I	a for Flowing Well feet_after Installation	hours of pumping
Pump Test Dat Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter I Meter Manufacturer:	a for Flowing Well feet after Installation Meter Serial Number:	hours of pumping
Pump Test Dat Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter I	a for Flowing Well feet after Installation Meter Serial Number:	hours of pumping
Pump Test Dat Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal	a for Flowing Well feet_after Installation Meter Serial Number: Type of Meter: x 1000, etc):	hours of pumping
Pump Test Dat Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter Manufacturer: Meter Model Number/Name:	a for Flowing Well feet_after Installation Meter Serial Number: Type of Meter: x 1000, etc):	hours of pumping
Pump Test Dat Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter I Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal Installation Date: Meter installed by: Is This Meter (circle one): New Repaired Replaceme	a for Flowing Wellfeet_after InstallationMeter Serial Number: Type of Meter: x 1000, etc):	_hours of pumping
Pump Test Dat Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal Installation Date: Meter installed by: _	a for Flowing Well feet_after Installation Meter Serial Number: Type of Meter: x 1000, etc): ent	_hours of pumping
Pump Test Dat Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter I Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal Installation Date: Meter installed by: Is This Meter (circle one): New Repaired Replaceme	a for Flowing Well feet_after Installation Meter Serial Number: Type of Meter: x 1000, etc): ent ent ertifying that this meter was insta proved meters is on the MDEQ w	_hours of pumping

Contraction and the second

Form: OLWR-SWR-1B (4/13)