	STATE W	ELL REPORT	For Office Use Only
County: Tunica	D	Part 1	Well #: C []
Permit #: GW-48821	Mississippi Departm	iller's Log ient of Environmental Qualit	Aquifer:
Driller: Irrigation Equipment Inc.	Office of Land	and Water Resources D. Box 2309	E-Log #:
Date drilling completed: 07/08/2015	Jackson	, MS 39225-2309	
		1) 961-5210 360-0535 (fax)	
State Law requires that this report			
Department at the above address w Well Owner Informa			<i>vell or borehole.</i> Borehole Location
(Landowner if borehole is not fo		Wentos	
Owner Name: Global Ag Properties I	LLC	Latitude: 34 41' 17.5 N	Longitude: 90 25' 11.2 W
Mailing Address: P.O. Box 3009	_	Method of Lat/Long (check	one): 🔲 Conventional Survey
			eld GPS, 🔲 Survey-grade GPS
Champaign IL	64926		
Champaign IL City Stat	61826 e Zip code	<u>344</u> % <u>3E</u> %	i, Sec <u>36</u> T <u>4 S</u> R <u>12 W</u>
Telephone No. () -			lest of Tunica
	······		ection) (Nearest Town)
	Weli / Bo	rehole Data	
Date drilling started: 07/08/2015	Date drilling completed:	07/08/2015 Hole depth:	27' Hole diameter: 24"
Location of the source of any surface wat	ter used for drilling:	Surface Water	
Method of dosing and volume of Chlorine			· · ·
method of dosing and volume of childrine			
-	•		,
Logs run (check all applicable): 🛛 No log	•		
-	g run 🗌 Electric 🗌 Gan		
Logs run (check all applicable): 🛛 No log	g run 🗌 Electric 🗌 Gan	nma Ray 🗌 Density 🔲 Sonic	
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🕅 W	g run 🗌 Electric 🗌 Gan /ater Well 🔲 Geoteci	nma Ray Density Sonic Sonic	
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W	g run 🗌 Electric 🗌 Gan dater Well 🔲 Geoteci Geismic Survey 🗌	nma Ray [] Density [] Sonic hnical/Geological Investigation Other (describe)	Ground Source Heat Pun
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W 🗌 S <i>If drilling is not rela</i>	g run 🗌 Electric 🗌 Gan Vater Well 📄 Geoteck Seismic Survey 🔲 Cated to water well con	nma Ray [] Density [] Sonic hnical/Geological Investigation Other (describe) Instruction, skip the remain	Ground Source Heat Pun
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W	g run 🗌 Electric 🗌 Gan Vater Well 📄 Geoteck Seismic Survey 🔲 Cated to water well con	nma Ray [] Density [] Sonic hnical/Geological Investigation Other (describe) Instruction, skip the remain	Ground Source Heat Pun
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W 🗌 S <u>If drilling is not rela</u> Purpose of Well (check all applicable): 🔲	g run 🗌 Electric 🗌 Gan later Well 📄 Geoteci seismic Survey 📄 ated to water well con	nma Ray [] Density [] Sonic hnical/Geological Investigation Other (describe) Instruction, skip the remain	Ground Source Heat Pun Inder of this block
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W 🗌 S <u>If drilling is not rela</u> Purpose of Well (check all applicable): 🔲	g run 🗌 Electric 🗌 Gan dater Well 📄 Geotect Seismic Survey 📋 ated to water well con Home 🗆 Industrial 🗬 F	nma Ray Density Sonic Density Sonic Density Sonic Density Sonic Density De	Ground Source Heat Pun Inder of this block Fish Culture
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): N W S <i>If drilling is not rela</i> Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation	g run 🗌 Electric 🗌 Gam	nma Ray Density Sonic Density Sonic Density Sonic Density Sonic Density De	Ground Source Heat Pun Inder of this block Tish Culture
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): N W S If drilling is not related Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation Static Water Level: 28'f	g run 🗌 Electric 🗌 Gan later Well 📄 Geoteci seismic Survey 📄 ated to water well con Home 🗌 Industrial 🗋 F n: Valve eet [] above or 🛛 belo (check one)	Inma Ray Density Sonic Innical/Geological Investigation Other (<i>describe</i>) Instruction, skip the remain Public Supply Irrigation I Other (describe)	Ground Source Heat Pun Ander of this block Fish Culture Pasured: 07/08/2015
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): N W S <i>If drilling is not rela</i> Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation	g run 🗌 Electric 🗌 Gan later Well 📄 Geoteci seismic Survey 📄 ated to water well con Home 🗌 Industrial 🗋 F n: Valve eet [] above or 🛛 belo (check one)	Inma Ray Density Sonic Innical/Geological Investigation Other (<i>describe</i>) Instruction, skip the remain Public Supply Irrigation I Other (describe)	Ground Source Heat Pun Ander of this block Fish Culture Pasured: 07/08/2015
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): N W S If drilling is not related Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation Static Water Level: 28'f	g run 🗌 Electric 🗌 Gam later Well 📄 Geotec seismic Survey 📄 ated to water well con Home 🗌 Industrial 🗋 F n: Valve eet [] above or 🛛 belo (check one) Steel tape 🗌 Electric tap	Ima Ray Density Sonic Innical/Geological Investigation Other (describe)	a Ground Source Heat Pun ader of this block Fish Culture Pasured: 07/08/2015 Tibe)
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ W □ S If drilling is not relation Purpose of Well (check all applicable): □ □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 28' Method of Measurement (check one) ⊠ S	g run 🗌 Electric 🗌 Gam later Well 📄 Geoteci seismic Survey 📄 ated to water well con Home 🗌 Industrial 🗋 F n: Valve eet [] above or 🛛 belo (check one) Steel tape 🗋 Electric tap depth of: 10' fee	Ima Ray Density Sonic Innical/Geological Investigation Other (describe)	a Ground Source Heat Pun ader of this block Fish Culture Pasured: 07/08/2015 Fibe) D Neat Cement 🖾 Bentonite [
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W <i>If drilling is not rela</i> Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation Static Water Level: 28' for Method of Measurement (check one) 🖾 s Well depth: 127' Well grouted to a for Casing length: 87' feet	g run 🗌 Electric 🗌 Gam later Well 📄 Geoteci seismic Survey 📄 ated to water well con Home 🗌 Industrial 🗋 F n: Valve eet [] above or 🛛 belo (check one) Steel tape 🗋 Electric tap depth of: 10' fee Casing diameter: 16'	nma Ray ☐ Density ☐ Sonic hnical/Geological Investigation Other (<i>describe</i>)	a ☐ Ground Source Heat Pun ader of this block Fish Culture Pasured: 07/08/2015 Tibe) ☐ Neat Cement ⊠ Bentonite ☐ of casing: PVC
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): <i>If drilling is not rela If drilling is not rela If drilling is not rela</i> Other (<i>describe</i>): If a flowing well, method of flow regulation Static Water Level: 28' Method of Measurement (check one) Well depth: 127' Well grouted to a casing length: 87' feet Screen length: 40'	g run 🗌 Electric 🗌 Gam later Well 📄 Geoteci seismic Survey 📄 ated to water well con Home 🗌 Industrial 🗋 F n: Valve eet [] above or 🛛 belo (check one) Steel tape 📄 Electric tap depth of: 10' fee Casing diameter: 16' Screen diameter: 16'	nma Ray □ Density □ Sonic hnical/Geological Investigation Other (<i>describe</i>)	a ☐ Ground Source Heat Pun ader of this block Fish Culture Pasured: 07/08/2015 Tibe) ☐ Neat Cement ⊠ Bentonite ☐ of casing: PVC of screen: PVC
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): <i>If drilling is not rela If drilling is not rela If drilling is not rela</i> Other (<i>describe</i>): If a flowing well, method of flow regulation Static Water Level: 28' Method of Measurement (check one) Well depth: 127' Well grouted to a casing length: 87' feet Screen length: 40' feet Screen slot size: .050 ir	g run 🗌 Electric 🗌 Gam ater Well 📄 Geoteci seismic Survey 📄 ated to water well con Home 🗌 Industrial 🗋 F n: Valve eet [] above or 🛛 belo (check one) Steel tape 📄 Electric tap depth of: 10' fee Casing diameter: 16' Screen diameter: 16' nches Setting depth:	Ima Ray □ Density □ Sonic Innical/Geological Investigation Other (describe)	a ☐ Ground Source Heat Pun ader of this block Tish Culture assured: 07/08/2015 Tibe) ☐ Neat Cement ⊠ Bentonite ☐ of casing: <u>PVC</u> of screen: <u>PVC</u> feet to <u>127</u>
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W □ S If drilling is not related Purpose of Well (check all applicable): □ □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 28' for Method of Measurement (check one) 🖾 S Well depth: 127' Well grouted to a Casing length: 87' feet Screen length: 40' feet Screen slot size: .050 in Type of completion (check all applicable):	g run Electric g run Electric Gater Well Geoteck Geismic Survey Image: Geoteck ated to water well control Image: Geoteck ated to water well control Image: Geoteck ated to water well control Image: Geoteck I Home Industrial Image: Geoteck I Home Image: Geoteck Image: Ge	Ima Ray □ Density □ Sonic Innical/Geological Investigation Other (describe)	a ☐ Ground Source Heat Pun ader of this block Fish Culture Pasured: 07/08/2015 Tibe) ☐ Neat Cement ⊠ Bentonite ☐ of casing: PVC of screen: PVC feet to 127' feet to 1
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W □ S If drilling is not related Purpose of Well (check all applicable): □ □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 28' for Method of Measurement (check one) 🖾 S Well depth: 127' Well grouted to a Casing length: 87' feet Screen length: 40' feet Screen slot size: .050 in Type of completion (check all applicable):	a run 🗆 Electric 🗌 Gan ater Well 📄 Geoteci Geismic Survey 📄 ated to water well con ated to ated to ated to ated ated to ated to ated to ated to ated to ated ated to ated to ated to ated to ated ated to ated to ated to ated to ated to ated to ated to ated ated to ated	Ima Ray □ Density □ Sonic Innical/Geological Investigation Other (describe)	a ☐ Ground Source Heat Pun ader of this block Fish Culture Pasured: 07/08/2015 Tibe) ☐ Neat Cement ⊠ Bentonite ☐ of casing: PVC of screen: PVC feet to 127' feet to 1

, i

County: Tunica	Fo Well #:	For Office Use Only:		
Permit #: GW-48821				
he sketch below only required for water wells	Description of formations encountered mus and boreholes, unless specifically exempted	t be provided for a	ll wells	
f well telescopes, show depths on sketch	and borenoies, unless spectficauly exempled	by regulations		
Ground level	Description of Formations Encountered	From (depth)	To (depth	
	Clay	Ground level	28	
	Fine Sand	29	35	
	Fine Sand & Gravel	36	68	
	Medium Sand & Gravel	69	127	
		-		
	· · · · · · · · · · · · · · · · · · ·		_	
f more than one screen, show location of each on sketch		.1	L.,	
Sketch the property layout and include the following: 1) the well location 2) any permanent structures on the property that m 3) any roads, power lines, or other items that may a 4) a north arrow	ay aid in locating the well id in locating the property and the well			

Landowner Name:	Global Ag Properties LL	с	
I HEREBY CERTIFY requirements of the M if applicable, and stat Patrick Chism	lississippi Department of Environme	onstructed, and completental Quality and the M 07/14/2015	Form: OLWR-SWR-1A (04/08) et in accordance with all applicable lissistippi Department of Health regulations,
	nsible Licensee and License No.	Date	Signature of Licensee
			Form: OLWR-SWR-TA (4713)

1 i

1 r

		LL REPORT	For Office Use Only
County: Tunica		rt 2	Well#: <u>C17</u>
Permit #: GW-48821	Pump Installer's (Mississippi Department	Completion Repor	t
Driller: Irrigation Equipment Inc	Contract of Land and	Water Resources	Aquifer:
Date drilling completed: 07/08/2015		ox 2309 3 39225-2309	
Copy information from block on Pa		61-5210	
	(601) 360	-0535 (fax)	
This part of the report must be con	npleted by a licensed water well co	ntractor or a licensed p	ump installer. A copy of Part 1
of the report must be attached and Well Owner Int			within 30 days of well completion. Well Location
Owner Name: Global Ag Proper		atitude: 34 41' 17.5 N	Longitude: 90 25' 11.2 W
Mailing Address: P.O. Box 3009	M	ethod of Lat/Long (chec	k one): 🔲 Conventional Survey,
		LUSCS augd M Hand	-held GPS, 🔲 Survey-grade GPS
· · · · · · · · · · · · · · · · · · ·			
Champaign City	IL 61826 State Zip code	<u>SW</u> ½ <u>SE</u>	¼, Sec <u>36</u> T <u>4 S</u> R <u>12 W</u>
		2 Miles	West of Tunica
			Direction) (Nearest Town)
	Pump Type (c	hock one)	
🔲 Submersible 🛛 Turbine 🗌 Air Li] Jet 🗌 Piston 🗌 Rota	ry 🔲 Other (describe):
Date Pump Installed 07/08/2015		d Pump Capacity: 250	0+/- Gallons Per Min
Is This Pump (check one): 🛛 New	Repaired Replacement		
1	Dennen Trene (a	(
	Power Type (c	-	
🔲 Electric 🛛 Diesel 🗋 Gasoline 🗍	·	-	ibe):
□ Electric ⊠ Diesel □ Gasoline □ Horse Power Rating of Motor:60	Natural Gas 🛛 Tractor PTO 🗌 V	Vindmill 🗌 Other (descri	
	Natural Gas	Vindmill 🗋 Other (descri	
Horse Power Rating of Motor: 60	Natural Gas I Tractor PTO V Setting Depth: 70 Pump Test Data for N	Vindmill 🗋 Other (descri	
Horse Power Rating of Motor:	Natural Gas	Vindmill Other (description) Other (description) feet feet on Flowing Well uration of Pump Test (m	Number of Stages: 1
Horse Power Rating of Motor: 60	Natural Gas	Vindmill Other (description) Other (description) feet feet on Flowing Well uration of Pump Test (m	Number of Stages: 1
Horse Power Rating of Motor:	Natural Gas Tractor PTO V Setting Depth: 70 Pump Test Data for N Du Feet Below Land Surface Pt	Vindmill D Other (description) feet on Flowing Well uration of Pump Test (m umping Water Level (B):	Number of Stages: 1 inimum 4 hours): H
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A):	Natural Gas Tractor PTO V Setting Depth: 70 Pump Test Data for N Du Feet Below Land Surface Pu Feet Below Land Surface	Vindmill D Other (description) feet	Number of Stages: inimum 4 hours): H : Feet Below Land Sur Gallons Per Mi
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]:	Natural Gas 🗆 Tractor PTO 🗌 V Setting Depth: 70 Pump Test Data for N Du Feet Below Land Surface Pr Feet Below Land Surface Feet Below Land Surface	Vindmill C Other (description) on Flowing Well uration of Pump Test (m umping Water Level (B): Test Pumping Rate: Air line C Other (description)	Number of Stages: inimum 4 hours): H : Feet Below Land Sur Gallons Per Mi
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one	Natural Gas 🗌 Tractor PTO 🗌 V Setting Depth: 70 Pump Test Data for N Du Feet Below Land Surface Pro Feet Below Land Surface Feet Below Land Surface Steel tape 🗌 Electric tape 🖸 Pump Test Data for	Vindmill C Other (description) on Flowing Well uration of Pump Test (m umping Water Level (B): Test Pumping Rate: Air line C Other (description)	Number of Stages: inimum 4 hours): H : Feet Below Land Sur Gallons Per Mi
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one Measured shut in head:	Natural Gas 🗌 Tractor PTO 🗌 V Setting Depth: 70 Pump Test Data for N Du Feet Below Land Surface Pro Feet Below Land Surface Feet Below Land Surface Du Feet Below Land Surface Feet Below Land Surface Feet Below Land Surface	Vindmill D Other (description) on Flowing Well uration of Pump Test (m umping Water Level (B): Test Pumping Rate:] Air line D Other (description) Flowing Well	Number of Stages: inimum 4 hours): H : Feet Below Land Sur Gallons Per Mi :ribe):
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one Measured shut in head:	Natural Gas 🗌 Tractor PTO 🗌 V Setting Depth: 70 Pump Test Data for N Du Feet Below Land Surface Pro Feet Below Land Surface Feet Below Land Surface Steel tape 🗌 Electric tape 🖸 Pump Test Data for	Vindmill D Other (description) on Flowing Well uration of Pump Test (m umping Water Level (B): Test Pumping Rate:] Air line D Other (description) Flowing Well	Number of Stages: inimum 4 hours): H : Feet Below Land Sur Gallons Per Mi :ribe):
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one Measured shut in head:	Natural Gas 🗌 Tractor PTO 🗌 V Setting Depth: 70 Pump Test Data for N Du Feet Below Land Surface Pu Feet Below Land Surface Pu Pump Test Data for	Vindmill 🗌 Other (description) feet on Flowing Well uration of Pump Test (m umping Water Level (B): Test Pumping Rate:] Air line 🔲 Other (description) Flowing Well feet after	Number of Stages: inimum 4 hours): H : Feet Below Land Sur Gallons Per Mi :ribe):
Horse Power Rating of Motor: 60 Date Well Tested:	Natural Gas 🗌 Tractor PTO 🗌 V Setting Depth: 70 Pump Test Data for N Du Feet Below Land Surface Pr Feet Below Land Surface Pr Meter Instal	Vindmill 🗆 Other (description) feet on Flowing Well uration of Pump Test (m umping Water Level (B): Test Pumping Rate: Air line 🗆 Other (desc Flowing Well feet after lation	Number of Stages: 1 inimum 4 hours): H Feet Below Land Sur Gallons Per Mi cribe): H hours of pumping H
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one Measured shut in head: Well yielded GPM Meter Manufacturer:	Natural Gas 🗌 Tractor PTO 🗌 V Setting Depth: 70 Pump Test Data for N Du Feet Below Land Surface Pu Feet Below Land Surface Pu Feet Below Land Surface Pu Feet Below Land Surface Pump Test Data for Pump Test Data for Feet With a drawdown of	Vindmill 🗆 Other (descrifted on Flowing Well uration of Pump Test (m umping Water Level (B): Test Pumping Rate:] Air line 🗆 Other (descrifted Flowing Well feet after lation Meter Serial Number:	Number of Stages: 1 inimum 4 hours):
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one Measured shut in head: Well yielded GPM Meter Manufacturer: Meter Model Number/Name:	Natural Gas 🗌 Tractor PTO 🗌 V Setting Depth: 70 Pump Test Data for N Du Feet Below Land Surface Pu Feet Below Land Surface Pu Meter Instal	Vindmill 🗌 Other (description) feet on Flowing Well uration of Pump Test (m umping Water Level (B): Test Pumping Rate:] Air line 🔲 Other (desc Flowing Well feet after feet after lation Meter Serial Number: Type of Meter:	Number of Stages: 1 inimum 4 hours):
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement <i>(check one</i> Measured shut in head: Well yielded GPM Meter Manufacturer:	Natural Gas 🗌 Tractor PTO 🗌 V Setting Depth: 70 Pump Test Data for N Du Feet Below Land Surface Pu Feet Below Land Surface Pu Meter Instal	Vindmill 🗌 Other (descrifted on Flowing Well uration of Pump Test (m umping Water Level (B): Test Pumping Rate:] Air line 🗌 Other (descrifted Flowing Well feet after feet after lation Meter Serial Number: Type of Meter: c):	Number of Stages: 1 inimum 4 hours): H Feet Below Land Sur Gallons Per Mi Gallons Per Mi Gallons Per Mi cribe): hours of pumping
Horse Power Rating of Motor: 60 Date Well Tested:	Natural Gas 🗌 Tractor PTO 🗌 V Setting Depth: 70 Pump Test Data for N Du Feet Below Land Surface Pu Feet Below Land Surface Pu Meter Instal	Vindmill 🗌 Other (descrifted on Flowing Well uration of Pump Test (m umping Water Level (B): Test Pumping Rate:] Air line 🗌 Other (descrifted Flowing Well feet after feet after lation Meter Serial Number: Type of Meter: c):	Number of Stages: 1 inimum 4 hours):
Horse Power Rating of Motor: 60 Date Well Tested:	Natural Gas 🗌 Tractor PTO 🗌 V Setting Depth: 70 Pump Test Data for N Du Feet Below Land Surface Pu Feet Detric tape Electric tape Pu Pump Test Data for Feet Meter Instal	Vindmill 🗌 Other (descrifted on Flowing Well uration of Pump Test (m umping Water Level (B): Test Pumping Rate:] Air line 🗌 Other (descrifted Flowing Well feet after feet after lation Meter Serial Number: Type of Meter: c):	Number of Stages: 1 inimum 4 hours): H Feet Below Land Sur Gallons Per Mi Gallons Per Mi Gallons Per Mi cribe): hours of pumping
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement <i>(check one</i> Measured shut in head: Well yielded GPM Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplie Installation Date: Is This Meter <i>(check one)</i> : New [Natural Gas 🗌 Tractor PTO 🗌 V Setting Depth: 70 Pump Test Data for N Du Feet Below Land Surface Pu Feet Detric tape 🗌 Electric tape 🗌 Pump Test Data for Feet with a drawdown of feet Installed Pu Meter Installed by: Repaired 🗋 Replacement	Vindmill 🗌 Other (descrifted feet on Flowing Well uration of Pump Test (m umping Water Level (B): Test Pumping Rate:] Air line 🗌 Other (desc Flowing Well feet after feet after lation Meter Serial Number: Type of Meter: c):	Number of Stages: 1 inimum 4 hours):
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one Measured shut in head: Meter Manufacturer: Well yielded GPM Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplie Installation Date: Is This Meter (check one): New [Important: By submitting the a	Natural Gas 🗌 Tractor PTO 🗌 V Setting Depth: 70 Pump Test Data for N Du Feet Below Land Surface Pu Feet Detric tape 🗌 Electric tape 🗌 Pump Test Data for Feet with a drawdown of feet Installed Pu Meter Installed by: Repaired 🗋 Replacement	Vindmill 🗌 Other (descrifted feet on Flowing Well uration of Pump Test (m umping Water Level (B): Test Pumping Rate:] Air line 🗌 Other (descrifted Flowing Well feet after feet after lation Meter Serial Number: Type of Meter: c):	Number of Stages: 1 inimum 4 hours):
Horse Power Rating of Motor:60 Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one Measured shut in head: Meter Manufacturer: Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplie Installation Date: Is This Meter (check one): New [Important: By submitting the a For a;	Natural Gas Tractor PTO V Setting Depth: 70' Pump Test Data for N Du	Vindmill 🗌 Other (descrifted feet on Flowing Well uration of Pump Test (m umping Water Level (B): Test Pumping Rate:] Air line 🗌 Other (descrifted Flowing Well feet after feet after lation Meter Serial Number: Type of Meter: C): type that this meter was in the MDEQ	Number of Stages: 1 inimum 4 hours):
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one Measured shut in head: Meter Manufacturer: Well yielded GPM Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplie Installation Date: Is This Meter (check one): New [Important: By submitting the a	Natural Gas Tractor PTO V Setting Depth: 70' Pump Test Data for N Du	Vindmill 🗌 Other (descrifted feet on Flowing Well uration of Pump Test (m umping Water Level (B): Test Pumping Rate:] Air line 🗌 Other (descrifted Flowing Well feet after feet after lation Meter Serial Number: Type of Meter: C): type that this meter was in the MDEQ	Number of Stages: 1 inimum 4 hours):
Horse Power Rating of Motor:60 Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one Measured shut in head: Meter Manufacturer: Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplie Installation Date: Is This Meter (check one): New [Important: By submitting the a For a;	Natural Gas Tractor PTO V Setting Depth: 70' Pump Test Data for N Du	Vindmill 🗌 Other (descrifted feet on Flowing Well uration of Pump Test (m umping Water Level (B): Test Pumping Rate:] Air line 🗌 Other (descrifted Flowing Well feet after feet after lation Meter Serial Number: Type of Meter: C): type that this meter was in the MDEQ	Number of Stages: 1 inimum 4 hours):

##