County: Tunica
County: /4n.017
, , , , , , , , , , , , , , , , , , ,
Permit #: 6W- 47023
Driller: Delta Orilling
Driller: 1/21/4 Ulilling
, <u>, , , , , , , , , , , , , , , , , , </u>
Date drilling completed: 6-3-13
2000 000000

Well Owner Information

(Landowner if borehole is not for a water well)

### STATE WELL REPORT

#### Part 1

Driller's Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309

P.O. Box 2309 Jackson, MS 39225-230 (601)961-5210 (601)360-0535 (fax)

**Well or Borehole Location** 

Latitude: N 310 34. JU. 80 Longitude: W90° 29' 55.94"

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

Well / Borehole Data  Date drilling started: 2-3-13 Date drilling completed: 6-3-13 Hole depth: 105 Hole diameter: 24"  Location of the source of any surface water used for drilling: 6 or and Work! Well 1/2 or 1/	Owner Name: 1/h, te & White  Mailing Address: 10 Box 1813  Tun, La Ms 38676  City State Zip Code	Method of Lat/Long (check one): Conventional Survey,  USGS quad, Hand-held GPS, Survey-grade GPS  SE/4_NE/4, Sec7T			
Date drilling started: \( \( \( \frac{L}{2} - \frac{I}{2} \) Date drilling completed: \( \frac{L}{2} - \frac{I}{2} \) Hole depth: \( \frac{LS}{LS} \) Hole diameter: \( \frac{LS}{LS} \) Hole depth: \( \frac{LS}{LS} \) Hole depth: \( \frac{LS}{LS} \) Hole diameter: \( \frac{LS}{LS} \) Hole depth: \(	Telephone No. ()	(Breather)			
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:  Name of organization running log(s):  Purpose of borehole (circle one): Water Well Seismic Survey Other (describe)  If drilling is not related to water well construction, skip the remainder of this block  Purpose of Well (circle all applicable): Home Industrial Public Supply Irrigation Fish Culture  Other (describe):  If a flowing well, method of flow regulation: Valve Other (describe)  Static Water Level: 17 feet [above or below] and surface Date measured: 6-3-13 (circle one): Steel tape Alectric tape Air line Other (describe):  Well depth: 105 Well grouted to a depth of: 10 feet Type of grout (circle one): Neat Cement Bentonite Mix  Casing length: 45 feet Casing diameter: 16 inches Type of casing: 16-16  Screen length: 40 feet Screen diameter: 17 inches Type of screen: 17 feet Screen diameter: 18 feet to 19 feet Type of completion (circle all applicable): Gravel packed Underreamed Open hole Natural Development 10 Other (describe): 17 feet Inches Type of completion (circle all applicable): Gravel packed Underreamed Open hole Natural Development 10 Other (describe): 17 feet Inches Type of completion (circle all applicable): Gravel packed Underreamed Open hole Natural Development 10 Other (describe): 17 feet Inches Inch	Date drilling started: 6-3-13 Date drilling completed: 6-3-13 Hole depth: 105 Hole diameter: 24"				
Name of organization running log(s):  Purpose of borehole (circle one): Water Well Seismic Survey Other (describe)  If drilling is not related to water well construction, skip the remainder of this block  Purpose of Well (circle all applicable): Home Industrial Public Supply Irrigation Fish Culture  Other (describe):  If a flowing well, method of flow regulation: Valve Other (describe)  Static Water Level: 17 feet [above or below] and surface Date measured: 1-3-13 (circle one)  Well of measurement (circle one): Steel tape Rectric tape Air line Other (describe):  Well depth: 15 Well grouted to a depth of: 10 feet Type of grout (circle one): Neat Cement Bentonite Mix  Casing length: 40 feet Casing diameter: 16 inches Type of screen: 16 feet Type of completion (circle all applicable): Gravel packed Underreamed Open hole Natural Development Other (describe):  Type of completion (circle all applicable): Gravel packed Underreamed Open hole Natural Development Other (describe): 16 feet 17 feet 18 feet 19 f	Method of dosing and volume of Chlorine used in drilling a	and development:			
Purpose of borehole (circle one): Water Well   Geotechnical/Geological Investigation   Ground Source Heat Pump      Seismic Survey   Other (describe)					
Purpose of borehole (circle one): Water Well   Geotechnical/Geological Investigation   Ground Source Heat Pump      Seismic Survey   Other (describe)					
Purpose of Well (circle all applicable): Home Industrial Public Supply Irrigation Fish Culture  Other (describe):  If a flowing well, method of flow regulation: Valve Other (describe)  Static Water Level: / 7					
Purpose of Well (circle all applicable): Home Industrial Public Supply Irrigation Fish Culture  Other (describe):  If a flowing well, method of flow regulation: Valve Other (describe)  Static Water Level:/7 feet [above or	Seismic Survey Other	(describe)			
Other (describe):  If a flowing well, method of flow regulation: ValveOther (describe)  Static Water Level:/7feet [above or					
Static Water Level:					
Static Water Level:					
Method of measurement (circle one): Steel tape Dectric tape Air line Other (describe):  Well depth: 105 Well grouted to a depth of: 10 feet Type of grout (circle one): Neat Cement Bentonite Mix  Casing length: 65 feet Casing diameter: 16 inches Type of casing: 17  Screen length: 66 feet Screen diameter: 67  Screen slot size: 67  Type of completion (circle all applicable): Gravel packed Underreamed Open hole Natural Development Other (describe): 67  Top of lap pipe or reduction in casing: 66  If telescoped or more than one screen, describe on next page					
Well depth: 105 Well grouted to a depth of: 10 feet Type of grout (circle one): Neat Cement Bentonite Mix  Casing length: 45 feet Casing diameter: 16 inches Type of casing: 17  Screen length: 40 feet Screen diameter: 16 inches Type of screen: 17  Screen slot size: 132 inches Setting depth: From 15 feet to 195 feet  Type of completion (circle all applicable): Gravel packed Underreamed Open hole Natural Development  Other (describe): 17  Top of lap pipe or reduction in casing: 16  If telescoped or more than one screen, describe on next page	Static Water Level:				
Casing length: 65 feet Casing diameter: 16 inches Type of casing: 17 feet Screen diameter: 16 inches Type of screen: 17 feet Screen diameter: 17 inches Type of screen: 17 feet Screen slot size: 1032 inches Setting depth: From 165 feet to 175 feet Type of completion (circle all applicable): Gravel packed Underreamed Open hole Natural Development Other (describe): 17 feet 18 feet 18 feet 19 feet 1	Method of measurement (circle one): Steel tape   Aectric tape   Air line   Other (describe):				
Casing length: 65 feet Casing diameter: 16 inches Type of casing: 17 feet Screen diameter: 16 inches Type of screen: 17 feet Screen diameter: 17 inches Type of screen: 17 feet Screen slot size: 1032 inches Setting depth: From 165 feet to 175 feet Type of completion (circle all applicable): Gravel packed Underreamed Open hole Natural Development Other (describe): 17 feet 18 feet 18 feet 19 feet 1	Well depth: 105' Well grouted to a depth of: 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Screen length:		2 1			
Screen slot size:inches		n 1			
Other (describe):		المراج ا			
Other (describe):	Type of completion (circle all applicable): Gravel packed	Underreamed Open hole Natural Development			
If telescoped or more than one screen, describe on next page	Other (describe):				
	Top of lap pipe or reduction in casing:feet				

Permit #:		or Office Use	Only:
The sketch below only required for water wells	Description of formations encountered and boreholes, unless specifically exen	must be provided upted by regulation	for all wells
If well telescopes, show depths on sketch.	Description of Formations Encountered	From (depth)	To (depth)
Ground Level	loomy sond	Ground level	32
	Clau	37	50
	Cleq		
	fine soul	51	60
	Cooise send & grovel	41	105
If more than one screen, show location of each on sketch			
Sketch the property layout and include the following:  1) the well location 2) any permanent structures on the property that may a 3) any roads, power lines, or other items that may aid ii 4) north arrow	uid in locating the well n locating the property and the well		
	Flower Loke Rd.		
© well			
			) F (V E () 9 8 2000
(1ers	flower Loke Rd.		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	constructed, and completed in accorda	OC:	\$ 5 2018

# STATE WELL REPORT

#### Part 2

## County: Junion Permit #: 0W -47023 Driller: Delta Drilling Date completed: 6-3-13

Copy information from block on Part 1

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309

Jackson, MS 39225-2309 (601)961-5210 (601) 360-0535 (fax)

For Office Use Only:		
Well #:		
Aquifer:		

	well contractor or a licensed pump installer. A copy of Part I			
of the report must be attached and both parts filed with the D	epartment at the above address within 30 days of well completion.			
Well Owner Information	Well Location			
Owner Name: white & white	Latitude: N 34 34 30. 8" Longitude W 40 29 55. 94"			
Mailing Address:	Method of Lat/Long (check one): Conventional Survey,			
	USGS quad, Hand-held GPS, Survey-grade GPS			
Tan. 2A MS 38676 City State Zip Code	SE 14 NE 14, Sec 7 T 65 R 12W			
City State Zip Code	3 Miles NW of Junder Ns. (Distance) (Direction) (Nearest Town)			
Telephone No. ()	(Distance) (Direction) (Nearest Town)			
Pump Ty	pe (circle one)			
Submersible Turbine Air Lift Centrifugal Flowing Well	Jet Piston Rotary Other (describe):			
	Rated Pump Capacity:Gallons Per Minute			
Is This Pump (circle one): New Repaired Replacement				
Power Ty	pe (circle one)			
	ndmill Other (describe):			
Horse Power Rating of Motor: /// Setting Depth: 70 feet Number of Stages: 2				
Pump Test Data for Non Flowing Well				
Date Well Tested: Duration of Pump Test (minimum 4 hours): hours				
Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface				
Drawdown [(B) - (A)]:Feet Below Land Surface Test Pumping Rate:Gallons Per Minute				
Method of measurement (circle one): Steel tape Electric tape Air line Other (describe):				
Pump Test Da	ta for Flowing Well			
Measured shut in head:feet.				
Well yieldedGPM with a drawdown of	feet afterhours of pumping			
Meter	Installation			
Meter Manufacturer:	Meter Serial Number:			
Meter Model Number/Name:	Type of Meter:			
Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc):				
Installation Date: Meter installed by: OCT to 4.7810				
Is This Meter (circle one): New Repaired Replaceme	and the second s			
Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards.  For agricultural wells, a list of approved meters is on the MDEQ website.				
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.				
( St. Hen 25%)				
Print Name of Pump Installer and License No. (if applicable	Date Signature of Pump Installer			

Form: OLWR-SWR-1B (4/13)