	State W	ell Report	[]		
County: Upron	Part 1 – Driller's Log For Office Use Only:		For Office Use Only:		
Permit #:	Mississippi Department of Environmental Quality Aquifer:		Aquifer:		
Driller: PARKS & HARKS	P.O. Box 2309 Well #:58		Well#: <u>158</u>		
1 m L	Jackson, MS 39225		L. S. Elevation:		
Date drilling completed:	(601)961- 5210 (601)961- 5228 (fax)				
E-log #:					
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.					
Information on Well O	wner	Well or Bo	rehole Location		
(Landowner if borehole is not for a water well) Latitude: 34 ° 455626		" Longitude: "X See 977"			
Owner Name_ <u>NUV0</u>	Latitude: <u>34°</u> 49966		54 18		
Mailing Address: 3296 Summit Ridge		Method of Lat/Long (circle one): Conventional Survey,			
A6		USGS quad, Hand-held	GPS, Survey-grade GPS		
A A A A A A A A A A A A A A A A A A A					
City State	<u>30096</u> Zip Code				
Telephone No. (201) 546 - 0	122	•			
1	Well / Boreh	ole Data			
Date drilling started: 1/18/14 Date drilling completed: 1/30/14 Hole depth: 606 Hole diameter: 8					
Location of the source of any surface water used for drilling:					
Method of dosing and volume of Chlorine used in drilling and development:					
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:					
Purpose of borehole (check one): Water Wel	Il Geotechnical/Geolog	gical Investigation Ground	Source Heat Pump		
Seismic Survey Other (describe) If drilling is not related to water well construction, skip the remainder of this block					
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:					
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level: <u>253</u> feet above or below (circle one) land surface Date measured: <u>1/3c/14</u>					
Method of Measurement (circle one) steel tape electric tape air line other:					
Well depth: 616 Well grouted to a depth of 36 feet Type of grout (circle one); Neat Cement Bentomte Mix					
Casing length: 525 460 feet Casing diameter: 4"4.3" inches Type of casing: PUC					
Screen length: 60 feet Screen diameter: 3" inches Type of screen: 1/C					
Screen slot size: <u>1014</u> inches Setting depth: From <u>565</u> feet to <u>625</u> feet					
Type of completion (circle all applicable) Gravel packed Underreamed Telescoped Open hole Natural Development					
Other (describe):					
Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page					
		· · · · · · · · · · · · · · · · · · ·	Form: OLWR-SWR-1A (04/08)		
			RECEIVE		
			FEB 072014		

BY: OLWR

J58

The sketch below only required for water wells

<u>Description of formations encountered must be provided for all</u> wells and boreholes, unless specifically exempted by regulations

If well telescopes, show depth				
Ground Level		Description of Formations Encountered		To (depth)
<u> </u>			Ground Level	
<u> </u>	1 -	CAY + ROO SAND	0	81
٤ 2	30 - Cement	CIALY		1717
1 3		SHAR	215	∣ सुरु
		CIFTU	<u>44</u>	200
		STAN	200	24
		- Chain	272	174
			- 13	600
				l
				1
			· · · · · · · · · · · · · · · · · · ·	
	mante la la			
	525-4" CASING			
	1 - na ?			
- <u>-</u> <u>-</u>	60-3 CASINE			
	Dan will Da Li			
	GRAVEL DACK			
6	1			L
	k .	f		ļ
	10-3" 501001			
<	TO USE	L		1
	(00)			
etch the property layout and i aid in locating the	ow location of each on sketch nclude the following: 1) the well 1 well; 3) any roads, power lines, or	location; 2) any permanent structures on the p r other items that may aid in locating the prop	roperty that may perty and the well	;
etch the property layout and i	nclude the following: 1) the well 1	location; 2) any permanent structures on the p r other items that may aid in locating the prop	roperty that may perty and the well	;
etch the property layout and i aid in locating the	nclude the following: 1) the well I well; 3) any roads, power lines, or	location; 2) any permanent structures on the p r other items that may aid in locating the prop ATTA cheed	roperty that may perty and the well	;
etch the property layout and in aid in locating the	nclude the following: 1) the well I well; 3) any roads, power lines, or	r other items that may aid in locating the prop	roperty that may berty and the well	;
etch the property layout and in aid in locating the	nclude the following: 1) the well I well; 3) any roads, power lines, or	r other items that may aid in locating the prop	roperty that may perty and the well	
etch the property layout and in aid in locating the 4) a north arrow.	nclude the following: 1) the well I well; 3) any roads, power lines, or MAAP	r other items that may aid in locating the prop	roperty that may perty and the well	;
etch the property layout and i aid in locating the	nclude the following: 1) the well I well; 3) any roads, power lines, or MAAP	r other items that may aid in locating the prop	roperty that may perty and the well	;

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

laws RECEIVED now AA an Date

Print Name of Responsible Licensee and License No.

Signature of Licensee

FEB 07 2014



County: Uniter Permit #: Pump Installer Driller: Papers Driller: Papers Date completed: 1/30/14				
Mailing Address: 3296 SUMMAIT Ridge PKU4 Suite 1830 Deluith CA 30096 City State Zip Code Telephone No. (201)546-0122	Method of Lat/Long (check one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS 44 SecTR Distance Direction Miles EASOf ABMU y			
Pump Type Circle one Jet Air Lift Jet Submersible Bucket Piston Turbine Centrifugal Rotary Flowing Well Other (specify):	Power Type Circle one Diesel Engine Gasoline Engine Natural Gas Electric Motor Hand Tractor PTO Windmill Other (specify):			
Pump Test Data Date Well Tested: $1/30/14f$ Static Water Level (A): 25.3 Feet Below Land Surface Pumping Water Level (B): 280 Feet Below Land Surface Drawdown [(B) – (A)]: Feet Below Land Surface Test Pumping Rate: $1/2$ Gallons Per Minute Duration of Pump Test (minimum 4 hours): 4 hours	Method of Measuring Water Level Circle one Air Line Electric Measuring Line Steel Tape Other (specify):			
This is for (circle one): New Well Replacement of Existing Pump Repair of Existing Pump I HEREBY, CERTIFY that the above statements are true to the best of my knowledge. Auburn AAKS 0-4/4 Print Name of Pump Installer and License No. (if applicable) Form: OLWR-SWR-1C (07-09)				

•

. e

BY: OLWR