Crata V	Vell Report			
1 • 111	You Office Vice Only			
Mississinni Denartme	Driller's Log  at of Environmental Quality Aquifer:			
remates:	and Water Resources  Box 10631  Aquifer:  Well #:  Well #:			
Dines. Files	304 10031			
Jackson, r	AS 39289-0631 L. S. Elevation:			
	961-5210 4-6938 (fax) E-log #:			
State Law requires that this report be prepared by the lic	ense holder responsible for the work and filed with the			
Department at the above address within 30 days of com- Information on Well Owner	Netion of drilling of the well or borehole.  Well or Borehole Location			
(Landowner if borehole is not for a water well)				
Owner Name Martin Quin	Latitude: 31 • 11 • 0.6 " Longitude: 90 • 11 • 44.1"			
Mailing Address:	Method of Lat/Long (circle one): Conventional Survey,			
maning Addices.	USGS quad, Hand-held GPS, Survey-grade GPS			
	1			
Tylerfun ms City/ State Zip Code	SE 1/NE 1/4 Sec 33 Twn 3N Rng 10E			
City/ State Zip Code	Distance Direction Nearest Town			
Telephone No. ()	Milcs of			
Well / Bere	hole Data			
Date drilling started: 7-8-08 Date drilling completed: 7-8-0	8, Hole denth: 140' Hale Haman 8'			
	riote deput. 170 Role mameter: 0			
Location of the source of any surface water used for drilling:				
Method of dosing and volume of Chlorine used in drilling and development:				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:				
.08(s)				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic SurveyOther (describe)				
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other				
If a flowing well, method of flow regulation: ValveOther (describe)				
Static Water Level:feet above or below (circle one) land surface Date measured:				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 140 Well grouted to a depth of 10 feet Type of grout (circle one): Meat Cement Bentonite Mix				
Casing length: 130 feet Casing diameter: 4" inches Type of casing: Pyc				
Sample of casing: Pyc				
Screen length: 10' feet Screen diameter: 9" inches Type of screen: Puc				
Screen slot size: -012 inches Setting depth: From 130 feet to 140 feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page				
	THE PARTY OF THE P			

Form: OLWR-SWR-1A RECEIVED

JUL 17 2008

BY: OLWR

From (depth) To (depth)
Ground Level

Description of formations encountered must be exercised for ellreally and breakeles, unless machinally executed by consistent

Description of Formations Encountered

	clay.	O	20	
	(ldy-	20	40	
	Sund	- 40 80	100	
	clay	100	120	
	Curse Sand	130	130	
		***************************************		
*				
If more than one screen, show location of each on sketch				
Sketch the property layout and include the following: 1) the waid in locating the well; 3) any roads, power line	vell location; 2) any permanent structures on the pro- es, or other items that may aid in locating the prope	operty that may		
4) a north arrow.	and the second one prope	ary and the Well;		
Holmo Rd,				
		_		
	<b>\</b>			
	1			
	. 1			
Comobil Hong				
		· • • • • • • • • • • • • • • • • • • •		
	(x) = well.			
Landowner Name: Markin Quin.				
I certify that the well/borehole was drilled, constructed, and c Mississippi Department of Environmental Constructed to 2 of	remulated in accordance 44	Form: OLWR-SI	NR-1A	
A STATE OF ME	Interest Paragraphy of Hantal	circulation of the		
laws.	8-08	pplicable, and s	late	
prad Pitzerald way	Bed Stall	RECE	IVED	
Print Name of Responsible Licensee and License No. D	Pate Signature of Licensee	HEUC	.1 7 LD	
	AND AND ASSESSED TO A SECOND OF	WL 1	7 2008	
		BY: O	LWK	

The sketch below only required for water wells

if well telescopes, show deaths on sketch.
Ground Level......

## STATE WELL REPORT Part 2 For Office Use Only: Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources Aquifer: Driller Fitzurald Wellserds P.O. Box 1063 Jackson, MS 39289-0631 (601)961-5210 Elevation: (601)354-6938 (fax) Com information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a lie y installer. A copy of Part I of the report must be attached and both pure flied with the Department of the above address which if days of well completion. Well Owner information Owner Name: Martin Quill Latitude: 31011 0,611 Longitude: 90011 44.1" Mailing Address: Method of Lat/Long (check one): Conventional Survey USGS quad\_\_\_\_, Hand-held GPS\_\_\_, Survey-grade GPS\_\_\_ \_\_¼\_\_\_\_\_¼ Sec\_\_\_\_T\_\_\_R\_\_\_\_ Zip Code Distance Direction Nesrest Town Telephone No. (\_\_\_ Miles Pump Type Power Type Circle one Circle one Air Lift let Submorable Diesel Engine **Gasoline Engine** Natural Gas Bucket Piston Turbine Electric Muter Hand Tractor PTO Contrifugal Rotary Flowing Well Windmill Other (specify): Other (specify): Horse Power Rating of Motor: 3/4 7-8-08 Date Pump Installed: 130-Setting Deoth: Rated Pump Canacity: Gallons Per Minute Number of Stages: 12 Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: Air Line Steel Tape Electric Measuring Line Static Water Level (A): Feet Below Land Surface Other (specify): Pumping Water Level (B): \_\_\_\_\_Feet Below Land Surface Drawdown [(B) - (A)]: \_\_\_\_\_Feet Below Land Surface For flowing well, measured shut in head: Test Pumping Rate: Gallons Per Minute Well yielded \_\_\_ \_\_\_\_\_GPM with a drawdown of Duration of Pump Test (minimum 4 hours): \_\_\_\_\_hours feet after \_\_\_\_\_ hours of pumping

Brank Report License No. (if spelicable)

Name of Paint Installer and License No. (if spelicable)

Signature of Paint Installer

Form: QLINEWED ED

JUL 17 2008

BY: OLWR