State W	ell Report	For Office Use Only:			
	Part 1 – Driller's Log				
Mississippi Departmen	t of Environmental Quality	Aquifer: £ 2/2			
0.0	nd Water Resources Box 2309	Well #:			
Driller: JAMES WELL Jackson	, MS 39225	L. S. Elevation:			
Data dulling completed: /	961- 5210 - 5228 (fax)				
(50.750.	` '	E-log #:			
State Law requires that this report be prepared by the lice	ense holder responsible for t	he work and filed with the			
Department at the above address within 30 days of comp. Information on Well Owner		rehole Location			
(Landowne <u>r</u> if borehole is not for a water well)	21 07 15	" Longitude: 90 ° 08 12 "			
Owner Name Stan 13 Nanton	Latitude: 51 °01, LJ	" Longitude: 10° 00'10"			
Mailing Address: 22 Down Rd.	Method of Lat/Long (circle on	e): Conventional Survey,			
Tylestown MS 39667	, USGS quad, Hand-held	GPS, Survey-grade GPS			
- 1 / 2 / 1 / 2 / 1 / 2 / 1 / 2 / 1 / 2 / 1 / 2 / 1 / 2 / 1 / 2 / 2	NU 1/4 NE 1/4 Sec 19	Twn 2 h Rng 17E			
City State Zip Code	Distance Direction	Nearest Town of The Low			
985 516 9405	Miles	of Tylenton			
Telephone No. (1 9 3 7 0 7 4 9 3					
Well / Borel	nole Data				
Date drilling started: 12-11-0-Date drilling completed: 12-11-	<u> </u>	Hole diameter:			
Location of the source of any surface water used for drilling:	net .				
Method of dosing and volume of Chlorine used in drilling and develo	opment: 211 51	wek			
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:					
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump					
Seismic Survey Other (describe)					
If drilling is not related to water well construction, skip the remainder of this block					
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:					
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level: 50 feet above of below (circle one) land surface Date measured: 1241-09					
Method of Measurement (circle one) steel tape electric tape air line other:					
Well depth: 120 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix Cosing length: 120 feet Casing diameter: 4 inches Type of casing: PVC					
Casing length. 100 lect Casing diameter.					
Screen length: 20 feet Screen diameter: 4 inches Type of screen: PVC					
Screen slot size:OOSinches					
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development					
Other (describe):					
Top of lap pipe or reduction in casing:feet. If tele	escoped or more than one scree	n, describe on next page			

Top of lap pipe or reduction in casing:

RECEIVED

JAN 1 4 2010 BY: OLWR

Form: OLWR-SWR-1A (04/08)

BY: Or with

The sketch	helow	only	reauired	for	water wells
THE DICHELLIE	DELUTT	Unity	/ COMPLETE	101	TY COLD

If well telescopes,	show	depths	on	sketch.	
Ground Level.		_			

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	2
Clan	2	20
Soul	20	60
e la	60	70
Per Mars	70	120
	,	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well lo aid in locating the well; 3) any roads, power lines, or 4) a north arrow.	cation; 2) any pern other items that ma	nanent structures on the property that may ay aid in locating the property and the well;
	D-44	
0 Le Hy 98		3 Tylentown
Landowner Name: Skam Branten		Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Signature of Licensee PECEIVED Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

JAMES.	WELLS	0-586	
Print Name of Responsible Licensee and License No.			Date

JAN 1 4 2010

BY: OLWR

STATE WELL REPORT Part 2 For Office Use Only: **Pump Installer's Completion Report** Mississippi Department of Environmental Quality Office of Land and Water Resources Driller JAMES WELLS P.O. Box 2309 Date completed: 12-11-09 Jackson, MS 39225 (601)961-5210 Elevation: (601)961-5228 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Location Well Owner Information Longitude: Latitude: Method of Lat/Long (check one): Conventional Survey___ Mailing Address: ms 39667 USGS quad____, Hand-held GPS___, Survey-grade GPS___ 4 Sec 19 T 2 N R 1) E Zip Code Direction Nearest Town Distance Telephone No. Power Type Pump Type Circle one Circle one Gasoline Engine Natural Gas Diesel Engine Air Lift Jet Submersible Electric Motor Hand **Tractor PTO** Bucket Piston Turbine Windmill Other (specify): Centrifugal Rotary Flowing Well Horse Power Rating of Motor: Other (specify): Date Pump Installed: 12-11-09 Setting Depth: **2**5 Gallons Per Minute Number of Stages: _ Rated Pump Capacity: ___ Method of Measuring Water Level Pump Test Data Circle one 12-11-09 Date Well Tested: ____ Electric Measuring Line Steel Tape Air Line Static Water Level (A): _______Feet Below Land Surface Other (specify): _ Pumping Water Level (B): 100 Feet Below Land Surface Drawdown [(B) - (A)]: 45 Feet Below Land Surface For flowing well, measured shut in head: _____feet **SGPM** with a drawdown of 25 Gallons Per Minute Test Pumping Rate: ____ Well yielded ____ 4_hours of pumping Duration of Pump Test (minimum 4 hours): ___

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

METTS Print Name of Pump Installer and License No. (if applicable) ames Wall

Signature of Pump Installer

JAN 14 2010