<b>STATE WELL REPORT</b> $\frac{5 \gamma 9}{\gamma}$
County: Walthall Part 1 For Office Use Only:
Permit #: Driller's Log Well # E 245
Driller: Dames M. Wells Mississippi Department of Environmental Quality Aquifer:
P.O. Box 2309
Jackson, MS 39225-2309 (601)961-5210
(601)360-0535 (fax)
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.
Well Owner Information Well or Borehole Location
Latitude: $\mathcal{O}$ Latitude: $\mathcal{O}$ Longitude: $\mathcal$
Mothed of lat/lang/1/ 90 (3-08
USGS quad, Hand-held GPS, Survey-grade GPS
Tylertown MS J9667 SE 14 SW 14, Sec 20 T 2N RICE
City' State Zip Code Miles of
Telephone No. ()      Miles     of       (Distance)     (Direction)     (Nearest Town)
Well / Borehole Data
Date drilling started: 7-27-18 Date drilling completed: 7-27-18 Hole depth: 160 Hole diameter: 7/2"
Location of the source of any surface water used for drilling: <u>Community</u> Hole diameter: <u>173</u>
Method of dosing and volume of Chlorine used in drilling and development: <u>Granule chlorine</u>
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:
Name of organization running log(s):
Purpose of borehole (circle one) Water Well Geotechnical/Geological Investigation Ground Source Heat Pump
Seismic Survey Other (describe)
If drilling is not related to water well construction, skip the remainder of this block
Purpose of Well (circle all applicable) (Upp
If a flowing well, method of flow regulation: Valve Other ( <i>describe</i> )
Static Water Level: 100 feet [above or below] land surface Date measured: 7-27-18
Wethod of measurement (circle one) Steel tabe Electric tape Air line Other (describe):
well depth: 160 well grouted to a depth of: 10 feet Type of grout (circle one). Neat Cament, Bontonito, Him
Well depth: <u>160</u> Well grouted to a depth of: <u>16</u> feet Type of grout ( <i>circle one</i> ): Neat Cement Bentonite Mix Casing length: <u>140</u> feet Casing diameter: <u>4</u> inches Type of casing: <u>0VC</u>
creen length:feet Screen diameter:inches Type of screen: OVC
icreen slot size: .008 inches Setting depth: From _140feet to _160feet
ype of completion (circle all applicable) Gravel packed Underreamed Open hole Natural Development
ther (describe):
op of lap pipe or reduction in casing:feet
If telescoped or more than one screen, describe on next page

r

c


County: _	Walthal	
Permit #:		

τ

F	or Office Use Only:
Well #	E245

The sketch below only required for water wells

If well telescopes, show depths on sketch.



Description of formations encountered must be provided for all wells
and boreholes, unless specifically exempted by regulations

From (depth) Ground level Description of Formations Encountered To (depth) topson 25 125 160

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location

perty that may aid in locating the well

3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow
Louse Xwell RECEIVED SEP 19 2018 BY OLWR
DY OLW.
Landowner Name: Linda Sayers
I HEREBY CERTIFY that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.
Tames IM, Wells 00005889 9.16.18 James M. C.e.C. Print Name of Responsible Licensee and Licensee No. Date Signature of Licensee

Form: OLWR-SWR-1A (4/13)

County: Wathar	Part 2	For Office Use Only
Permit #:	Pump Installer's Completion Report	1
Driller: James M. Wells	Mississippi Department of Environmental Quality Office of Land and Water Resources	Well #: <u>E245</u>
Date completed: 7.27-18	P.O. Box 2309	Aquifer:
Copy information from block on Part 1	Jackson, MS 39225-2309 (601)961-5210	Aquiter
·	(601) 360-0535 (fax)	L
This part of the report must be completed	d by a licensed water well contractor or a licensed pu parts filed with the Department at the above address	mp installer. A copy of Part I
Well Owner Information		Location
Owner Name: Linda Saye		ngitude: 90°13.8W
Mailing Address:	Method of Lat/Long (check on	e): Conventional Survey
395 Hwy 48 W		
	USGS quad, Hand-held C <u>39667</u> <u>SE 4 SW</u> 4, Sec	
City lectown MS	7in Code	20 TAN RICE
Telephone No. ()		of(Nearest Town)
	Pump Type (circle one)	······
Submarsible Turbine Air Lift Centrifu	ugal Flowing Well Jet Piston Rotary Other (d	escribe).
	Rated Pump Capacity:	<b>`</b>
		C Gallons Per Min
Is This Pump (circle one): New Rep	paired Replacement Power Type (circle one)	
	rower rype (encle one)	
Floctic Discol Casolina Natural Cas	Tractor PTO Windmill Other (describe):	
	Tractor PTO Windmill Other (describe):	
Electric Diesel Gasoline Natural Gas	Setting Depth: <u>155</u> feet Numbe	
Horse Power Rating of Motor:	Setting Depth: <u>155</u> feet Numbe	r of Stages:
Horse Power Rating of Motor: Date Well Tested:7-27-18	Setting Depth: <u>155</u> feet Numbe Pump Test Data for Non Flowing Well Duration of Pump Test (mining)	r of Stages: mum 4 hours):ho
Horse Power Rating of Motor: Date Well Tested:7-27-18 Static Water Level (A): Feet	Setting Depth: <u>155</u> feet Numbe Pump Test Data for Non Flowing Well Duration of Pump Test (mining t Below Land Surface Pumping Water Level (B):	n of Stages:ho mum 4 hours):ho 55 Feet Below Land Surfa
Horse Power Rating of Motor: Date Well Tested:7-27-18 Static Water Level (A): Feet	Setting Depth: <u>155</u> feet Numbe Pump Test Data for Non Flowing Well Duration of Pump Test (mining)	n of Stages:homegalering
Horse Power Rating of Motor: Date Well Tested:7-27-18 Static Water Level (A):0 Drawdown [(B) - (A)]:2	Setting Depth: <u>155</u> feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (mining t Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: teel tapp Electric tape Air line Other (describe):	n of Stages:
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (circle one): St	Setting Depth: <u>155</u> feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (mining t Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Electric tape Air line Other (describe): Pump Test Data for Flowing Well	n of Stages:
Horse Power Rating of Motor: Date Well Tested:7-27-18 Static Water Level (A):0 Drawdown [(B) - (A)]:2 Method of measurement (circle one); St Measured shut in head:feet.	Setting Depth: <u>155</u> feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (mining t Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Feet Below Land Surface Test Pumping Rate: Electric tape Air line Other (describe): Pump Test Data for Flowing Well	n of Stages:
Horse Power Rating of Motor: Date Well Tested:7-27-18 Static Water Level (A):0 Drawdown [(B) - (A)]:2 Method of measurement (circle one); St Measured shut in head:feet.	Setting Depth: <u>155</u> feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (mining t Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Electric tape Air line Other (describe): Pump Test Data for Flowing Well	r of Stages:
Horse Power Rating of Motor: Date Well Tested:7-27-18 Static Water Level (A):0 Drawdown [(B) - (A)]:2 Method of measurement (circle one); St Measured shut in head:feet.	Setting Depth: <u>155</u> feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (mining t Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Feet Below Land Surface Test Pumping Rate: Electric tape Air line Other (describe): Pump Test Data for Flowing Well	r of Stages:
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (circle one): St Measured shut in head:feet. Well yielded GPM with a d	Setting Depth: <u>155</u> feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (mining t Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Feet Below Land Surface Air line Other (describe): Pump Test Data for Flowing Well  drawdown of feet after Meter Installation	r of Stages:
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (circle one): St Measured shut in head:feet. Well yielded GPM with a d	Setting Depth: <u>155</u> feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (mining t Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Feet Below Land Surface Air line Other (describe): Pump Test Data for Flowing Well  drawdown of feet after Meter Installation	r of Stages:
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (circle one): St Measured shut in head:feet. Well yielded GPM with a d	Setting Depth: <u>155</u> feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (mining t Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Feet Below Land Surface Air line Other (describe): Pump Test Data for Flowing Well  drawdown of feet after Meter Installation	r of Stages:
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (circle one): St Measured shut in head:feet. Well yielded GPM with a d	Setting Depth: <u>155</u> feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (mining t Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Feet Below Land Surface Air line Other (describe): Pump Test Data for Flowing Well  drawdown of feet after Meter Installation	r of Stages:
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (circle one); St Measured shut in head:feet. Well yielded GPM with a d	Setting Depth: <u>155</u> feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (mining t Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Feet Below Land Surface Air line Other (describe): Pump Test Data for Flowing Well  drawdown of feet after Meter Installation	r of Stages:
Horse Power Rating of Motor:	Setting Depth: <u>155</u> feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (mining t Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Feet Below Land Surface Test Pumping Rate: Feet Tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well  drawdown of feet after Meter Installation	r of Stages:
Horse Power Rating of Motor:	Setting Depth: 155feet_Number Pump Test Data for Non Flowing Well Duration of Pump Test (mining t Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Feet Below Land Surface Test Pumping Rate: Feet Tapp Electric tape Air line Other (describe): Pump Test Data for Flowing Well  drawdown of feet after Meter Installation Type of Meter: actor (AF x .001, gal x 1000, etc): Meter installed by: paired Replacement formation you are certifying that this meter was installed wells, a list of approved meters is on the MDEQ v	r of Stages:
Horse Power Rating of Motor:	Setting Depth: 155feet_Number Pump Test Data for Non Flowing Well Duration of Pump Test (mining t Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: feet tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well  drawdown of feet after Meter Installation Meter Serial Number: actor (AF x .001, gal x 1000, etc): Meter installed by: paired Replacement formation you are certifying that this meter was installed formation you are contended to the best of my knowledge.	r of Stages:

· ·