County: Permit #: Date drilling completed:

STATE WELL REPORT

Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309

> (601)961-5555 (601)961-5228 (fax)

| For O | ffice Use Only: |
|---------|-----------------|
| Well #: | E247_ |

271

| TOI OI | |
|----------|------|
| Well #: | E247 |
| Aquifer: | |
| E-Log #: | |

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

| Well Owner Information | Well or Borehole Location | | | | |
|---------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|--|--|--|--|
| (Landowner if borehole is not for a water well) | Latitude: 3105 '48.8 Longitude: 40° 13 '42.1" | | | | |
| Owner Name: Frank Conaway | Method of Lat/Long (check one): Conventional Survey, | | | | |
| Mailing Address: Horseshee Rd. | USGS quad, Hand-held GPS, Survey-grade GPS | | | | |
| Tylertour Ms. City State Zip Code | SE N NE N, Sec 31 T 2N R 10G | | | | |
| city | Miles of (Distance) (Direction) (Nearest Town) | | | | |
| Telephone No. () | (Distance) | | | | |
| Well / E Date drilling started: <u>多分子像</u> Date drilling completed Location of the source of any surface water used for drilli | Sorehole Data :8-29-8 Hole depth: 90 Hole diameter: 81 | | | | |
| | | | | | |
| Method of dosing and volume of Chlorine used in drilling a | and development: | | | | |
| Logs run (check all applicable): Log run Electric Cam | nma Ray Density Sonic Neutron Other: | | | | |
| Name of organization running log(s): | | | | | |
| Purpose of borehole (check one): Water Well Geotechi | nical/Geological Investigation Ground Source Heat Pump | | | | |
| | (describe) | | | | |
| | | | | | |
| If drilling is not related to water well | construction, skip the remainder of this block | | | | |
| Purpose of Well (check all applicable): Home Industr | ial Public Supply Irrigation Fish Culture RECEIVED | | | | |
| Other (describe): | | | | | |
| If a flowing well, method of flow regulation: Valve | Other (describe) Other (describe) BY OLW R | | | | |
| Static Water Level: 30 feet labove or be (check one) | elow] land surface Date measured: | | | | |
| Mothed of measurement (check one) Esteel tape Electr | ic tape LIAir line LiOther (describe): | | | | |
| Well depth: 90 Well grouted to a depth of: 10° | feet Type of grout (check one) Neat Cement Bentonite Mix | | | | |
| Casing length: 60 feet Casing diameter: 40 inches Type of casing: | | | | | |
| Screen length: 10 feet Screen diameter: 9 inches Type of screen: | | | | | |
| Screen slot size: | | | | | |
| Type of completion (check all applicable) ravel packed Underreamed Open hole Natural Development | | | | | |
| Other (describe): | | | | | |
| Top of lap pipe or reduction in casing:fee | | | | | |
| If telescoped or more tha | n one screen, describe on next page Form: OLWR-SWR-1A (4/13) | | | | |
| | | | | | |

| County: | | | 1 | Coffice Use | Only: |
|-------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------------|---------------------------|
| he sketch below only reg | | Description of formations en and boreholes, unless specifi | countered i | must be provide pted by regulation | d for all wells |
| f well telescopes, show do Ground Level | epths on sketch. | Description of Formations Enco | untered | From (depth) Ground level | To (depth) |
| Stoulid Level | | | | 0 | 20 |
| | | Clay | 7/- | 20 | 40 |
| | | State | <u>wr</u> | 40 | 60 |
| | | 500 | 7 5. | (ec) | Fo |
| | | Lunde | sand | 80 | 90 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | ow location of each on sketch | | | | |
| ketch the property layout ar 1) the well location | nd include the following: | aid in locating the well in locating the property and the we | ell | | |
| ketch the property layout ar 1) the well location 2) any permanent structs 3) any roads, power lines 4) north arrow | nd include the following: | aid in locating the well in locating the property and the we | ell | | |
| ketch the property layout ar 1) the well location 2) any permanent structi 3) any roads, power lines 4) north arrow | ures on the property that may aid is s, or other items that may aid is seemed to be well/borehole was drilled ssippi Department of Enviro | aid in locating the well in locating the property and the we in locating the property and the well in locati | in accordan | nce with all app tment of Healti | licable h regulations, |

Form: OLWR-SWR-1B (4/13)

. 12 2

Google Maps 31°05'48.8"N 90°13'42.1"W



Map data ©2018 Google 100 ft



31°05'48.8"N 90°13'42.1"W 31.096891, -90.228371

RECEIVED DEC 21 2018 BY OLWR

18-116 Horseshoe Rd, Tylertown, MS 39667 3QWC+QM Tylertown, Mississippi

Frank Concuery. Horseshoe Rd. 8,29-18

90- 1/2 HP.

STATE WELL REPORT Part 2 County: Walthau

Date completed: 8,29-16, Copy information from block on Part 1

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601)961-5210

| For Off | fice Use Only: |
|----------|----------------|
| Well #: | E247_ |
| Aquifer: | |
| | |

(601) 360-0535 (fax)

| must be completed by a licensed water | well contractor or a licensed pump installer. A copy of Part 1 epartment at the above address within 30 days of well completion. Well Location |
|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| This part of the report must be completed with the D | epartment at the above unit cost in well Location |
| Wall Owner Intuitigues | Latitude: 3005 488 Longitude: 70 13 7811 |
| Owner Name: Trank ON away | Wethod of lat / long (check one): Conventional Survey |
| Mailing Address: Hoise shor Rd | Handsheld GPS Survey-grade GPS |
| | SE W NE W, Sec 31 T XN RIVE |
| Typerson MS City State Zip Code | Miles of (Direction) (Nearest Town) |
| Telephone No. () | |
| Pump T | ype (check one) |
| | Check one) |
| Date Pump Installed: | ent |
| Is This Pump (check one): New Repaired Replacem | Type (check one) |
| i | |
| Electric Diesel Gasoline Natural Gas Setting De | Vindmill Other (describe): |
| Horse Power Rating of Motor: | No. Slaving Well |
| Pump Test Da | Duration of Pump Test (minimum 4 hours):hours |
| Date Well Tested: | Duration of Pump Test (minimum 4 notics). |
| Static Water Level (A): Feet Below Land Surfa | |
| Feet Below Land | Surface Test Fullipling Tests |
| chack and). Steel tape Electr | ic tape LIAIT line Liother (desains) |
| Method of measurement (check one). Pump Test | |
| faet | RECEIVED ! |
| Measured shut in head: | feet after hours of pumping |
| Well yieldedGPM with a trawtown of | UEU 2 + 20m |
| Me | ter Installation |
| Meter Manufacturer: | Meter Serial Number: BY OLWR |
| Meter Model Number/Name: | Type of meter. |
| Tetalizer Pegister Unit and Multiplier Factor (AF x .001 | , gal x 1000, etc): |
| Installation Date: Meter installed | by: |
| Is This Meter (check one): New Repaired Replace | cement |
| Important: By submitting the above information you a For agricultural wells, a list of | re certifying that this meter was installed to manufacturer standards. If approved meters is on the MDEQ website. |
| I HEREBY CERTIFY that the above statements are true | |
| | |
| Bited For the Cold. Print Name of Pump Installer and License No. (if applic | cable) Date Signature of Pump Installer |
| Fruit Manie of Fump installer and sites to (1) | Form: OLWR-SWR-2A (4/1 |