	STATE	WELL REPORT	
County: Walthall		Part 1	For Office Use Only:
Permit #:	Mississippi Depart	Priller's Log ment of Environmental Quality	Well #: _ F 1 29
Driller: James M. Wells	Office of La	and and Water Resources	Aquifer:
Date drilling completed: ルターフ		P.O. Box 2309 on, MS 39225-2309	E-Log #:
		(601)961-5210 <b>i</b>	
State I aw requires that this women's		1)360-0535 (fax)	
State Law requires that this report to Department at the above address with the control of the c	min so days of co.	license holder responsible for the mpletion of drilling of the well o	ie work and filed with the r borehole.
Well Owner Information (Landowner if borehole is not for a	on	Well or Borel	nole Location
Owner Name: Troy Kear	•	Latitude: 3108.39M Long	gitude: <u>40° 2,40 W</u>
Mailing Address:	····	Method of Lat/Long (check one)	○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
_ leo Les Hammone	d Rd.	USGS quad, Hand-held GP	S, Survey-grade GPS
Tylertown M5 State	39667 Zip Code		3 TON RIVE
Telephone No. ()	2.15 COUC	Miles of (Distance) (Direction)	(Negrast Town)
		(277 6061011)	(Ivearest Town)
Date drilling started: 118-12 Date do Location of the source of any surface was Method of dosing and volume of Chlorine Logs run (circle all applicable) No log run Name of organization running log(s):	ter used for drillin used in drilling an Electric Gamm	g: <u>Nunning Creek</u> d development: <u>Granule</u>	chlorino
Purpose of borehole (circle one): Water W	/ell Geotechnic	al/Geological Investigation Gr	ound Source Heat Pump
Seismic		lescribe)	The state of the s
If drilling is not relate	ed to water well con	nstruction, skip the remainder o	f this blook
Purpose of Well (circle all applicable): Ho	me Industrial		
Other (describe):	<del></del>		h Culture
If a flowing well, method of flow regulation	on: Valve	Other (describe)	
Static Water Level: 96 feet [a	bove or below] (circle one)	and surface Date measured:	11-8-17
Method of measurement (circle one)( Stee	el tabe Electric ta	oe Airline Other (describe)	
well depth: 200 Well grouted to a de	pth of: 16 fee	t Type of grout (circle one): No	not Company
casing tength:feet	g diameter:	inches Type of casi	ng: DVC
ocreen length: <u>JO</u> feet Scre	en diameter:	inches Type of scre	een: OVC
ocreen slot size: .008inches		rom	200 feet
ype of completion (circle all applicable)	Gravel packed		Natural Development
Other (describe):			macural pevelopment
op of lap pipe or reduction in casing:			

If telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A (4/13)

County:	than		1	r Office Use	Only:
The sketch below o	only required for water wells	<u>Description of formations en</u> and boreholes, unless specif			
	show depths on sketch.	Description of Formations Enco		From (depth)	To (depth)
Ground Level			100501	Ground level	
			-clay	100	135
			sand'	135_	200
			-17	<u> </u>	
				·	
			<del></del>		<del> </del>
				ļ	
,	·	<u> </u>			
If more than one scree	en, show location of each on sketch				!
<ol> <li>the well location</li> <li>any permanent</li> </ol>	yout and include the following: on structures on the property that may er lines, or other items that may aid .	aid in locating the well in locating the property and the we	house	vell	
andowner Name:	Troy Kearns		λ -		
HEREBY CERTIFY th equirements of the applicable, and sta	at the well/borehole was drilled Mississippi Department of Enviro	, constructed, and completed in nmental Quality and the Mississi	accordance ppi Departr	e with all appli nent of Health	cable regulations,
James IM. W	ells 00005889	12.28-17 Jan	me r		
int Name of Respon	nsible Licensee and License No.	Date		of Licenseé	

Form: OLWR-SWR-1A (4/13)

## STATE WELL REPORT

County: \_\_\_

Permit #:

Driller: Dames

Date completed:

## Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309

(601)961-5210

For (	Office Use Only:	
Well #:	F129	
Aquifer		

(601)	01)961-5210 360-0535 (fax)			
•	well contractor or a licensed pump installer. A copy of Part I			
of the report must be attached and both parts filed with the D	epartment at the above address within 30 days of well completion.			
Well Owner Information	Well Location  710 700 (			
Owner Name: Troy Kearns	Latitude: 31°8,39N Longitude: 90° 3.40W			
Mailing Address:	Method of Lat/Long (check one): Conventional Survey,			
60 Les Hammond Rd.	USGS quad, Hand-held GPS, Survey-grade GPS			
Tylertown MS 391do? City State Zip Code	NW 1/4 NE 1/4, Sec 13 T 2N R NE			
Telephone No. ()	Miles of (Distance) (Direction) (Nearest Town)			
	pe (circle one)			
· ·	Jet Piston Rotary Other (describe):			
' _ 6	ated Pump Capacity:Gallons Per Minute			
Is This Pump (circle one): New Repaired Replacemen	pe (circle one)			
Electric Diesel Gasoline Natural Gas Tractor PTO Win	· ·			
Horse Power Rating of Motor: Setting Dept				
Date Well Tested: Pump Test Data for Non Flowing Well  Date Well Tested: Duration of Pump Test (minimum 4 hours): hours				
1	Donation of Donas Test traditions of August 4			
	4. 2			
Static Water Level (A): Feet Below Land Surface	Pumping Water Level (B): 160 Feet Below Land Surface			
Static Water Level (A): 90 Feet Below Land Surface  Drawdown [(B) - (A)]: 12 Feet Below Land Surf	Pumping Water Level (B): 160 Feet Below Land Surface ace Test Pumping Rate: 7 Gallons Per Minute			
Static Water Level (A): 90 Feet Below Land Surface  Drawdown [(B) - (A)]: 12 Feet Below Land Surf  Method of measurement (circle one) Steel tape Electric ta	Pumping Water Level (B): 160 Feet Below Land Surface ace Test Pumping Rate: 17 Gallons Per Minute pe Air line Other (describe):			
Static Water Level (A): 90 Feet Below Land Surface  Drawdown [(B) - (A)]: 12 Feet Below Land Surface  Method of measurement (circle one) Steel tape Electric ta  Pump Test Da	Pumping Water Level (B): 160 Feet Below Land Surface ace Test Pumping Rate: 7 Gallons Per Minute			
Static Water Level (A): Feet Below Land Surface  Drawdown [(B) - (A)]: Feet Below Land Surface  Method of measurement (circle one) Steel tape Electric ta  Pump Test Dai  Measured shut in head: feet.	Pumping Water Level (B): 160 Feet Below Land Surface ace Test Pumping Rate: 17 Gallons Per Minute pe Air line Other (describe): ta for Flowing Well			
Static Water Level (A): 90 Feet Below Land Surface  Drawdown [(B) - (A)]: 12 Feet Below Land Surface  Method of measurement (circle one) Steel tape Electric ta  Pump Test Da	Pumping Water Level (B): 160 Feet Below Land Surface ace Test Pumping Rate: 17 Gallons Per Minute pe Air line Other (describe): ta for Flowing Well			
Static Water Level (A): Feet Below Land Surface  Drawdown [(B) - (A)]: Feet Below Land Surface  Method of measurement (circle one) Steel tape Electric ta  Pump Test Dai  Measured shut in head: feet.  Well yielded GPM with a drawdown of	Pumping Water Level (B): 160 Feet Below Land Surface ace Test Pumping Rate: 7 Gallons Per Minute pe Air line Other (describe): ta for Flowing Well feet after hours of pumping installation			
Static Water Level (A): Feet Below Land Surface  Drawdown [(B) - (A)]: Feet Below Land Surface  Method of measurement (circle one) Steel tape Electric ta  Pump Test Dai  Measured shut in head: feet.  Well yielded GPM with a drawdown of  Meter Manufacturer:	Pumping Water Level (B): 160 Feet Below Land Surface ace Test Pumping Rate: Gallons Per Minute pe Air line Other (describe): ta for Flowing Well hours of pumping installation Meter Serial Number: feet Below Land Surface			
Static Water Level (A): Feet Below Land Surface  Drawdown [(B) - (A)]: Feet Below Land Surface  Method of measurement (circle one); Steel tape Electric ta  Pump Test Date  Measured shut in head: feet.  Well yielded GPM with a drawdown of  Meter Manufacturer:  Meter Model Number/Name:	Pumping Water Level (B): 160 Feet Below Land Surface ace Test Pumping Rate: Gallons Per Minute pe Air line Other (describe): ta for Flowing Well feet after hours of pumping nstallation Meter Serial Number: Type of Meter: Type of Meter: Type of Meter: Type			
Static Water Level (A): Feet Below Land Surface  Drawdown [(B) - (A)]: Feet Below Land Surface  Method of measurement (circle one) Steel tape Electric ta  Pump Test Date  Measured shut in head: feet.  Well yielded GPM with a drawdown of  Meter Manufacturer:  Meter Model Number/Name:  Totalizer Register Unit and Multiplier Factor (AF x .001, gal	Pumping Water Level (B): 160 Feet Below Land Surface ace Test Pumping Rate: 7 Gallons Per Minute pe Air line Other (describe): ta for Flowing Well feet after hours of pumping installation Meter Serial Number: 7 Type of Meter: x 1000, etc):			
Static Water Level (A): Feet Below Land Surface  Drawdown [(B) - (A)]: Feet Below Land Surface  Method of measurement (circle one) Steel tape Electric ta  Pump Test Date  Measured shut in head: feet.  Well yielded GPM with a drawdown of  Meter Manufacturer:  Meter Model Number/Name:  Totalizer Register Unit and Multiplier Factor (AF x .001, gal	Pumping Water Level (B): 160 Feet Below Land Surface ace Test Pumping Rate: 7 Gallons Per Minute pe Air line Other (describe): ta for Flowing Well feet after hours of pumping installation Meter Serial Number: 7 Type of Meter: 1000, etc):			
Static Water Level (A): Feet Below Land Surface  Drawdown [(B) - (A)]: Feet Below Land Surface  Method of measurement (circle one); Steel tape Electric ta  Pump Test Date  Measured shut in head: feet.  Well yielded GPM with a drawdown of  Meter Manufacturer:  Meter Model Number/Name:	Pumping Water Level (B): 160 Feet Below Land Surface ace Test Pumping Rate:			
Static Water Level (A): Feet Below Land Surface  Drawdown [(B) - (A)]: Feet Below Land Surface  Method of measurement (circle one) Steel tape Electric ta  Pump Test Dai  Measured shut in head: feet.  Well yielded GPM with a drawdown of  Meter Manufacturer:  Meter Model Number/Name:  Totalizer Register Unit and Multiplier Factor (AF x .001, gal  Installation Date: Meter installed by:  Is This Meter (circle one): New Repaired Replacement  Important: By submitting the above information you are cere	Pumping Water Level (B): 160 Feet Below Land Surface ace Test Pumping Rate:			

Print Name of Pump Installer and License No. (if applicable) 00005789

Date

Signature of Pump Installer

Form: OLWR-SWR-1B (4/13)